

Annex E (normative)

ORM specifications

E.1 Introduction

This annex presents the specification of the standardized ORM s and associated RTs. If two or more object-fixed ORM s for the same object are specified then one of the ORM s is designated as the reference ORM for that object. [Table E.1](#) in [E.2.1](#) lists the reference ORM s specified in this International Standard, ordered alphabetically by their label. ORM specifications are listed in tables in [E.2.2](#) according to object categories (abstract, Earth, other planet, satellites, and Sun) and binding type (object-fixed or dynamic). [Table E.2](#) provides a directory of these tables. Parameter values in the tables are specified by value or by reference. Parameters specified by reference use the terminology in the cited references. Those terms are enclosed in brackets ({ }). Referenced values in length units other than metres are converted to metres to specify the corresponding RT parameter. Angular values are generally expressed in the units of radian. However, to avoid a loss of precision, some angular values are expressed in the units of arc second (") or arc degree (°), as indicated.

Abbreviations used in labels in this annex are defined in [Annex F](#).

E.2 ORM s

E.2.1 Reference ORM s

Table E.1 — Reference ORM directory

Object name	Type	Reference ORM label
2D modelling space	Abstract	ABSTRACT_2D
3D modelling space	Abstract	ABSTRACT_3D
Adrastea	Satellite	ADRASTEA_2000
Amalthea	Satellite	AMALTHEA_2000
Ariel	Satellite	ARIEL_1988
Atlas	Satellite	ATLAS_1988
Belinda	Satellite	BELINDA_1988
Bianca	Satellite	BIANCA_1988
Callisto	Satellite	CALLISTO_2000
Calypso	Satellite	CALYPSO_1988
Charon	Satellite	CHARON_2006
Cordelia	Satellite	CORDELIA_1988

Object name	Type	Reference ORM label
Cressida	Satellite	CRESSIDA_1988
Deimos	Satellite	DEIMOS_1988
Desdemona	Satellite	DESDEMONA_1988
Despina	Satellite	DESPINA_1991
Dione	Satellite	DIONE_1982
Earth	Earth	WGS_1984
Enceladus	Satellite	ENCELADUS_1994
Epimetheus	Satellite	EPIMETHEUS_1988
Eros (asteroid 433)	Planet	EROS_2000
Europa	Satellite	EUROPA_2000
Galatea	Satellite	GALATEA_1991
Ganymede	Satellite	GANYMEDE_2000
Gaspra (asteroid 951)	Planet	GASPRA_1991
Helene	Satellite	HELENE_1992
Iapetus	Satellite	IAPETUS_1988
Ida (asteroid 243)	Planet	IDA_1991
Io	Satellite	IO_2000
Janus	Satellite	JANUS_1988
Juliet	Satellite	JULIET_1988
Jupiter	Planet	JUPITER_2006
Larissa	Satellite	LARISSA_1991
Mars	Planet	MARS_2000
Mercury	Planet	MERCURY_2000
Metis	Satellite	METIS_2000
Mimas	Satellite	MIMAS_1994
Miranda	Satellite	MIRANDA_1988
Moon	Satellite	MOON_1991
Naiad	Satellite	NAIAD_1991

Object name	Type	Reference ORM label
Neptune	Planet	NEPTUNE_1991
Oberon	Satellite	OBERON_1988
Ophelia	Satellite	OPHELIA_1988
Pan	Satellite	PAN_1991
Pandora	Satellite	PANDORA_1988
Phobos	Satellite	PHOBOS_1988
Phoebe	Satellite	PHOEBE_2006
Pluto	Planet	PLUTO_2006
Portia	Satellite	PORTIA_1988
Prometheus	Satellite	PROMETHEUS_1988
Proteus	Satellite	PROTEUS_1991
Puck	Satellite	PUCK_1988
Rhea	Satellite	RHEA_1988
Rosalind	Satellite	ROSALIND_1988
Saturn	Planet	SATURN_1988
Sun	Sun	SUN_2006
Telesto	Satellite	TELESTO_1988
Tethys	Satellite	TETHYS_1991
Thalassa	Satellite	THALASSA_1991
Thebe	Satellite	THEBE_2000
Titan	Satellite	TITAN_1982
Titania	Satellite	TITANIA_1988
Triton	Satellite	TRITON_1991
Umbriel	Satellite	UMBRIEL_1988
Uranus	Planet	URANUS_1988
Venus	Planet	VENUS_1991

E.2.2 Standardized ORMs

The elements of an ORM specification are defined in [Table 7.10](#). [Table E.2](#) is a directory of standardized ORMs organized by category of ORM and type of object. The ORM entries in each table are ordered alphabetically by their label. The deprecated ORMs are specified in [Annex J](#). ORM specifications may include one or more RT specifications. The RT specifications associated with an ORM are specified in a corresponding table as shown in [Table E.2](#).

Table E.2 — ORM specification directory

ORM and RT specification tables	ORM table	RT table
Abstract ORM specifications	Table E.3	Table E.4
Object-fixed ERM specifications	Table E.5	Table E.6
Dynamic ERM specifications	Table E.7	n/a
Time-fixed instances of dynamic ERM specifications	Table E.8	Table E.9
Object-fixed planet (non-Earth) ORM specifications	Table E.10	Table E.11
Dynamic planet (non-Earth) ORM specifications	Table E.12	n/a
Time-fixed instances of dynamic planet (non-Earth) ORM specifications	Table E.13	Table E.14
Object-fixed satellite ORM specifications	Table E.15	Table E.16
Time-fixed instances of dynamic satellite ORM specifications	Table E.17	Table E.18
Stellar ORM specifications	Table E.19	Table E.20
Dynamic stellar ORM specifications	Table E.21	n/a
Time-fixed instances of dynamic stellar ORM specifications	Table E.22	Table E.23

Table E.3 — Abstract ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ABSTRACT_2D	1	2D modelling space	This is the reference ORM for abstract 2D object-space.	none	Universal	BI_AXIS_ORIGIN_2D	n/a	none
ABSTRACT_3D	2	3D modelling space	This is the reference ORM for abstract 3D object-space.	none	Universal	TRI_PLANE	n/a	none

Table E.4 — Abstract ORM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ABSTRACT_2D	ABSTRACT_2D_IDENTITY	1	Universal	IDENTITY n/a (reference ORM)	n/a	none
ABSTRACT_3D	ABSTRACT_3D_IDENTITY	2	Universal	IDENTITY n/a (reference ORM)	n/a	none

Table E.5 — Object-fixed ERM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ACCRA	266	Accra	WGS 1984	1929	Ghana	OBLATE ELLIPSOID	WAR OFFICE-1924	[EPSG , Code 6168]
ADINDAN_1991	3	Adindan	WGS 1984	1991	Burkina Faso, Cameroon, Ethiopia, Mali, Senegal, and Sudan	OBLATE ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "ADI"]
AFGOOYE_1987	5	Afgooye (Somalia)	WGS 1984	1987	Somalia	OBLATE ELLIPSOID	KRASSOVSKY-1940	[83502T , App. B.2, "AFG"]
AIN_EL_ABD_1970	6	Ain el Abd	WGS 1984	1970	Bahrain and Saudi Arabia	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.3, "AIN"]
AMERICAN_SAMOA-1962	8	American Samoa	WGS 1984	1962	American Samoa Islands	OBLATE ELLIPSOID	CLARKE_1866	[83502T , App. B.10, "AMA"]
AMERSFOORT	267	Amersfoort 1885/1903	WGS 1984	1903	Netherlands	OBLATE ELLIPSOID	BESSEL_1841-ETHIOPIA	[DIGEST , Table 6.2, "AME"]
ANNA_1_1965	9	Anna 1 (astronomic)	WGS 1984	1965	Cocos Islands	OBLATE ELLIPSOID	AUSTRALIAN-NATIONAL_1966	[83502T , App. B.9, "ANO"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ANTIGUA_1943	10	Antigua (astronomic)	WGS_1984	1943	Antigua and Leeward Islands	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.8, "AIA"]
ARC_1950	11	Arc	WGS_1984	1950	Botswana, Lesotho, Malawi, Swaziland, Zaire, Zambia, and Zimbabwe	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "ARF"]
ARC_1960	12	Arc	WGS_1984	1960	Kenya and Tanzania	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "ARS"]
ASCENSION_1958	14	Ascension	WGS_1984	1958	Ascension Island	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "ASC"]
AUSTRALIAN_GEOD-1966	16	Australian Geodetic	WGS_1984	1966	Australia and Tasmania	OBLATE_ELLIPSOID	AUSTRALIAN-NATIONAL_1966	[83502T , App. B.4, "AUA"]
AUSTRALIAN_GEOD-1984	17	Australian Geodetic	WGS_1984	1984	Australia and Tasmania	OBLATE_ELLIPSOID	AUSTRALIAN-NATIONAL_1966	[83502T , App. B.4, "AUG"]
AYABELLE-LIGHTHOUSE_1991	18	Ayabelle Lighthouse (Djibouti)	WGS_1984	1991	Djibouti	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "PHA"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
BEACON E 1945	19	Beacon E (Iwo-jima; astronomic)	WGS 1984	1945	Iwo Jima Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "ATF"]
BEKAA BASE SOUTH-END	268	Bekaa Base South End	WGS 1984	1920	Lebanon	OBLATE ELLIPSOID	CLARKE 1880-IGN	[DIGEST , Table 6.2, "BEK"]
BELGIUM 1972	269	Belgium 1972 (Observatoire d'Uccle)	WGS 1984	1972	Belgium	OBLATE ELLIPSOID	INTERNATIONAL-1924	[DIGEST , Table 6.2, "ODU"]
BELLEVUE IGN 1987	21	Bellevue (IGN)	WGS 1984	1987	Efate and Erromango Islands (Vanuatu)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "IBE"]
BERMUDA 1957	22	Bermuda	WGS 1984	1957	Bermuda	OBLATE ELLIPSOID	CLARKE 1866	[83502T , App. B.8, "BER"]
BERNE 1898	270	Berne 1898 (Switzerland)	WGS 1984	1898	Switzerland	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[DIGEST , Table 6.2, "BRE"]
BISSAU 1991	24	Bissau	WGS 1984	1991	Guinea-Bissau	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.2, "BID"]
BOGOTA OBS 1987	25	Bogota Observatory	WGS 1984	1987	Colombia	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.7, "BOO"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
BOGOTA_OBS_1987-PM_BOGOTA	26	Bogota Observatory (with the Prime Meridian at Bogota)	WGS 1984	1987 The x-positive xz-half-plane contains Bogota, Colombia (Instituto Geografico Augustin Cadazzi (IGAC) determination).	Colombia	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T, App. B.7, "BOO"]
BUKIT_RIMPAH_1987	27	Bukit Rimpah	WGS 1984	1987	Bangka and Belitung Islands (Indonesia)	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[83502T, App. C.2, "BUR"]
CAMP_AREA_1987	30	Camp Area (astronomic)	WGS 1984	1987	McMurdo Camp Area (Antarctica)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T, App. C.2, "CAZ"]
CAMPO_INCHAUSPE-1969	31	Campo Inchauspe	WGS 1984	1969	Argentina	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T, App. B.7, "CAI"]
CANTON_1966	32	Canton (astronomic)	WGS 1984	1966	Phoenix Islands	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T, App. B.10, "CAO"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
CAPE_1987	33	Cape	WGS_1984	1987	South Africa	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "CAP"]
CAPE_CANAVERAL-1991	34	Cape Canaveral	WGS_1984	1991	Bahamas and Florida	OBLATE_ELLIPSOID	CLARKE_1866	[83502T , App. B.6, "CAC"]
CARTHAGE_1987	35	Carthage	WGS_1984	1987	Tunisia	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "CGE"]
CH1903_PLUS	271	CH1903+	WGS_1984	1903	Switzerland	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[EPSG , Code 6150]
CHATHAM_1971	37	Chatam (astronomic)	WGS_1984	1971	Chatham Islands (New Zealand)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "CHI"]
CHUA_1987	38	Chua (astronomic)	WGS_1984	1987	Paraguay	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.7, "CHU"]
COAMPS_1998	39	COAMPS TM	WGS_1984	1998	Earth, Global	SPHERE_ORIGIN	COAMPS_1998	[ERNWM , Table 1, "COAMPS"]
CORREGO_ALEGRE-1987	41	Corrego Alegre	WGS_1984	1987	Brazil	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.7, "COA"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
CYPRUS 1935	272	Cyprus 1935	WGS 1984	1935	Cyprus	OBLATE ELLIPSOID	CLARKE 1858	[HELM , "CYP-7"]
DABOLA 1991	43	Dabola	WGS 1984	1991	Guinea	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "DAL"]
DECEPTION 1993	44	Deception	WGS 1984	1993	Deception Island (Antarctica)	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.8, "DID"]
DHDN RAUENBERG	273	DHDN Rauenberg (Berlin, Germany)	WGS 1984	1832	Germany	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[DIGEST , Table 6.2, "RAU"]
DJAKARTA 1987	49	Djakarta (also known as Batavia)	WGS 1984	1987	Sumatra (Indonesia)	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[83502T , App. B.3, "BAT"]
DJAKARTA 1987_PM-DJAKARTA	50	Djakarta (also known as Batavia; with the Prime Meridian at Djakarta)	WGS 1984	1987 The x-positive xz-half-plane contains Djarkata, Indonesia.	Sumatra (Indonesia)	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[83502T , App. B.3, "BAT"]
DOS 1968	51	DOS	WGS 1984	1968	Gizo Island (New Georgia Islands)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "GIZ"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
DOS_71_4_1987	52	DOS 71/4 (St. Helena Island; astronomic)	WGS_1984	1987	St. Helena Island	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "SHB"]
EASTER_1967	60	Easter	WGS_1984	1967	Easter Island	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "EAS"]
ESTONIA_1937	64	Estonia	WGS_1984	1937	Estonia	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[83502T , App. B.5, "EST"]
ETRF	65	ETRF	WGS_1984	1989	Europe	OBLATE_ELLIPSOID-ORIGIN	GRS_1980	[HELM , "EUT"]
EUROPE_1950	67	European	WGS_1984	1950	Europe	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.5, "EUR"]
EUROPE_1979	68	European	WGS_1984	1979	Europe	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.5, "EUS"]
FAHUD_1987	69	Fahud	WGS_1984	1987	Oman	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.3, "FAH"]
FORT_THOMAS_1955	70	Fort Thomas	WGS_1984	1955	St. Kitts, Nevis and Leeward Islands	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.8, "FOT"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GAN_1970	72	Gan	WGS_1984	1970	Republic of Maldives	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.9, "GAA"]
GDA_1994	75	GDA	WGS_1984	1994	Australia	OBLATE_ELLIPSOID-ORIGIN	GRS_1980	[HELM , "GDS"]
GEODETIC_DATUM-1949	76	Geodetic Datum	WGS_1984	1949	New Zealand	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "GEO"]
GGRS87	274	GGRS 1987	WGS_1984	1987	Greece	OBLATE_ELLIPSOID	GRS_1980	[DIGEST , Table 6.2, "GRX"]
GRACIOSA_BASE_SW-1948	89	Graciosa Base SW	WGS_1984	1948	Central Azores (Faial, Graciosa, Pico, Sao Jorge and Terceira Islands)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "GRA"]
GUAM_1963	90	Guam	WGS_1984	1963	Guam	OBLATE_ELLIPSOID	CLARKE_1866	[83502T , App. B.10, "GUA"]
GUNONG_SEGARA_1987	91	Gunung Segara	WGS_1984	1987	Kalimantan Island (Indonesia)	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[83502T , App. C.2, "GSE"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GUX 1 1987	92	GUX1 (astronomic)	WGS 1984	1987	Guadalcanal Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "DOB"]
HARTEBEESTHOEK-1994	275	Hartebees-thoek 1994	WGS 1984	1994	South Africa	OBLATE ELLIPSOID	GRS 1980	[EPSG , Code 6148]
HELSINKI KALLIO-CHURCH	276	Helsinki Kallio Church	WGS 1984		Finland	OBLATE ELLIPSOID	INTERNATIONAL-1924	[HELM , "HEL-7"]
HERAT NORTH 1987	98	Herat North	WGS 1984	1987	Afghanistan	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. C.2, "HEN"]
HERMANNSKOGEL 1871	99	Hermanns-kogel	WGS 1984	1871	Austria, Yugoslavia (prior to 1990), Slovenia, Croatia, Bosnia and Herzegovina, and Serbia	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[83502T , App. C.2, "HER"]
HJORSEY 1955	100	Hjorsey	WGS 1984	1955	Iceland	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.5, "HJO"]
HONG KONG 1963	101	Hong Kong	WGS 1984	1963	Hong Kong	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.3, "HKD"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
HONG KONG 1980	277	Hong Kong 1980	WGS 1984	1980	Hong Kong	OBLATE ELLIPSOID	INTERNATIONAL-1924	[EPSG , Code 6611]
HU TZU SHAN 1991	102	Hu-Tzu-Shan	WGS 1984	1991	Taiwan	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.3, "HTN"]
HUNGARIAN DATUM-1972	278	Hungarian Datum 1972	WGS 1984	1972	Hungary	OBLATE ELLIPSOID	GRS 1967	[DIGEST , Table 6.2, "HUY"]
INDIAN 1916	105	Indian	WGS 1984	1991	Bangladesh	OBLATE ELLIPSOID	EVEREST ADJ-1937	[83502T , App. B.3, "IND-B"]
INDIAN 1954	106	Indian	WGS 1984	1954	Thailand	OBLATE ELLIPSOID	EVEREST ADJ-1937	[83502T , App. B.3, "INF"]
INDIAN 1956	107	Indian	WGS 1984	1991	India and Nepal	OBLATE ELLIPSOID	EVEREST 1956	[83502T , App. B.3, "IND-I"]
INDIAN 1960	108	Indian	WGS 1984	1960	Vietnam	OBLATE ELLIPSOID	EVEREST ADJ-1937	[83502T , App. B.3, "ING"]
INDIAN 1962	109	Indian	WGS 1984	1962	Pakistan	OBLATE ELLIPSOID	EVEREST-REVISED 1962	[83502T , App. C.2, "IND-P"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
INDIAN 1975	110	Indian	WGS 1984	1975	Thailand	OBLATE ELLIPSOID	EVEREST-ADJ 1937	[83502T , App. B.3, "INH"]
INDONESIAN 1974	111	Indonesian	WGS 1984	1974	Indonesia	OBLATE ELLIPSOID	INDONESIAN 1974	[83502T , App. B.3, "IDN"]
IRAQ KUWAIT-BOUNDARY 1992	279	Iraq-Kuwait Boundary Datum 1992	WGS 1984	1992	Iraq/Kuwait	OBLATE ELLIPSOID	GRS 1980	[EPSG , Code 6667]
IRELAND 1965	113	Ireland 1965	WGS 1984	1965	Ireland	OBLATE ELLIPSOID	MODIFIED AIRY-1849	[83502T , App. B.5, "IRL"]
ISTS 061 1968	114	International Satellite Triangulation Station (ISTS) 061 (astronomic)	WGS 1984	1968	South Georgia Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "ISG"]
ISTS 073 1969	115	International Satellite Triangulation Station (ISTS) 073 (astronomic)	WGS 1984	1969	Diego Garcia	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.9, "IST"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ITRF	280	International Terrestrial Reference Frame	WGS 1984	2008 Representative of realizations 1992, 1993, 1994, 1996, 1997, 2000, 2005, and 2008.	Earth, Global	OBLATE ELLIPSOID	GRS 1980	[ITRF], [IERS36]
JGD 2000	117	Japanese Geodetic Datum 2000 (JGD2000)	WGS 1984	2000	Japan	OBLATE ELLIPSOID-ORIGIN	GRS 1980	[GRFJ]
JOHNSTON 1961	118	Johnston	WGS 1984	1961	Johnston Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "JOH"]
KANDAWALA 1987	127	Kandawala	WGS 1984	1987	Sri Lanka	OBLATE ELLIPSOID	EVEREST_ADJ-1937	[83502T , App. B.3, "KAN"]
KERGUELEN 1949	128	Kerguelen	WGS 1984	1949	Kerguelen Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.9, "KEG"]
KERTAU 1948	129	Kertau	WGS 1984	1948	West Malaysia and Singapore	OBLATE ELLIPSOID	EVEREST 1948	[83502T , App. B.3, "KEA"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
KKJ	281	KKJ	WGS 1984	1966	Finland	OBLATE ELLIPSOID	INTERNATIONAL-1924	[DIGEST , Table 6.2, "KKX"]
KOREAN GEODETIC-1995	130	Korean Geodetic System	WGS 1984	1995	South Korea	OBLATE ELLIPSOID	WGS 1984	[83502T , App. B.3, "KGS"]
KUSAIE 1951	131	Kusaie 1951 (astronomic)	WGS 1984	1951	Caroline Islands (Federated States of Micronesia)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "KUS"]
LC5 1961	133	LC5 (astronomic)	WGS 1984	1961	Cayman Brac Island	OBLATE ELLIPSOID	CLARKE 1866	[83502T , App. B.8, "LCF"]
LEIGON 1991	134	Leigon	WGS 1984	1991	Ghana	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "LEH"]
LIBERIA 1964	135	Liberia	WGS 1984	1964	Liberia	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "LIB"]
LISBON D73	282	Lisbon (Castelo di Sao Jorge) D73	WGS 1984	1937	Portugal	OBLATE ELLIPSOID	INTERNATIONAL-1924	[DIGEST , Table 6.2, "LIS"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
LKS94	283	Lithuania 1994 (ETRS89)	WGS 1984	1994	Lithuania	OBLATE ELLIPSOID	GRS 1980	[EPSG , Code 6126]
LUXEMBOURG_NT	284	Luxembourg NT	WGS 1984		Luxembourg	OBLATE ELLIPSOID	INTERNATIONAL-1924	[HELM , "zzz01"]
LUZON 1987	136	Luzon	WGS 1984	1987	Philippines	OBLATE ELLIPSOID	CLARKE 1866	[83502T , App. B.10, "LUZ"]
M_PORALOKO 1991	137	M'Poraloko	WGS 1984	1991	Gabon	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "MPO"]
MAHE 1971	138	Mahe	WGS 1984	1971	Mahe Island (Seychelles)	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.9, "MIK"]
MARCUS STATION 1952	139	Marcus Station (astronomic)	WGS 1984	1952	Marcus Islands	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "ASQ"]
MASS 1999	143	MASS	WGS 1984	1999	Earth, Global	SPHERE ORIGIN	MASS 1999	[ERNWM , Table 1, "MASS"]
MASSAWA 1987	144	Massawa	WGS 1984	1987	Eritrea and Ethiopia	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[83502T , App. B.2, "MAS"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
MERCHICH 1987	145	Merchich	WGS 1984	1987	Morocco	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "MER"]
MGI DATUM-HERMANNSKOGEL	285	MGI Datum/Hermannskogel	WGS 1984	1901	Austria	OBLATE ELLIPSOID	BESSEL 1841-ETHIOPIA	[DIGEST , Table 6.2, "HER"]
MIDWAY 1961	149	Midway 1961 (astronomic)	WGS 1984	1961	Midway Islands	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "MID"]
MINNA 1991	151	Minna	WGS 1984	1991	Cameroon and Nigeria	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "MIN"]
MM5 1997	153	MM5 (AFWA)	WGS 1984	1997	Earth, Global	SPHERE ORIGIN	MM5 1997	[ERNWM , Table 1, "MM5 (AFWA)"]
MODTRAN-MIDLATITUDE_N_1989	154	MODTRAN	WGS 1984	1989	Earth northern midlatitude regions	SPHERE ORIGIN	MODTRAN-MIDLATITUDE-1989	[ERNWM , Table 1, "MODTRAD, Midlatitude"]
MODTRAN-MIDLATITUDE_S_1989	155	MODTRAN	WGS 1984	1989	Earth southern midlatitude regions	SPHERE ORIGIN	MODTRAN-MIDLATITUDE-1989	[ERNWM , Table 1, "MODTRAD, Midlatitude"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
MODTRAN-SUBARCTIC N 1989	156	MODTRAN	WGS 1984	1989	Earth northern subarctic regions	SPHERE_ORIGIN	MODTRAN-SUBARCTIC-1989	[ERNWM , Table 1, "MODTRAN, Subarctic"]
MODTRAN-SUBARCTIC S 1989	157	MODTRAN	WGS 1984	1989	Earth southern subarctic regions	SPHERE_ORIGIN	MODTRAN-SUBARCTIC-1989	[ERNWM , Table 1, "MODTRAN, Subarctic"]
MODTRAN-TROPICAL 1989	158	MODTRAN	WGS 1984	1989	Earth tropical regions	SPHERE_ORIGIN	MODTRAN-TROPICAL 1989	[ERNWM , Table 1, "MODTRAN, Tropical"]
MONTSEERRAT 1958	159	Montserrat (astronomic)	WGS 1984	1958	Montserrat and Leeward Islands	OBLATE_ELLIPSOID	CLARKE 1880	[83502T , App. B.8, "ASM"]
MULTIGEN FLAT-EARTH 1989	161	Multigen flat Earth	WGS 1984	1989	Earth, Global	SPHERE_ORIGIN	MULTIGEN FLAT-EARTH 1989	[MFCG]
N AM 1927	162	North American	WGS 1984	1927	North America	OBLATE_ELLIPSOID	CLARKE 1866	[83502T , App. B.6, "NAS"]
N AM 1983	163	North American	WGS 1984	1983	North America	OBLATE_ELLIPSOID	GRS 1980	[83502T , App. B.6, "NAR"], [NAD83]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
N SAHARA 1959	164	North Sahara	WGS 1984	1959	Algeria	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "NSD"]
NAHRWAN 1987	165	Nahrwan	WGS 1984	1987	Oman, Saudi Arabia, and the United Arab Emirates	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.3, "NAH"]
NAPARIMA 1991	167	Naparima BWI	WGS 1984	1991	Trinidad and Tobago (British West Indies)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "NAP"]
NGO 1948	286	NGO 1948	WGS 1984	1948	Norway	OBLATE ELLIPSOID	BESSEL-MODIFIED	[HELM , "NGO-7"]
NOGAPS 1988	171	NOGAPS	WGS 1984	1988	Earth, Global	SPHERE ORIGIN	NOGAPS 1988	[ERNWM , Table 1, "NOGAPS"]
NTF 1896	172	NTF	WGS 1984	1896	France	OBLATE ELLIPSOID	CLARKE 1880-IGN	[HELM , "NFR"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
NTF_1896_PM_PARIS	173	NTF (with the Prime Meridian at Paris)	WGS 1984	1896 The x-positive xz-half-plane contains Paris, France (IGN 1936 determination).	France	OBLATE_ELLIPSOID	CLARKE_1880-IGN	[HELM , "NFR"]
OBSERV_METEORO-1939	175	Observatorio Meteorologico	WGS 1984	1939	Corvo Flores Islands (Azores)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "FLO"]
OBSERVATORIO	287	Observatório	WGS 1984		Mozambique South	OBLATE_ELLIPSOID	CLARKE_1866	[EPSG , Code 6129]
OLD_EGYPTIAN_1907	176	Old Egyptian	WGS 1984	1907	Egypt	OBLATE_ELLIPSOID	HELMERT_1906	[83502T , App. B.2, "OEG"]
OLD_HAWAIIAN-CLARKE_1987	177	Old Hawaiian (Clarke)	WGS 1984	1987	Hawaiian Islands	OBLATE_ELLIPSOID	CLARKE_1866	[83502T , App. B.10, "OHA"]
OLD_HAWAIIAN_INT-1987	178	Old Hawaiian (International)	WGS 1984	1987	Hawaiian Islands	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "OHI"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
OSGB 1936	180	Ordnance Survey of Great Britain	WGS 1984	1936	Great Britain	OBLATE ELLIPSOID	AIRY 1830	[83502T , App. B.5, "OGB"]
PALESTINE 1928	288	Palestine 1928	WGS 1984	1928	Israel	OBLATE ELLIPSOID	CLARKE 1880-PALESTINE	[DIGEST , Table 6.2, "PAL"]
PICO DE LAS NIEVES-1987	185	Pico de las Nieves	WGS 1984	1987	Canary Islands (Spain)	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "PLN"]
PITCAIRN 1967	186	Pitcairn (astronomic)	WGS 1984	1967	Pitcairn Island	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "PIT"]
POINT 58 1991	189	Point 58	WGS 1984	1991	Burkina Faso and Niger	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "PTB"]
POINTE NOIRE 1948	190	Pointe Noire	WGS 1984	1948	Congo	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "PTN"]
PORTO SANTO 1936	192	Porto Santo	WGS 1984	1936	Porto Santo and Madeira Islands	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "POS"]
PROV S AM 1956	195	Provisional South American	WGS 1984	1956	South America	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.7, "PRP"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
PROV S CHILEAN 1963	196	Provisional South Chilean (Hito XVIII)	WGS 1984	1963	South Chile	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.7, "HIT"]
PUERTO RICO 1987	198	Puerto Rico	WGS 1984	1987	Puerto Rico and Virgin Islands	OBLATE ELLIPSOID	CLARKE 1866	[83502T , App. B.8, "PUR"]
PULKOVO 1942	199	Pulkovo	WGS 1984	1942	Eastern Europe and Russia	OBLATE ELLIPSOID	KRASSOVSKY-1940	[83502T , App. C.2, "PUK"]
PZ90 GLONASS	289	Soviet Geodetic System 1990	WGS 1984	1990	Russia	OBLATE ELLIPSOID	SOVIET-GEODETIC 1990	[DIGEST , Table 6.2, "SGB"]
QATAR NATIONAL 1974	200	Qatar National	WGS 1984	1974	Qatar	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.3, "QAT"]
QATAR NATIONAL 1995	290	Qatar National Datum 1995	WGS 1984	1995	Qatar	OBLATE ELLIPSOID	INTERNATIONAL-1924	[EPSG , Code 6614]
QORNOQ 1987	201	Qornoq	WGS 1984	1987	South Greenland	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "QUO"]
REUNION 1947	202	Reunion	WGS 1984	1947	Mascarene Islands	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.9, "REU"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
RGF_1993	203	Reseau Geodesique Francais	WGS_1984	1993	France	OBLATE ELLIPSOID	GRS_1980	[RGF]
ROME_1940	205	Rome (also known as Monte Mario)	WGS_1984	1940	Italy, Sardinia, and Sicily	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.5, "MOD"]
ROME_1940 PM ROME	206	Rome (also known as Monte Mario) (with the Prime Meridian at Rome)	WGS_1984	1940 The x-positive xz-half-plane contains Rome, Italy.	Italy, Sardinia, and Sicily	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.5, "MOD"]
RT90	291	RT90 , Stockholm, Sweden	WGS_1984	1990	Sweden	OBLATE ELLIPSOID	BESSEL_1841-ETHIOPIA	[DIGEST , Table 6.2, "RTS"]
S_AM_1969	208	South American	WGS_1984	1969	South America	OBLATE ELLIPSOID	SOUTH-AMERICAN_1969	[83502T , App. B.7, "SAN"]
S_ASIA_1987	209	South Asia	WGS_1984	1987	Singapore	OBLATE ELLIPSOID	MODIFIED-FISCHER_1960	[83502T , App. B.3, "SOA"]
S_JTSK_1993	210	S-JTSK	WGS_1984	1993	Czech Republic and Slovakia	OBLATE ELLIPSOID	BESSEL_1841-ETHIOPIA	[83502T , App. B.5, "CCD"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
S42_PULKOVO	211	S-42 (Pulkovo)	WGS_1984	1942	Eastern Europe	OBLATE_ELLIPSOID	KRASSOVSKY-1940	[HELM , "SPK", "Afghanistan"]
SANTO_DOS_1965	212	Santo (DOS)	WGS_1984	1965	Espirito Santo Island (Vanuatu)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "SAE"]
SAO_BRAZ_1987	213	Sao Braz	WGS_1984	1987	Sao Miguel and Santa Maria Islands (Azores)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "SAO"]
SAPPER_HILL_1943	214	Sapper Hill	WGS_1984	1943	East Falkland Islands	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "SAP"]
SAPPER_HILL_1943-ADJ_2000	292	Sapper Hill 1943 (adjusted 2000)	WGS_1984	2000	Falkland Islands	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[DIGEST , Table 6.2, "SAP"]
SCHWARZECK_1991	218	Schwarzeck	WGS_1984	1991	Namibia	OBLATE_ELLIPSOID	BESSEL_1841-NAMIBIA	[83502T , App. B.2, "SCK"]
SELVAGEM_GRADE-1938	219	Selvagem Grande	WGS_1984	1938	Salvage Islands (Ilhas Selvagens; Savage Islands)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "SGM"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
SIERRA LEONE 1960	220	Sierra Leone	WGS 1984	1960	Sierra Leone	OBLATE ELLIPSOID	CLARKE 1880	[83502T , App. B.2, "SRL"]
SIRGAS 2000	221	SIRGAS	WGS 1984	2000	South America	OBLATE ELLIPSOID-ORIGIN	GRS 1980	[83502T , App. B.7, "SIR"]
SOUTH EAST ISLAND	293	South East Island	WGS 1984		Seychelles	OBLATE ELLIPSOID	CLARKE 1880	[HELM , "SEI-7"]
SOVIET GEODETIC-SYSTEM 1985	294	Soviet Geodetic System 1985	WGS 1984	1985	Russia	OBLATE ELLIPSOID	SOVIET-GEODETIC 1985	[DIGEST , Table 6.2, "SGA"]
TANANARIVE OBS 1925	223	Tananarive Observatory	WGS 1984	1925	Madagascar	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. C.2, "TAN"]
TANANARIVE OBS-1925 PM PARIS	224	Tananarive Observatory (with the Prime Meridian at Paris)	WGS 1984	1925 The x-positive xz-half-plane contains Paris, France (IGN 1936 determination).	Madagascar	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T , App. C.2, "TAN"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
TERN_1961	226	Tern (astronomic)	WGS_1984	1961	Tern Island (French Frigate Shoals, Hawaiian Islands)	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "TRN"]
TETE	295	Tete	WGS_1984		Mozambique	OBLATE_ELLIPSOID	CLARKE_1866	[EPSG , Code 6127]
TIMBALAI_1948_ADJ-1968_BESSEL	296	Timbalai 1968 adjustment of 1948 with Bessel ellipsoid	WGS_1984	1968	Brunei and East Malaysia	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[HELM , "TIM-7"]
TIMBALAI_1948_ADJ-1968_EVEREST	297	Timbalai 1968 adjustment of 1948 with Everest ellipsoid	WGS_1984	1968	Brunei and East Malaysia	OBLATE_ELLIPSOID	EVEREST-BRUNEI_1967	[HELM , "TIN-7"]
TIMBALAI_BESSEL_1948	298	Timbalai (Bessel)	WGS_1984	1948	Brunei and East Malaysia	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[HELM , "TIV-7"]
TIMBALAI_EVEREST-1948	230	Timbalai (Everest)	WGS_1984	1948	Brunei and East Malaysia (Sabah and Sarawak)	OBLATE_ELLIPSOID	EVEREST-BRUNEI_1967	[83502T , App. B.3, "TIL"]
TOKYO_1991	233	Tokyo	WGS_1984	1991	Japan, Korea, and Okinawa	OBLATE_ELLIPSOID	BESSEL_1841-ETHIOPIA	[83502T , App. B.3, "TOY"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
TRISTAN_1968	234	Tristan (astronomic)	WGS_1984	1968	Tristan da Cunha	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.8, "TDC"]
VITI_LEVU_1916	242	Viti Levu	WGS_1984	1916	Viti Levu Island (Fiji Islands)	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.10, "MVS"]
VOIROL_1874	243	Voirol	WGS_1984	1874	Algeria	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. C.2, "VOI"]
VOIROL_1874_PM-PARIS	244	Voirol (with the Prime Meridian at Paris)	WGS_1984	1874 The x-positive xz-half-plane contains Paris, France (IGN 1936 determination).	Algeria	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. C.2, "VOI"]
VOIROL_1960	245	Voirol - Revised	WGS_1984	1960	Algeria	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "VOR"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
VOIROL_1960_PM-PARIS	246	Voirol - Revised (with the Prime Meridian at Paris)	WGS_1984	1960 The x-positive xz-half-plane contains Paris, France (IGN 1936 determination).	Algeria	OBLATE_ELLIPSOID	CLARKE_1880	[83502T , App. B.2, "VOR"]
WAKE_1952	247	Wake (astronomic)	WGS_1984	1952	Wake Atoll	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. B.10, "WAK"]
WAKE_ENIWETOK_1960	248	Wake-Eniwetok	WGS_1984	1960	Marshall Islands	OBLATE_ELLIPSOID	HOUGH_1960	[83502T , App. B.10, "ENW"]
WGS_1972	249	World Geodetic System	WGS_1984	1972	Earth, Global	OBLATE_ELLIPSOID-ORIGIN	WGS_1972	[WGS72]
WGS_1984	250	World Geodetic System	This is the reference ORM for Earth.	1984	Earth, Global	OBLATE_ELLIPSOID-ORIGIN	WGS_1984	[83502T]
YACARE_1987	251	Yacare (Uruguay)	WGS_1984	1987	Uruguay	OBLATE_ELLIPSOID	INTERNATIONAL-1924	[83502T , App. C.2, "YAC"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ZANDERIJ 1987	252	Zanderij (Suriname)	WGS 1984	1987	Suriname	OBLATE ELLIPSOID	INTERNATIONAL-1924	[83502T] , App. B.7, "ZAN"]

NOTE 1: In Table E.6, when two references appear in the References element of an RT specification, the second reference, [\[GEOTRANS\]](#) or [\[EPSG\]](#), is the reference for the latitude and longitude values in the RT region element. The first reference listed is the reference for all other elements of such an RT specification, including the region name(s) in the RT region element. For non-Greenwich prime meridian RT specifications, the RT region longitude values are offset by ω_3 , when applicable.

NOTE 2: For non-Greenwich prime meridian RT specifications in Table E.6, the RT parameters value, ω_3 , is specified by this International Standard.

NOTE 3: In Table E.6, the phrase "Cycle number:" followed by an integer is appended to the References element of an RT specification to identify the non-zero cycle number in the reference from which the STT parameter values were obtained. When this phrase does not appear in the References element, cycle number zero is intended.

Table E.6 — Object-fixed ERM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ACCRA	ACCRA_GHANA_3	357	Ghana; $-1^\circ \leq \varphi \leq +17^\circ$; $-9^\circ \leq \lambda \leq +7^\circ$	TRANSLATE $\Delta x = -199$, $\Delta y = 32$, $\Delta z = 322$.		[HELM] , "ACC", [GEOTRANS] , "LEH"]
ADINDAN_1991	ADINDAN_1991- _BURKINA_FASO	3	Burkina Faso; $+4^\circ \leq \varphi \leq +22^\circ$; $-12^\circ \leq \lambda \leq +8^\circ$	TRANSLATE $\Delta x = -118$: $\sigma x = 25$, $\Delta y = -14$: $\sigma y = 25$, $\Delta z = 218$: $\sigma z = 25$.	1991	[83502T] , App. B.2, "ADI-E", [GEOTRANS] , "ADI-E"]
	ADINDAN_1991- _CAMEROON	4	Cameroon; $-4^\circ \leq \varphi \leq +19^\circ$; $+3^\circ \leq \lambda \leq +23^\circ$	TRANSLATE $\Delta x = -134$: $\sigma x = 25$, $\Delta y = -2$: $\sigma y = 25$, $\Delta z = 210$: $\sigma z = 25$.	1991	[83502T] , App. B.2, "ADI-F", [GEOTRANS] , "ADI-F"]
	ADINDAN_1991_ETHIOPIA	5	Ethiopia; $-3^\circ \leq \varphi \leq +25^\circ$; $+26^\circ \leq \lambda \leq +50^\circ$	TRANSLATE $\Delta x = -165$: $\sigma x = 3$, $\Delta y = -11$: $\sigma y = 3$, $\Delta z = 206$: $\sigma z = 3$.	1991	[83502T] , App. B.2, "ADI-A", [GEOTRANS] , "ADI-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	ADINDAN_1991_MALI	6	Mali; $+3^{\circ} \leq \varphi \leq +31^{\circ}$; $-20^{\circ} \leq \lambda \leq +11^{\circ}$	TRANSLATE $\Delta x = -123$: $\sigma x = 25$, $\Delta y = -20$: $\sigma y = 25$, $\Delta z = 220$: $\sigma z = 25$.	1991	[83502T, App. B.2, "ADI-C"], [GEOTRANS, "ADI-C"]
	ADINDAN_1991_MEAN- _SOLUTION	7	Mean Solution (Ethiopia and Sudan); $-5^{\circ} \leq \varphi \leq +31^{\circ}$; $+15^{\circ} \leq \lambda \leq +55^{\circ}$	TRANSLATE $\Delta x = -166$: $\sigma x = 5$, $\Delta y = -15$: $\sigma y = 5$, $\Delta z = 204$: $\sigma z = 3$.	1991	[83502T, App. B.2, "ADI-M"], [GEOTRANS, "ADI-M"]
	ADINDAN_1991_SENEGAL	8	Senegal; $+5^{\circ} \leq \varphi \leq +23^{\circ}$; $-24^{\circ} \leq \lambda \leq -5^{\circ}$	TRANSLATE $\Delta x = -128$: $\sigma x = 25$, $\Delta y = -18$: $\sigma y = 25$, $\Delta z = 224$: $\sigma z = 25$.	1991	[83502T, App. B.2, "ADI-D"], [GEOTRANS, "ADI-D"]
	ADINDAN_1991_SUDAN	9	Sudan; $-3^{\circ} \leq \varphi \leq +31^{\circ}$; $+15^{\circ} \leq \lambda \leq +45^{\circ}$	TRANSLATE $\Delta x = -161$: $\sigma x = 3$, $\Delta y = -14$: $\sigma y = 5$, $\Delta z = 205$: $\sigma z = 3$.	1991	[83502T, App. B.2, "ADI-B"], [GEOTRANS, "ADI-B"]
AFGOOYE 1987	AFGOOYE_1987_SOMALIA	11	Somalia; $-8^{\circ} \leq \varphi \leq +19^{\circ}$; $+35^{\circ} \leq \lambda \leq +60^{\circ}$	TRANSLATE $\Delta x = -43$: $\sigma x = 25$, $\Delta y = -163$: $\sigma y = 25$, $\Delta z = 45$: $\sigma z = 25$.	1987	[83502T, App. B.2, "AFG"], [GEOTRANS, "AFG"]
AIN EL ABD 1970	AIN_EL_ABD_1970- _BAHRAIN_ISLAND	12	Bahrain Island; $+24^{\circ} \leq \varphi \leq +28^{\circ}$; $+49^{\circ} \leq \lambda \leq +53^{\circ}$	TRANSLATE $\Delta x = -150$: $\sigma x = 25$, $\Delta y = -250$: $\sigma y = 25$, $\Delta z = -1$: $\sigma z = 25$.	1991	[83502T, App. B.3, "AIN-A"], [GEOTRANS, "AIN-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	AIN_EL_ABD_1970- _SAUDI_ARABIA	13	Saudi Arabia; $+8^{\circ} \leq \varphi \leq +38^{\circ}$; $+28^{\circ} \leq \lambda \leq +62^{\circ}$	TRANSLATE $\Delta x = -143$: $\sigma x = 10$, $\Delta y = -236$: $\sigma y = 10$, $\Delta z = 7$: $\sigma z = 10$.	1991	[83502T, App. B.3, "AIN-B"], [GEOTRANS, "AIN-B"]
AMERICAN SAMOA-1962	AMERICAN_SAMOA_1962- _AMERICAN_SAMOA- _ISLANDS	15	American Samoa Islands; $-19^{\circ} \leq \varphi \leq -9^{\circ}$; $-174^{\circ} \leq \lambda \leq -165^{\circ}$	TRANSLATE $\Delta x = -115$: $\sigma x = 25$, $\Delta y = 118$: $\sigma y = 25$, $\Delta z = 426$: $\sigma z = 25$.	1993	[83502T, App. B.10, "AMA"], [GEOTRANS, "AMA"]
AMERSFOORT	AMERSFOORT- _NETHERLANDS_7	358	Netherlands; $+50,78^{\circ} \leq \varphi \leq +55,8^{\circ}$; $+2,48^{\circ} \leq \lambda \leq +7,37^{\circ}$	PV_7_PARAMETER $\Delta x = 565$: $\sigma x = 1$, $\Delta y = 49,9$: $\sigma y = 1$, $\Delta z = 465,8$: $\sigma z = 1$, $\omega_1 = -0,409''$, $\omega_2 = 0,36''$, $\omega_3 = -1,869''$, $\Delta s = 4,08 \times 10^{-6}$.		[HELM, "AME-7"], [EPSG, Code 1172]
ANNA 1 1965	ANNA_1_1965_COCOS- _ISLANDS	16	Cocos Islands; $-14^{\circ} \leq \varphi \leq -10^{\circ}$; $+94^{\circ} \leq \lambda \leq +99^{\circ}$	TRANSLATE $\Delta x = -491$: $\sigma x = 25$, $\Delta y = -22$: $\sigma y = 25$, $\Delta z = 435$: $\sigma z = 25$.	1987	[83502T, App. B.9, "ANO"], [GEOTRANS, "ANO"]
ANTIGUA 1943	ANTIGUA_1943_ANTIGUA- _LEEWARD_ISLANDS	17	Antigua and Leeward Islands; $+16^{\circ} \leq \varphi \leq +20^{\circ}$; $-65^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = -270$: $\sigma x = 25$, $\Delta y = 13$: $\sigma y = 25$, $\Delta z = 62$: $\sigma z = 25$.	1991	[83502T, App. B.8, "AIA"], [GEOTRANS, "AIA"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ARC_1950	ARC_1950_ZIMBABWE_3	18	Zimbabwe; $-29^{\circ} \leq \varphi \leq -9^{\circ}$; $+19^{\circ} \leq \lambda \leq +39^{\circ}$	TRANSLATE $\Delta x = -142$: $\sigma x = 5$, $\Delta y = -96$: $\sigma y = 8$, $\Delta z = -293$: $\sigma z = 11$.	1991	[83502T] , App. B.2, "ARF-G", [GEOTRANS] , "ARF-G"]
	ARC_1950_BOTSWANA	19	Botswana; $-33^{\circ} \leq \varphi \leq -13^{\circ}$; $+13^{\circ} \leq \lambda \leq +36^{\circ}$	TRANSLATE $\Delta x = -138$: $\sigma x = 3$, $\Delta y = -105$: $\sigma y = 5$, $\Delta z = -289$: $\sigma z = 3$.	1991	[83502T] , App. B.2, "ARF-A", [GEOTRANS] , "ARF-A"]
	ARC_1950_BURUNDI	20	Burundi; $-11^{\circ} \leq \varphi \leq +4^{\circ}$; $+21^{\circ} \leq \lambda \leq +37^{\circ}$	TRANSLATE $\Delta x = -153$: $\sigma x = 20$, $\Delta y = -5$: $\sigma y = 20$, $\Delta z = -292$: $\sigma z = 20$.	1991	[83502T] , App. B.2, "ARF-H", [GEOTRANS] , "ARF-H"]
	ARC_1950_LESOTHO	21	Lesotho; $-36^{\circ} \leq \varphi \leq -23^{\circ}$; $+21^{\circ} \leq \lambda \leq +35^{\circ}$	TRANSLATE $\Delta x = -125$: $\sigma x = 3$, $\Delta y = -108$: $\sigma y = 3$, $\Delta z = -295$: $\sigma z = 8$.	1991	[83502T] , App. B.2, "ARF-B", [GEOTRANS] , "ARF-B"]
	ARC_1950_MALAWI	22	Malawi; $-21^{\circ} \leq \varphi \leq -3^{\circ}$; $+26^{\circ} \leq \lambda \leq +42^{\circ}$	TRANSLATE $\Delta x = -161$: $\sigma x = 9$, $\Delta y = -73$: $\sigma y = 24$, $\Delta z = -317$: $\sigma z = 8$.	1991	[83502T] , App. B.2, "ARF-C", [GEOTRANS] , "ARF-C"]
	ARC_1950_MEAN-SOLUTION	23	Mean Solution (Botswana, Lesotho, Malawi, Swaziland, Zaire, Zambia and Zimbabwe); $-36^{\circ} \leq \varphi \leq +10^{\circ}$; $+4^{\circ} \leq \lambda \leq +42^{\circ}$	TRANSLATE $\Delta x = -143$: $\sigma x = 20$, $\Delta y = -90$: $\sigma y = 33$, $\Delta z = -294$: $\sigma z = 20$.	1987	[83502T] , App. B.2, "ARF-M", [GEOTRANS] , "ARF-M"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	ARC_1950_SWAZILAND	24	Swaziland; $-33^{\circ} \leq \varphi \leq -20^{\circ}$; $+25^{\circ} \leq \lambda \leq +40^{\circ}$	TRANSLATE $\Delta x = -134$: $\sigma x = 15$, $\Delta y = -105$: $\sigma y = 15$, $\Delta z = -295$: $\sigma z = 15$.	1991	[83502T , App. B.2, "ARF-D"], [GEOTRANS , "ARF-D"]
	ARC_1950_ZAIRE	25	Zaire; $-21^{\circ} \leq \varphi \leq +10^{\circ}$; $+4^{\circ} \leq \lambda \leq +38^{\circ}$	TRANSLATE $\Delta x = -169$: $\sigma x = 25$, $\Delta y = -19$: $\sigma y = 25$, $\Delta z = -278$: $\sigma z = 25$.	1991	[83502T , App. B.2, "ARF-E"], [GEOTRANS , "ARF-E"]
	ARC_1950_ZAMBIA	26	Zambia; $-24^{\circ} \leq \varphi \leq -1^{\circ}$; $+15^{\circ} \leq \lambda \leq +40^{\circ}$	TRANSLATE $\Delta x = -147$: $\sigma x = 21$, $\Delta y = -74$: $\sigma y = 21$, $\Delta z = -283$: $\sigma z = 27$.	1991	[83502T , App. B.2, "ARF-F"], [GEOTRANS , "ARF-F"]
	ARC_1950_KENYA_7	359	Kenya; $-11^{\circ} \leq \varphi \leq +8^{\circ}$; $+28^{\circ} \leq \lambda \leq +47^{\circ}$	PV_7_PARAMETER $\Delta x = -62,44$: $\sigma x = 2$, $\Delta y = -209,95$: $\sigma y = 2$, $\Delta z = 17,83$: $\sigma z = 2$, $\omega_1 = -6,785\ 7''$, $\omega_2 = 7,66''$, $\omega_3 = 7,205\ 9''$, $\Delta s = 7,382 \times 10^{-6}$.		[HELM , "ARS-7"], [GEOTRANS , "ARS-A"]
	ARC_1950_ZIMBABWE_7	360	Zimbabwe; $-29^{\circ} \leq \varphi \leq -9^{\circ}$; $+19^{\circ} \leq \lambda \leq +39^{\circ}$	PV_7_PARAMETER $\Delta x = -111,16$: $\sigma x = 3$, $\Delta y = -186,64$: $\sigma y = 3$, $\Delta z = -301,34$: $\sigma z = 3$, $\omega_1 = -4,023''$, $\omega_2 = -2,838''$, $\omega_3 = 4,899''$, $\Delta s = 1,776 \times 10^{-6}$.		[HELM , "ARF-7"], [GEOTRANS , "ARF-G"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ARC 1960	ARC_1960_KENYA_3	27	Kenya; $-11^{\circ} \leq \varphi \leq +8^{\circ}$; $+28^{\circ} \leq \lambda \leq +47^{\circ}$	TRANSLATE $\Delta x = -157$: $\sigma x = 4$, $\Delta y = -2$: $\sigma y = 3$, $\Delta z = -299$: $\sigma z = 3$.	1997	[83502T , App. B.2, "ARS-A"], [GEOTRANS , "ARS-A"]
	ARC_1960_MEAN- _SOLUTION	28	Mean Solution (Kenya and Tanzania); $-18^{\circ} \leq \varphi \leq +8^{\circ}$; $+23^{\circ} \leq \lambda \leq +47^{\circ}$	TRANSLATE $\Delta x = -160$: $\sigma x = 20$, $\Delta y = -6$: $\sigma y = 20$, $\Delta z = -302$: $\sigma z = 20$.	1991	[83502T , App. B.2, "ARS-M"], [GEOTRANS , "ARS-M"]
	ARC_1960_TANZANIA	29	Tanzania; $-18^{\circ} \leq \varphi \leq +5^{\circ}$; $+23^{\circ} \leq \lambda \leq +47^{\circ}$	TRANSLATE $\Delta x = -175$: $\sigma x = 6$, $\Delta y = -23$: $\sigma y = 9$, $\Delta z = -303$: $\sigma z = 10$.	1997	[83502T , App. B.2, "ARS-B"], [GEOTRANS , "ARS-B"]
ASCENSION 1958	ASCENSION_1958- _ASCENSION_ISLAND	31	Ascension Island; $-9^{\circ} \leq \varphi \leq -6^{\circ}$; $-16^{\circ} \leq \lambda \leq -13^{\circ}$	TRANSLATE $\Delta x = -205$: $\sigma x = 25$, $\Delta y = 107$: $\sigma y = 25$, $\Delta z = 53$: $\sigma z = 25$.	1991	[83502T , App. B.8, "ASC"], [GEOTRANS , "ASC"]
AUSTRALIAN GEOD-1966	AUSTRALIAN_GEOD_1966- _AUSTRALIA_TASMANIA	33	Australia and Tasmania; $-46^{\circ} \leq \varphi \leq -4^{\circ}$; $+109^{\circ} \leq \lambda \leq +161^{\circ}$	TRANSLATE $\Delta x = -133$: $\sigma x = 3$, $\Delta y = -48$: $\sigma y = 3$, $\Delta z = 148$: $\sigma z = 3$.	1987	[83502T , App. B.4, "AUA"], [GEOTRANS , "AUA"]
AUSTRALIAN GEOD-1984	AUSTRALIAN_GEOD_1984- _AUSTRALIA_TASMANIA_3	34	Australia and Tasmania; $-46^{\circ} \leq \varphi \leq -4^{\circ}$; $+109^{\circ} \leq \lambda \leq +161^{\circ}$	TRANSLATE $\Delta x = -134$: $\sigma x = 2$, $\Delta y = -48$: $\sigma y = 2$, $\Delta z = 149$: $\sigma z = 2$.	1987	[83502T , App. B.4, "AUG"], [GEOTRANS , "AUG"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	AUSTRALIAN_GEOD_1984- _AUSTRALIA_TASMANIA_7	35	Australia and Tasmania; $-46^{\circ} \leq \varphi \leq -4^{\circ}$; $+109^{\circ} \leq \lambda \leq +161^{\circ}$	CF_7_PARAMETER $\Delta x = -116$, $\Delta y = -50,47$, $\Delta z = 141,69$, $\omega_1 = -0,23''$, $\omega_2 = -0,39''$, $\omega_3 = -0,344''$, $\Delta s = 0,098\ 3 \times 10^{-6}$.	1984	[CECT, Table 1], [GEOTRANS, "AUG"]
AYABELLE- LIGHTHOUSE 1991	AYABELLE_LIGHTHOUSE- _1991_DJIBOUTI	36	Djibouti; $+5^{\circ} \leq \varphi \leq +20^{\circ}$; $+36^{\circ} \leq \lambda \leq +49^{\circ}$	TRANSLATE $\Delta x = -79$: $\sigma x = 25$, $\Delta y = -129$: $\sigma y = 25$, $\Delta z = 145$: $\sigma z = 25$.	1991	[83502T, App. B.2, "PHA"], [GEOTRANS, "PHA"]
BEACON E 1945	BEACON_E_1945- _IWO_JIMA_ISLAND	37	Iwo Jima Island; $+22^{\circ} \leq \varphi \leq +26^{\circ}$; $+140^{\circ} \leq \lambda \leq +144^{\circ}$	TRANSLATE $\Delta x = 145$: $\sigma x = 25$, $\Delta y = 75$: $\sigma y = 25$, $\Delta z = -272$: $\sigma z = 25$.	1987	[83502T, App. B.10, "ATF"], [GEOTRANS, "ATF"]
BEKAA BASE- SOUTH END	BEKAA_BASE_SOUTH- _END_LEBANON_7	361	Lebanon; $+33,08^{\circ} \leq \varphi \leq +34,96^{\circ}$; $+34,37^{\circ} \leq \lambda \leq +36,65^{\circ}$	PV_7_PARAMETER $\Delta x = -465,05$: $\sigma x = 2$, $\Delta y = 440,83$: $\sigma y = 2$, $\Delta z = 41,4$: $\sigma z = 2$, $\omega_1 = -3,887\ 71''$, $\omega_2 = -11,348\ 2''$, $\omega_3 = -27,413\ 9''$, $\Delta s = 15,289 \times 10^{-6}$.		[HELM, "BEK-7 "], [EPSG, Code 1140]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
BELGIUM 1972	BELGIUM_1972- _BELGIUM_7	362	Belgium; $+49,53^{\circ} \leq \varphi \leq +51,83^{\circ}$; $+2,12^{\circ} \leq \lambda \leq +6,4^{\circ}$	PV_7_PARAMETER $\Delta x = -99,1$: $\sigma x = 1$, $\Delta y = 53,3$: $\sigma y = 1$, $\Delta z = -112,5$: $\sigma z = 1$, $\omega_1 = 0,419''$, $\omega_2 = -0,83''$, $\omega_3 = 1,885''$, $\Delta s = -1 \times 10^{-6}$.		[HELM , "ODU-7", "Belgium"], [EPSG , Code 1044]
BELLEVUE IGN 1987	BELLEVUE_IGN_1987- _EFATE_ERROMANGO- _ISLANDS	39	Efate and Erromango Islands (Vanuatu); $-20^{\circ} \leq \varphi \leq -16^{\circ}$; $+167^{\circ} \leq \lambda \leq +171^{\circ}$	TRANSLATE $\Delta x = -127$: $\sigma x = 20$, $\Delta y = -769$: $\sigma y = 20$, $\Delta z = 472$: $\sigma z = 20$.	1987	[83502T , App. B.10, "IBE"], [GEOTRANS , "IBE"]
BERMUDA 1957	BERMUDA_1957- _BERMUDA	40	Bermuda; $+31^{\circ} \leq \varphi \leq +34^{\circ}$; $-66^{\circ} \leq \lambda \leq -63^{\circ}$	TRANSLATE $\Delta x = -73$: $\sigma x = 20$, $\Delta y = 213$: $\sigma y = 20$, $\Delta z = 296$: $\sigma z = 20$.	1987	[83502T , App. B.8, "BER"], [GEOTRANS , "BER"]
BERNE 1898	BERNE_1898- _SWITZERLAND_7	363	Switzerland; $+45,85^{\circ} \leq \varphi \leq +47,84^{\circ}$; $+5,97^{\circ} \leq \lambda \leq +10,49^{\circ}$	PV_7_PARAMETER $\Delta x = 660,077$, $\Delta y = 13,551$, $\Delta z = 369,344$, $\omega_1 = -0,805''$, $\omega_2 = -0,578''$, $\omega_3 = -0,952''$, $\Delta s = 5,66 \times 10^{-6}$.		[HELM , "BRE"], [EPSG , Code 1226]
BISSAU 1991	BISSAU_1991_GUINEA- _BISSAU	42	Guinea-Bissau; $+5^{\circ} \leq \varphi \leq +19^{\circ}$; $-23^{\circ} \leq \lambda \leq -7^{\circ}$	TRANSLATE $\Delta x = -173$: $\sigma x = 25$, $\Delta y = 253$: $\sigma y = 25$, $\Delta z = 27$: $\sigma z = 25$.	1991	[83502T , App. B.2, "BID"], [GEOTRANS , "BID"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
BOGOTA_OBS_1987	BOGOTA_OBS_1987- _COLOMBIA	43	Colombia; $-10^{\circ} \leq \varphi \leq +16^{\circ}$; $-85^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = 307$: $\sigma x = 6$, $\Delta y = 304$: $\sigma y = 5$, $\Delta z = -318$: $\sigma z = 6$.	1987	[83502T , App. B.7, "BOO"], [GEOTRANS , "BOO"]
BOGOTA_OBS_1987- PM BOGOTA	BOGOTA_OBS_1987_PM- _BOGOTA_COLOMBIA	44	Colombia; $-10^{\circ} \leq \varphi \leq +16^{\circ}$; $-11^{\circ} \leq \lambda \leq +13^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = 307$: $\sigma x = 6$, $\Delta y = 304$: $\sigma y = 5$, $\Delta z = -318$: $\sigma z = 6$, $\omega = 285^{\circ} 55' 8,7''$. Note: The referenced z-axis rotation has been offset so that Bogota is contained in the x-positive xz-plane.	1987	[83502T , App. B.7, "BOO"], [GEOTRANS , "BOO"]
BUKIT_RIMPAH_1987	BUKIT_RIMPAH_1987- _BANGKA_BELITUNG- _ISLANDS	45	Bangka and Belitung Islands (Indonesia); $-6^{\circ} \leq \varphi \leq +0^{\circ}$; $+103^{\circ} \leq \lambda \leq +110^{\circ}$	TRANSLATE $\Delta x = -384$, $\Delta y = 664$, $\Delta z = -48$.	1987	[83502T , App. C.2, "BUR"], [GEOTRANS , "BUR"]
CAMP_AREA_1987	CAMP_AREA_1987- _MCMURDO_CAMP	48	McMurdo Camp Area (Antarctica); $-85^{\circ} \leq \varphi \leq -70^{\circ}$; $+135^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = -104$, $\Delta y = -129$, $\Delta z = 239$.	1987	[83502T , App. C.2, "CAZ"], [GEOTRANS , "CAZ"]
CAMPO- INCHAUSPE_1969	CAMPO_INCHAUSPE- _1969_ARGENTINA	49	Argentina; $-62^{\circ} \leq \varphi \leq -20^{\circ}$; $-76^{\circ} \leq \lambda \leq -47^{\circ}$	TRANSLATE $\Delta x = -148$: $\sigma x = 5$, $\Delta y = 136$: $\sigma y = 5$, $\Delta z = 90$: $\sigma z = 5$.	1987	[83502T , App. B.7, "CAI"], [GEOTRANS , "CAI"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
CANTON_1966	CANTON_1966_PHOENIX-ISLANDS	50	Phoenix Islands; $-13^{\circ} \leq \varphi \leq +3^{\circ}$; $-180^{\circ} \leq \lambda \leq -165^{\circ}$	TRANSLATE $\Delta x = 298$: $\sigma x = 15$, $\Delta y = -304$: $\sigma y = 15$, $\Delta z = -375$: $\sigma z = 15$.	1987	[83502T , App. B.10, "CAO"], [GEOTRANS , "CAO"]
CAPE_1987	CAPE_1987_SOUTH-AFRICA	51	South Africa; $-43^{\circ} \leq \varphi \leq -15^{\circ}$; $+10^{\circ} \leq \lambda \leq +40^{\circ}$	TRANSLATE $\Delta x = -136$: $\sigma x = 3$, $\Delta y = -108$: $\sigma y = 6$, $\Delta z = -292$: $\sigma z = 6$.	1987	[83502T , App. B.2, "CAP"], [GEOTRANS , "CAP"]
CAPE_CANAVERAL-1991	CAPE_CANAVERAL_1991-MEAN_SOLUTION	52	Mean Solution (Bahamas and Florida); $+15^{\circ} \leq \varphi \leq +38^{\circ}$; $-94^{\circ} \leq \lambda \leq -58^{\circ}$	TRANSLATE $\Delta x = -2$: $\sigma x = 3$, $\Delta y = 151$: $\sigma y = 3$, $\Delta z = 181$: $\sigma z = 3$.	1991	[83502T , App. B.6, "CAC"], [GEOTRANS , "CAC"]
CARTHAGE_1987	CARTHAGE_1987_TUNISIA	53	Tunisia; $+24^{\circ} \leq \varphi \leq +43^{\circ}$; $+2^{\circ} \leq \lambda \leq +18^{\circ}$	TRANSLATE $\Delta x = -263$: $\sigma x = 6$, $\Delta y = 6$: $\sigma y = 9$, $\Delta z = 431$: $\sigma z = 8$.	1987	[83502T , App. B.2, "CGE"], [GEOTRANS , "CGE"]
CH1903_PLUS	CH1903_PLUS-SWITZERLAND_3	364	Switzerland; $+45,85^{\circ} \leq \varphi \leq +47,84^{\circ}$; $+5,97^{\circ} \leq \lambda \leq +10,49^{\circ}$	TRANSLATE $\Delta x = 674,4$: $\sigma x = 2$, $\Delta y = 15,1$: $\sigma y = 2$, $\Delta z = 405,3$: $\sigma z = 2$.		[HELM , "CHW-7"], [EPSG , Code 1226]
CHATHAM_1971	CHATHAM_1971-CHATHAM_ISLANDS	55	Chatham Islands (New Zealand); $-46^{\circ} \leq \varphi \leq -42^{\circ}$; $-180^{\circ} \leq \lambda \leq -174^{\circ}$	TRANSLATE $\Delta x = 175$: $\sigma x = 15$, $\Delta y = -38$: $\sigma y = 15$, $\Delta z = 113$: $\sigma z = 15$.	1987	[83502T , App. B.10, "CHI"], [GEOTRANS , "CHI"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
CHUA_1987	CHUA_1987_PARAGUAY	56	Paraguay; $-33^{\circ} \leq \varphi \leq -14^{\circ}$; $-69^{\circ} \leq \lambda \leq -49^{\circ}$	TRANSLATE $\Delta x = -134$: $\sigma x = 6$, $\Delta y = 229$: $\sigma y = 9$, $\Delta z = -29$: $\sigma z = 5$.	1987	[83502T , App. B.7, "CHU"], [GEOTRANS , "CHU"]
COAMPS_1998	COAMPS_1998_IDENTITY- _BY_DEFAULT	57	Global (Earth)	IDENTITY	1998	[ERNWM , Table 1, "COAMPS"]
CORREGO_ALEGRE-1987	CORREGO_ALEGRE_1987- _BRAZIL	59	Brazil; $-39^{\circ} \leq \varphi \leq +9^{\circ}$; $-80^{\circ} \leq \lambda \leq -29^{\circ}$	TRANSLATE $\Delta x = -206$: $\sigma x = 5$, $\Delta y = 172$: $\sigma y = 3$, $\Delta z = -6$: $\sigma z = 5$.	1987	[83502T , App. B.7, "COA"], [GEOTRANS , "COA"]
CYPRUS_1935	CYPRUS_1935_CYPRUS_7	365	Cyprus; $+33^{\circ} \leq \varphi \leq +37^{\circ}$; $+31^{\circ} \leq \lambda \leq +36^{\circ}$	PV_7_PARAMETER $\Delta x = -104,24$, $\Delta y = -16,713$, $\Delta z = 843,593$, $\omega_1 = 0,904\ 97''$, $\omega_2 = 0,641\ 31''$, $\omega_3 = 3,011\ 74''$, $\Delta s = -60,095 \times 10^{-6}$.		[HELM , "CYP-7"], [GEOTRANS , "EUR-E"]
DABOLA_1991	DABOLA_1991_GUINEA	61	Guinea; $+1^{\circ} \leq \varphi \leq +19^{\circ}$; $-18^{\circ} \leq \lambda \leq -4^{\circ}$	TRANSLATE $\Delta x = -83$: $\sigma x = 15$, $\Delta y = 37$: $\sigma y = 15$, $\Delta z = 124$: $\sigma z = 15$.	1991	[83502T , App. B.2, "DAL"], [GEOTRANS , "DAL"]
DECEPTION_1993	DECEPTION_1993- _DECEPTION_ISLAND	62	Deception Island (Antarctica); $-65^{\circ} \leq \varphi \leq -62^{\circ}$; $-62^{\circ} \leq \lambda \leq -58^{\circ}$	TRANSLATE $\Delta x = 260$: $\sigma x = 20$, $\Delta y = 12$: $\sigma y = 20$, $\Delta z = -147$: $\sigma z = 20$.	1993	[83502T , App. B.8, "DID"], [GEOTRANS , "DID"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
DHDN_RAUENBERG	DHDN_RAUENBERG- _GERMANY_7	366	Germany; $+47,27^{\circ} \leq \varphi \leq +55,9^{\circ}$; $+3,3^{\circ} \leq \lambda \leq +15,03^{\circ}$	PV_7_PARAMETER $\Delta x = 582$: $\sigma x = 4$, $\Delta y = 105$: $\sigma y = 4$, $\Delta z = 414$: $\sigma z = 4$, $\omega_1 = 1,04''$, $\omega_2 = 0,35''$, $\omega_3 = -3,08''$, $\Delta s = 8,3 \times 10^{-6}$.		[HELM , "RAU-7"]], [EPSG , Code 1103]
DJAKARTA 1987	DJAKARTA_1987- _SUMATRA	68	Sumatra (Indonesia); $-16^{\circ} \leq \varphi \leq +11^{\circ}$; $+89^{\circ} \leq \lambda \leq +146^{\circ}$	TRANSLATE $\Delta x = -377$: $\sigma x = 3$, $\Delta y = 681$: $\sigma y = 3$, $\Delta z = -50$: $\sigma z = 3$.	1987	[83502T , App. B.3, "BAT"]], [GEOTRANS , "BAT"]]
DJAKARTA 1987- PM DJAKARTA	DJAKARTA_1987_PM- _DJAKARTA_SUMATRA	67	Sumatra (Indonesia); $-16^{\circ} \leq \varphi \leq +11^{\circ}$; $-18^{\circ} \leq \lambda \leq +39^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -377$: $\sigma x = 3$, $\Delta y = 681$: $\sigma y = 3$, $\Delta z = -50$: $\sigma z = 3$, $\omega = 106^{\circ} 48' 27,79''$. Note: The referenced z-axis rotation has been offset so that Djakarta is contained in the x-positive xz-plane.	1987	[83502T , App. B.3, "BAT"]], [GEOTRANS , "BAT"]]
DOS_1968	DOS_1968_GIZO_ISLAND	69	Gizo Island (New Georgia Islands); $-10^{\circ} \leq \varphi \leq -7^{\circ}$; $+155^{\circ} \leq \lambda \leq +158^{\circ}$	TRANSLATE $\Delta x = 230$: $\sigma x = 25$, $\Delta y = -199$: $\sigma y = 25$, $\Delta z = -752$: $\sigma z = 25$.	1987	[83502T , App. B.10, "GIZ"]], [GEOTRANS , "GIZ"]]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
DOS_71_4_1987	DOS_71_4_1987-ST_HELENA_ISLAND	70	St. Helena Island; $-18^{\circ} \leq \varphi \leq -14^{\circ}$; $-7^{\circ} \leq \lambda \leq -4^{\circ}$	TRANSLATE $\Delta x = -320$: $\sigma x = 25$, $\Delta y = 550$: $\sigma y = 25$, $\Delta z = -494$: $\sigma z = 25$.	1987	[83502T , App. B.8, "SHB"], [GEOTRANS , "SHB"]
EASTER_1967	EASTER_1967_EASTER-ISLAND	71	Easter Island; $-29^{\circ} \leq \varphi \leq -26^{\circ}$; $-111^{\circ} \leq \lambda \leq -108^{\circ}$	TRANSLATE $\Delta x = 211$: $\sigma x = 25$, $\Delta y = 147$: $\sigma y = 25$, $\Delta z = 111$: $\sigma z = 25$.	1987	[83502T , App. B.10, "EAS"], [GEOTRANS , "EAS"]
ESTONIA_1937	ESTONIA_1937_ESTONIA	75	Estonia; $+52^{\circ} \leq \varphi \leq +65^{\circ}$; $+16^{\circ} \leq \lambda \leq +34^{\circ}$	TRANSLATE $\Delta x = 374$: $\sigma x = 2$, $\Delta y = 150$: $\sigma y = 3$, $\Delta z = 588$: $\sigma z = 3$.	1997	[83502T , App. B.5, "EST"], [GEOTRANS , "EST"]
ETRF	ETRF_IDENTITY_BY-MEASUREMENT	76	Europe; $+34,5^{\circ} \leq \varphi \leq +71,05^{\circ}$; $-10,67^{\circ} \leq \lambda \leq +31,55^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 0$, $\Delta y = 0$: $\sigma y = 0$, $\Delta z = 0$: $\sigma z = 0$.	2001	[HELM , "EUT"], [EPSG , Code 1298]
EUROPE_1950	EUROPE_1950_CYPRUS_3	78	Cyprus; $+33^{\circ} \leq \varphi \leq +37^{\circ}$; $+31^{\circ} \leq \lambda \leq +36^{\circ}$	TRANSLATE $\Delta x = -104$: $\sigma x = 15$, $\Delta y = -101$: $\sigma y = 15$, $\Delta z = -140$: $\sigma z = 15$.	1991	[83502T , App. B.5, "EUR-E"], [GEOTRANS , "EUR-E"]
	EUROPE_1950_CHANNEL-ISLANDS	79	Channel Islands; $+48,93^{\circ} \leq \varphi \leq +49,75^{\circ}$; $-2,75^{\circ} \leq \lambda \leq -1,98^{\circ}$	TRANSLATE $\Delta x = -83,901$: $\sigma x = 2$, $\Delta y = -98,127$: $\sigma y = 2$, $\Delta z = -118,635$: $\sigma z = 2$.	2001	[HELM , "EUR", "Channel Islands"], [EPSG , Code 2988 & 2989]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_EGYPT	80	Egypt; $+16^{\circ} \leq \varphi \leq +38^{\circ}$; $+19^{\circ} \leq \lambda \leq +42^{\circ}$	TRANSLATE $\Delta x = -130$: $\sigma x = 6$, $\Delta y = -117$: $\sigma y = 8$, $\Delta z = -151$: $\sigma z = 8$.	1991	[83502T, App. B.5, "EUR-F"], [GEOTRANS, "EUR-F"]
	EUROPE_1950_ENGLAND- _SCOTLAND	81	England, Channel Islands, Scotland and Shetland Islands; $+48^{\circ} \leq \varphi \leq +62^{\circ}$; $-10^{\circ} \leq \lambda \leq +3^{\circ}$	TRANSLATE $\Delta x = -86$: $\sigma x = 3$, $\Delta y = -96$: $\sigma y = 3$, $\Delta z = -120$: $\sigma z = 3$.	1991	[83502T, App. B.5, "EUR-G"], [GEOTRANS, "EUR-G"]
	EUROPE_1950_GREECE	82	Greece; $+30^{\circ} \leq \varphi \leq +48^{\circ}$; $+14^{\circ} \leq \lambda \leq +34^{\circ}$	TRANSLATE $\Delta x = -84$: $\sigma x = 25$, $\Delta y = -95$: $\sigma y = 25$, $\Delta z = -130$: $\sigma z = 25$.	1991	[83502T, App. B.5, "EUR-B"], [GEOTRANS, "EUR-B"]
	EUROPE_1950_IRAN	83	Iran; $+19^{\circ} \leq \varphi \leq +47^{\circ}$; $+37^{\circ} \leq \lambda \leq +69^{\circ}$	TRANSLATE $\Delta x = -117$: $\sigma x = 9$, $\Delta y = -132$: $\sigma y = 12$, $\Delta z = -164$: $\sigma z = 11$.	1991	[83502T, App. B.5, "EUR-H"], [GEOTRANS, "EUR-H"]
	EUROPE_1950_IRAQ	84	Iraq, Israel, Jordan, Kuwait, Lebanon, Saudi Arabia and Syria; $+20^{\circ} \leq \varphi \leq +48^{\circ}$; $+24^{\circ} \leq \lambda \leq +60^{\circ}$	TRANSLATE $\Delta x = -103$, $\Delta y = -106$, $\Delta z = -141$.	1991	[83502T, App. C.2, "EUR-S"], [GEOTRANS, "EUR-S"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_IRELAND	85	England, Ireland, Scotland and Shetland Islands; $+48^{\circ} \leq \varphi \leq +62^{\circ}$; $-12^{\circ} \leq \lambda \leq +3^{\circ}$	TRANSLATE $\Delta x = -86$: $\sigma x = 3$, $\Delta y = -96$: $\sigma y = 3$, $\Delta z = -120$: $\sigma z = 3$.	1991	[83502T, App. B.5, "EUR-K"], [GEOTRANS, "EUR-K"]
	EUROPE_1950_MALTA	86	Malta; $+34^{\circ} \leq \varphi \leq +38^{\circ}$; $+12^{\circ} \leq \lambda \leq +16^{\circ}$	TRANSLATE $\Delta x = -107$: $\sigma x = 25$, $\Delta y = -88$: $\sigma y = 25$, $\Delta z = -149$: $\sigma z = 25$.	1991	[83502T, App. B.5, "EUR-L"], [GEOTRANS, "EUR-L"]
	EUROPE_1950_MEAN-SOLUTION	87	Mean Solution (Austria, Belgium, Denmark, Finland, France, FRG , Gibraltar, Greece, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden and Switzerland); $+30^{\circ} \leq \varphi \leq +80^{\circ}$; $+5^{\circ} \leq \lambda \leq +33^{\circ}$	TRANSLATE $\Delta x = -87$: $\sigma x = 3$, $\Delta y = -98$: $\sigma y = 8$, $\Delta z = -121$: $\sigma z = 5$.	1987	[83502T, App. B.5, "EUR-M"], [GEOTRANS, "EUR-M"]
	EUROPE_1950_NORWAY	88	Finland and Norway; $+52^{\circ} \leq \varphi \leq +80^{\circ}$; $-2^{\circ} \leq \lambda \leq +38^{\circ}$	TRANSLATE $\Delta x = -87$: $\sigma x = 3$, $\Delta y = -95$: $\sigma y = 5$, $\Delta z = -120$: $\sigma z = 3$.	1950	[83502T, App. B.5, "EUR-C"], [GEOTRANS, "EUR-C"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950- _PORTUGAL_SPAIN	89	Portugal and Spain; $+30^{\circ} \leq \varphi \leq +49^{\circ}$; $-15^{\circ} \leq \lambda \leq +10^{\circ}$	TRANSLATE $\Delta x = -84$: $\sigma x = 5$, $\Delta y = -107$: $\sigma y = 6$, $\Delta z = -120$: $\sigma z = 3$.	1950	[83502T, App. B.5, "EUR-D"], [GEOTRANS, "EUR-D"]
	EUROPE_1950_SARDINIA	90	Sardinia (Italy); $+37^{\circ} \leq \varphi \leq +43^{\circ}$; $+6^{\circ} \leq \lambda \leq +12^{\circ}$	TRANSLATE $\Delta x = -97$: $\sigma x = 25$, $\Delta y = -103$: $\sigma y = 25$, $\Delta z = -120$: $\sigma z = 25$.	1991	[83502T, App. B.5, "EUR-I"], [GEOTRANS, "EUR-I"]
	EUROPE_1950_SICILY	91	Sicily (Italy); $+35^{\circ} \leq \varphi \leq +40^{\circ}$; $+10^{\circ} \leq \lambda \leq +17^{\circ}$	TRANSLATE $\Delta x = -97$: $\sigma x = 20$, $\Delta y = -88$: $\sigma y = 20$, $\Delta z = -135$: $\sigma z = 20$.	1991	[83502T, App. B.5, "EUR-J"], [GEOTRANS, "EUR-J"]
	EUROPE_1950_TUNISIA	92	Tunisia; $+24^{\circ} \leq \varphi \leq +43^{\circ}$; $+2^{\circ} \leq \lambda \leq +18^{\circ}$	TRANSLATE $\Delta x = -112$: $\sigma x = 25$, $\Delta y = -77$: $\sigma y = 25$, $\Delta z = -145$: $\sigma z = 25$.	1993	[83502T, App. B.5, "EUR-T"], [GEOTRANS, "EUR-T"]
	EUROPE_1950- _W_EUROPE_MEAN- _SOLUTION	93	Western Europe Mean Solution (Austria, Denmark, France, FRG , Netherlands and Switzerland); $+30^{\circ} \leq \varphi \leq +78^{\circ}$; $-15^{\circ} \leq \lambda \leq +25^{\circ}$	TRANSLATE $\Delta x = -87$: $\sigma x = 3$, $\Delta y = -96$: $\sigma y = 3$, $\Delta z = -120$: $\sigma z = 3$.	1991	[83502T, App. B.5, "EUR-A"], [GEOTRANS, "EUR-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_ALGERIA-7	367	Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-15^{\circ} \leq \lambda \leq +11^{\circ}$	PV_7_PARAMETER $\Delta x = -130,95 : \sigma x = 2$, $\Delta y = -94,49 : \sigma y = 2$, $\Delta z = -139,08 : \sigma z = 2$, $\omega_1 = 0,440 5''$, $\omega_2 = 0,456 5''$, $\omega_3 = -0,224 4''$, $\Delta s = 6,957 \times 10^{-6}$.		[HELM , "EUR-7", "Algeria"], [GEOTRANS , "NSD"]
	EUROPE_1950_BALEARIC-ISLANDS_7	368	Balearic Islands; $+38,62^{\circ} \leq \varphi \leq +40,08^{\circ}$; $+1,2^{\circ} \leq \lambda \leq +4,33^{\circ}$	PV_7_PARAMETER $\Delta x = -181,5 : \sigma x = 2$, $\Delta y = -90,3 : \sigma y = 2$, $\Delta z = -187,2 : \sigma z = 2$, $\omega_1 = 0,144''$, $\omega_2 = 0,492''$, $\omega_3 = -0,394''$, $\Delta s = 17,57 \times 10^{-6}$.		[HELM , "EUR-7", "Balearic Islands"], [EPSG , Code 2335]
	EUROPE_1950_CYPRUS_7	369	Cyprus; $+33^{\circ} \leq \varphi \leq +37^{\circ}$; $+31^{\circ} \leq \lambda \leq +36^{\circ}$	PV_7_PARAMETER $\Delta x = -431,005 : \sigma x = 2$, $\Delta y = -227,335 : \sigma y = 2$, $\Delta z = 331,466 : \sigma z = 2$, $\omega_1 = -8,884 03''$, $\omega_2 = 16,700 3''$, $\omega_3 = -1,684 26''$, $\Delta s = 2,091 \times 10^{-6}$.		[HELM , "EUR-7", "Cyprus"], [GEOTRANS , "EUR-E"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_DENMARK- _7	370	Denmark; $+54,39^{\circ} \leq \varphi \leq +58,79^{\circ}$; $+3,25^{\circ} \leq \lambda \leq +15,49^{\circ}$	PV_7_PARAMETER $\Delta x = -81,1$: $\sigma x = 1$, $\Delta y = -89,4$: $\sigma y = 1$, $\Delta z = -115,8$: $\sigma z = 1$, $\omega_1 = 0,485''$, $\omega_2 = 0,024''$, $\omega_3 = 0,413''$, $\Delta s = -0,54 \times 10^{-6}$.		[HELM , "EUR-7", "Denmark"], [EPSG , Code 1080]
	EUROPE_1950_FORMER- _YUGOSLAVIA_N	371	Former Yugoslavia N; $+35^{\circ} \leq \varphi \leq +52^{\circ}$; $+7^{\circ} \leq \lambda \leq +29^{\circ}$	TRANSLATE $\Delta x = -83$, $\Delta y = -96$, $\Delta z = -117$.		[HELM , "EUR", "Former Yugoslavia N"], [GEOTRANS , "HER"]
	EUROPE_1950- _GIBRALTAR_3	372	Gibraltar; $+36,13^{\circ} \leq \varphi \leq +36,17^{\circ}$; $-5,39^{\circ} \leq \lambda \leq -5,37^{\circ}$	TRANSLATE $\Delta x = -116,8$: $\sigma x = 1$, $\Delta y = -106,4$: $\sigma y = 1$, $\Delta z = -154,4$: $\sigma z = 1$.		[HELM , "EUR", "Gibraltar"], [EPSG , Code 1105]
	EUROPE_1950_LEBANON- _7	373	Lebanon; $+33,08^{\circ} \leq \varphi \leq +34,96^{\circ}$; $+34,37^{\circ} \leq \lambda \leq +36,65^{\circ}$	PV_7_PARAMETER $\Delta x = -417,78$, $\Delta y = 472,76$, $\Delta z = -208,24$, $\omega_1 = 9,831''$, $\omega_2 = 2,9''$, $\omega_3 = -18,947''$, $\Delta s = -4,592 \times 10^{-6}$.		[HELM , "EUR-7", "Lebanon"], [EPSG , Code 1140]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_OMAN_7	374	Oman; $+10^{\circ} \leq \varphi \leq +32^{\circ}$; $+46^{\circ} \leq \lambda \leq +65^{\circ}$	PV_7_PARAMETER $\Delta x = -137,34 : \sigma x = 2$, $\Delta y = -189,51 : \sigma y = 2$, $\Delta z = -2,6 : \sigma z = 2$, $\omega_1 = -4,573\ 5''$, $\omega_2 = 2,625\ 7''$, $\omega_3 = 0,684\ 9''$, $\Delta s = -8,017 \times 10^{-6}$.		[HELM , "EUR-7", "Oman"], [GEOTRANS , "FAH"]
	EUROPE_1950- _PORTUGAL_3	375	Portugal; $+29,68^{\circ} \leq \varphi \leq +43,13^{\circ}$; $-34,63^{\circ} \leq \lambda \leq -6,18^{\circ}$	TRANSLATE $\Delta x = -84,248 : \sigma x = 1$, $\Delta y = -108,628 : \sigma y = 1$, $\Delta z = -118,027 : \sigma z = 1$.		[HELM , "EUR", "Portugal"], [EPSG , Code 1193]
	EUROPE_1950_SPAIN- _EXCEPT_NW_7	376	Spain (except NW); $+35,98^{\circ} \leq \varphi \leq +43,8^{\circ}$; $-7,5^{\circ} \leq \lambda \leq +3,27^{\circ}$	PV_7_PARAMETER $\Delta x = -131 : \sigma x = 2$, $\Delta y = -100,3 : \sigma y = 2$, $\Delta z = -163,4 : \sigma z = 2$, $\omega_1 = -1,244''$, $\omega_2 = -0,02''$, $\omega_3 = -1,144''$, $\Delta s = 9,39 \times 10^{-6}$.		[HELM , "EUR-7", "Spain (except NW)"], [EPSG , Code 2336]
	EUROPE_1950_SPAIN- _NW_7	377	Spain NW; $+41,5^{\circ} \leq \varphi \leq +43,8^{\circ}$; $-9,3^{\circ} \leq \lambda \leq -4,5^{\circ}$	PV_7_PARAMETER $\Delta x = -178,4 : \sigma x = 2$, $\Delta y = -83,2 : \sigma y = 2$, $\Delta z = -221,3 : \sigma z = 2$, $\omega_1 = 0,54''$, $\omega_2 = -0,532''$, $\omega_3 = -0,126''$, $\Delta s = 21,2 \times 10^{-6}$.		[HELM , "EUR-7", "Spain NW"], [EPSG , Code 2337]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	EUROPE_1950_TURKEY_7	378	Turkey; $+34,47^{\circ} \leq \varphi \leq +43,93^{\circ}$; $+25,59^{\circ} \leq \lambda \leq +44,85^{\circ}$	PV_7_PARAMETER $\Delta x = -84,1$: $\sigma x = 2$, $\Delta y = -101,8$: $\sigma y = 2$, $\Delta z = -129,7$: $\sigma z = 2$, $\omega_1 = 0''$, $\omega_2 = 0''$, $\omega_3 = 0,468''$, $\Delta s = 1,05 \times 10^{-6}$.		[HELM , "EUR-7", "Turkey"], [EPSG , Code 1237]
EUROPE_1979	EUROPE_1979_MEAN-SOLUTION	94	Mean Solution (Austria, Finland, Netherlands, Norway, Spain, Sweden and Switzerland); $+30^{\circ} \leq \varphi \leq +80^{\circ}$; $-15^{\circ} \leq \lambda \leq +24^{\circ}$	TRANSLATE $\Delta x = -86$: $\sigma x = 3$, $\Delta y = -98$: $\sigma y = 3$, $\Delta z = -119$: $\sigma z = 3$.	1987	[83502T , App. B.5, "EUS"], [GEOTRANS , "EUS"]
	EUROPE_1979-PORTUGAL_3	379	Portugal; $+29,68^{\circ} \leq \varphi \leq +43,13^{\circ}$; $-34,63^{\circ} \leq \lambda \leq -6,18^{\circ}$	TRANSLATE $\Delta x = -81,548$: $\sigma x = 0,5$, $\Delta y = -94,168$: $\sigma y = 0,5$, $\Delta z = -118,729$: $\sigma z = 0,5$.		[HELM , "EUS", "Portugal"], [EPSG , Code 1193]
FAHUD_1987	FAHUD_1987_OMAN_3	95	Oman; $+10^{\circ} \leq \varphi \leq +32^{\circ}$; $+46^{\circ} \leq \lambda \leq +65^{\circ}$	TRANSLATE $\Delta x = -346$: $\sigma x = 3$, $\Delta y = -1$: $\sigma y = 3$, $\Delta z = 224$: $\sigma z = 9$.	1987	[83502T , App. B.3, "FAH"], [GEOTRANS , "FAH"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	FAHUD_1987_OMAN_7	96	Oman; $+10^{\circ} \leq \varphi \leq +32^{\circ}$; $+46^{\circ} \leq \lambda \leq +65^{\circ}$	PV_7_PARAMETER $\Delta x = -173,69 : \sigma x = 2$, $\Delta y = -247,71 : \sigma y = 2$, $\Delta z = 162,08 : \sigma z = 2$, $\omega_1 = -1,141''$, $\omega_2 = -2,730\ 8''$, $\omega_3 = 8,634\ 3''$, $\Delta s = 19,727 \times 10^{-6}$.	2001	[HELM , "FAH-7"], [GEOTRANS , "FAH"]
FORT THOMAS-1955	FORT_THOMAS_1955_ST-KITTS_NEVIS_LEEWARD-ISLANDS	97	St. Kitts, Nevis and Leeward Islands; $+16^{\circ} \leq \varphi \leq +19^{\circ}$; $-64^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = -7 : \sigma x = 25$, $\Delta y = 215 : \sigma y = 25$, $\Delta z = 225 : \sigma z = 25$.	1991	[83502T , App. B.8, "FOT"], [GEOTRANS , "FOT"]
GAN_1970	GAN_1970_MALDIVES	99	Republic of Maldives; $-2^{\circ} \leq \varphi \leq +9^{\circ}$; $+71^{\circ} \leq \lambda \leq +75^{\circ}$	TRANSLATE $\Delta x = -133 : \sigma x = 25$, $\Delta y = -321 : \sigma y = 25$, $\Delta z = 50 : \sigma z = 25$.	1987	[83502T , App. B.9, "GAA"], [GEOTRANS , "GAA"]
GDA_1994	GDA_1994_IDENTITY_BY-MEASUREMENT	102	Australia; $-60,04^{\circ} \leq \varphi \leq -8,86^{\circ}$; $+110,77^{\circ} \leq \lambda \leq +174,1^{\circ}$	TRANSLATE $\Delta x = 0 : \sigma x = 0$, $\Delta y = 0 : \sigma y = 0$, $\Delta z = 0 : \sigma z = 0$.	2001	[HELM , "GDS"], [EPSG , Code 1036]
GEODETIC DATUM-1949	GEODETIC_DATUM_1949-NEW_ZEALAND_3	103	New Zealand; $-48^{\circ} \leq \varphi \leq -33^{\circ}$; $+165^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = 84 : \sigma x = 5$, $\Delta y = -22 : \sigma y = 3$, $\Delta z = 209 : \sigma z = 5$.	1987	[83502T , App. B.10, "GEO"], [GEOTRANS , "GEO"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	GEODETTIC_DATUM_1949- _NEW_ZEALAND_7	104	New Zealand; $-48^{\circ} \leq \varphi \leq -33^{\circ}$; $+165^{\circ} \leq \lambda \leq +180^{\circ}$	PV_7_PARAMETER $\Delta x = 59,47$, $\Delta y = -5,04$, $\Delta z = 187,44$, $\omega_1 = 0,47''$, $\omega_2 = -0,1''$, $\omega_3 = 1,024''$, $\Delta s = -4,599\ 3 \times 10^{-6}$.	2001	[HELM , "GEO-7"], [GEOTRANS , "GEO"]
GGRS87	GGRS87_GREECE_3	380	Greece; $+30^{\circ} \leq \varphi \leq +48^{\circ}$; $+14^{\circ} \leq \lambda \leq +34^{\circ}$	TRANSLATE $\Delta x = -199,87$, $\Delta y = 74,79$, $\Delta z = 246,62$.		[HELM , "GRX"], [GEOTRANS , "EUR-B"]
GRACIOSA_BASE- _SW_1948	GRACIOSA_BASE_SW- _1948_CENTRAL_AZORES	117	Central Azores (Faial, Graciosa, Pico, Sao Jorge and Terceira Islands); $+37^{\circ} \leq \varphi \leq +41^{\circ}$; $-30^{\circ} \leq \lambda \leq -26^{\circ}$	TRANSLATE $\Delta x = -104$: $\sigma x = 3$, $\Delta y = 167$: $\sigma y = 3$, $\Delta z = -38$: $\sigma z = 3$.	1991	[83502T , App. B.8, "GRA"], [GEOTRANS , "GRA"]
GUAM_1963	GUAM_1963_GUAM	118	Guam; $+12^{\circ} \leq \varphi \leq +15^{\circ}$; $+143^{\circ} \leq \lambda \leq +146^{\circ}$	TRANSLATE $\Delta x = -100$: $\sigma x = 3$, $\Delta y = -248$: $\sigma y = 3$, $\Delta z = 259$: $\sigma z = 3$.	1987	[83502T , App. B.10, "GUA"], [GEOTRANS , "GUA"]
GUNONG_SEGARA- _1987	GUNONG_SEGARA_1987- _KALIMANTAN_ISLAND	119	Kalimantan Island (Indonesia); $-6^{\circ} \leq \varphi \leq +9^{\circ}$; $+106^{\circ} \leq \lambda \leq +121^{\circ}$	TRANSLATE $\Delta x = -403$, $\Delta y = 684$, $\Delta z = 41$.	1987	[83502T , App. C.2, "GSE"], [GEOTRANS , "GSE"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GUX_1_1987	GUX_1_1987- _GUADALCANAL_ISLAND	120	Guadalcanal Island; $-12^{\circ} \leq \varphi \leq -8^{\circ}$; $+158^{\circ} \leq \lambda \leq +163^{\circ}$	TRANSLATE $\Delta x = 252$: $\sigma x = 25$, $\Delta y = -209$: $\sigma y = 25$, $\Delta z = -751$: $\sigma z = 25$.	1987	[83502T , App. B.10, "DOB"], [GEOTRANS , "DOB"]
HARTEBEESTHOEK-1994	HARTEBEESTHOEK_1994- _IDENTITY	381	South Africa; $-50,34^{\circ} \leq \varphi \leq -22,14^{\circ}$; $+14,03^{\circ} \leq \lambda \leq +41,16^{\circ}$	IDENTITY		[HELM , "zzz02"], [EPSG , Code 1215]
HELSINKI KALLIO-CHURCH	HELSINKI_KALLIO- _CHURCH_FINLAND_7	382	Finland; $+59,3^{\circ} \leq \varphi \leq +70,09^{\circ}$; $+19,09^{\circ} \leq \lambda \leq +31,59^{\circ}$	PV_7_PARAMETER $\Delta x = -84,8$: $\sigma x = 2$, $\Delta y = -208$: $\sigma y = 2$, $\Delta z = -96,3$: $\sigma z = 2$, $\omega_1 = 2,36''$, $\omega_2 = 1''$, $\omega_3 = 3,09''$, $\Delta s = -0,023 \times 10^{-6}$.		[HELM , "HEL-7"], [EPSG , Code 1095]
HERAT NORTH 1987	HERAT_NORTH_1987- _AFGHANISTAN	122	Afghanistan; $+23^{\circ} \leq \varphi \leq +44^{\circ}$; $+55^{\circ} \leq \lambda \leq +81^{\circ}$	TRANSLATE $\Delta x = -333$, $\Delta y = -222$, $\Delta z = 114$.	1987	[83502T , App. C.2, "HEN"], [GEOTRANS , "HEN"]
HERMANNSKOGEL-1871	HERMANNSKOGEL_1871- _YUGOSLAVIA_3	123	Yugoslavia (prior to 1990), Slovenia, Croatia, Bosnia and Herzegovina, and Serbia; $+35^{\circ} \leq \varphi \leq +52^{\circ}$; $+7^{\circ} \leq \lambda \leq +29^{\circ}$	TRANSLATE $\Delta x = 682$, $\Delta y = -203$, $\Delta z = 480$.	1997	[83502T , App. C.2, "HER"], [GEOTRANS , "HER"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	HERMANNSKOGEL_1871- _YUGOSLAVIA_7	383	Former Yugoslavia; $+35^{\circ} \leq \varphi \leq +52^{\circ}$; $+7^{\circ} \leq \lambda \leq +29^{\circ}$	PV_7_PARAMETER $\Delta x = 515,149$: $\sigma x = 3$, $\Delta y = 186,233$: $\sigma y = 3$, $\Delta z = 511,959$: $\sigma z = 3$, $\omega_1 = 5,497\ 21''$, $\omega_2 = 3,517\ 42''$, $\omega_3 = -12,948''$, $\Delta s = 0,782 \times 10^{-6}$.		[HELM , "HER-7", "Former Yugoslavia"], [GEOTRANS , "HER"]
HJORSEY 1955	HJORSEY_1955_ICELAND	124	Iceland; $+61^{\circ} \leq \varphi \leq +69^{\circ}$; $-24^{\circ} \leq \lambda \leq -11^{\circ}$	TRANSLATE $\Delta x = -73$: $\sigma x = 3$, $\Delta y = 46$: $\sigma y = 3$, $\Delta z = -86$: $\sigma z = 6$.	1987	[83502T , App. B.5, "HJO"], [GEOTRANS , "HJO"]
HONG KONG 1963	HONG_KONG_1963- _HONG_KONG	125	Hong Kong; $+21^{\circ} \leq \varphi \leq +24^{\circ}$; $+112^{\circ} \leq \lambda \leq +116^{\circ}$	TRANSLATE $\Delta x = -156$: $\sigma x = 25$, $\Delta y = -271$: $\sigma y = 25$, $\Delta z = -189$: $\sigma z = 25$.	1987	[83502T , App. B.3, "HKD"], [GEOTRANS , "HKD"]
HONG KONG 1980	HONG_KONG_1980- _HONG_KONG_3	384	Hong Kong; $+21^{\circ} \leq \varphi \leq +24^{\circ}$; $+112^{\circ} \leq \lambda \leq +116^{\circ}$	TRANSLATE $\Delta x = -156,8$, $\Delta y = -269$, $\Delta z = -188,2$.		[HELM , "HKE"], [GEOTRANS , "HKD"]
HU TZU SHAN 1991	HU_TZU_SHAN_1991- _TAIWAN	126	Taiwan; $+20^{\circ} \leq \varphi \leq +28^{\circ}$; $+117^{\circ} \leq \lambda \leq +124^{\circ}$	TRANSLATE $\Delta x = -637$: $\sigma x = 15$, $\Delta y = -549$: $\sigma y = 15$, $\Delta z = -203$: $\sigma z = 15$.	1991	[83502T , App. B.3, "HTN"], [GEOTRANS , "HTN"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
HUNGARIAN-DATUM 1972	HUNGARIAN_DATUM-1972_HUNGARY_3	385	Hungary; $+40^{\circ} \leq \varphi \leq +54^{\circ}$; $+11^{\circ} \leq \lambda \leq +29^{\circ}$	PV_7_PARAMETER $\Delta x = -56,94 : \sigma x = 2$, $\Delta y = 67,91 : \sigma y = 2$, $\Delta z = 19,32 : \sigma z = 2$, $\omega_1 = 0,2''$, $\omega_2 = 0,32''$, $\omega_3 = 0,42''$, $\Delta s = -1,09 \times 10^{-6}$.		[HELM , "HUY-7"], [GEOTRANS , "SPK-A"]
INDIAN 1916	INDIAN_1916-BANGLADESH_3	129	Bangladesh; $+15^{\circ} \leq \varphi \leq +33^{\circ}$; $+80^{\circ} \leq \lambda \leq +100^{\circ}$	TRANSLATE $\Delta x = 282 : \sigma x = 10$, $\Delta y = 726 : \sigma y = 8$, $\Delta z = 254 : \sigma z = 12$.	1991	[83502T , App. B.3, "IND-B"], [GEOTRANS , "IND-B"]
	INDIAN_1916-BANGLADESH_7	130	Bangladesh; $+15^{\circ} \leq \varphi \leq +33^{\circ}$; $+80^{\circ} \leq \lambda \leq +100^{\circ}$	PV_7_PARAMETER $\Delta x = 79,2$, $\Delta y = 670,3$, $\Delta z = 230$, $\omega_1 = 0''$, $\omega_2 = 0''$, $\omega_3 = -7,274''$, $\Delta s = 11,034 \times 10^{-6}$.	2001	[HELM , "IND-7"], [GEOTRANS , "IND-B"]
INDIAN 1954	INDIAN_1954_THAILAND	131	Thailand; $+0^{\circ} \leq \varphi \leq +27^{\circ}$; $+91^{\circ} \leq \lambda \leq +111^{\circ}$	TRANSLATE $\Delta x = 217 : \sigma x = 15$, $\Delta y = 823 : \sigma y = 6$, $\Delta z = 299 : \sigma z = 12$.	1993	[83502T , App. B.3, "INF-A"], [GEOTRANS , "INF-A"]
INDIAN 1956	INDIAN_1956_INDIA-NEPAL	132	India and Nepal; $+2^{\circ} \leq \varphi \leq +44^{\circ}$; $+62^{\circ} \leq \lambda \leq +105^{\circ}$	TRANSLATE $\Delta x = 295 : \sigma x = 12$, $\Delta y = 736 : \sigma y = 10$, $\Delta z = 257 : \sigma z = 15$.	1991	[83502T , App. B.3, "IND-I"], [GEOTRANS , "IND-I"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
INDIAN_1960	INDIAN_1960_CON_SON-ISLAND	133	Con Son Island (Vietnam); $+6^{\circ} \leq \varphi \leq +11^{\circ}$; $+104^{\circ} \leq \lambda \leq +109^{\circ}$	TRANSLATE $\Delta x = 182$: $\sigma x = 25$, $\Delta y = 915$: $\sigma y = 25$, $\Delta z = 344$: $\sigma z = 25$.	1993	[83502T, App. B.3, "ING-B"], [GEOTRANS, "ING-B"]
	INDIAN_1960_VIETNAM-16_N	134	Vietnam (near 16°N); $+2^{\circ} \leq \varphi \leq +30^{\circ}$; $+101^{\circ} \leq \lambda \leq +115^{\circ}$	TRANSLATE $\Delta x = 198$: $\sigma x = 25$, $\Delta y = 881$: $\sigma y = 25$, $\Delta z = 317$: $\sigma z = 25$.	1993	[83502T, App. B.3, "ING-A"], [GEOTRANS, "ING-A"]
INDIAN_1962	INDIAN_1962_PAKISTAN	135	Pakistan; $+17^{\circ} \leq \varphi \leq +44^{\circ}$; $+55^{\circ} \leq \lambda \leq +81^{\circ}$	TRANSLATE $\Delta x = 283$, $\Delta y = 682$, $\Delta z = 231$.	1993	[83502T, App. C.2, "IND-P"], [GEOTRANS, "IND-P"]
INDIAN_1975	INDIAN_1975_THAILAND-1991	136	Thailand; $+0^{\circ} \leq \varphi \leq +27^{\circ}$; $+91^{\circ} \leq \lambda \leq +111^{\circ}$	TRANSLATE $\Delta x = 209$: $\sigma x = 12$, $\Delta y = 818$: $\sigma y = 10$, $\Delta z = 290$: $\sigma z = 12$.	1991	[83502T, App. B.3, "INH-A"], [GEOTRANS, "INH-A"]
	INDIAN_1975_THAILAND-1997	137	Thailand; $+0^{\circ} \leq \varphi \leq +27^{\circ}$; $+91^{\circ} \leq \lambda \leq +111^{\circ}$	TRANSLATE $\Delta x = 210$: $\sigma x = 3$, $\Delta y = 814$: $\sigma y = 2$, $\Delta z = 289$: $\sigma z = 3$.	1997	[83502T, App. B.3, "INH-A1", Cycle number 1], [GEOTRANS, "INH-A1"]
INDONESIAN_1974	INDONESIAN_1974-INDONESIA	138	Indonesia; $-16^{\circ} \leq \varphi \leq +11^{\circ}$; $+89^{\circ} \leq \lambda \leq +146^{\circ}$	TRANSLATE $\Delta x = -24$: $\sigma x = 25$, $\Delta y = -15$: $\sigma y = 25$, $\Delta z = 5$: $\sigma z = 25$.	1993	[83502T, App. B.3, "IDN"], [GEOTRANS, "IDN"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
IRAQ_KUWAIT-BOUNDARY_1992	IRAQ_KUWAIT-BOUNDARY_1992_IRAQ-KUWAIT_BOUNDARY_3	386	Iraq/Kuwait boundary; $+28,56^{\circ} \leq \varphi \leq +37,41^{\circ}$; $+38,82^{\circ} \leq \lambda \leq +49,4^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 2$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 0$: $\sigma z = 2$.		[HELM , "IKB"], [EPSG , Code 1124 & 1136]
IRELAND_1965	IRELAND_1965-IRELAND_3	140	Ireland; $+50^{\circ} \leq \varphi \leq +57^{\circ}$; $-12^{\circ} \leq \lambda \leq -4^{\circ}$	TRANSLATE $\Delta x = 506$: $\sigma x = 3$, $\Delta y = -122$: $\sigma y = 3$, $\Delta z = 611$: $\sigma z = 3$.	1987	[83502T , App. B.5, "IRL"], [GEOTRANS , "IRL"]
	IRELAND_1965-IRELAND_7	141	Ireland; $+50^{\circ} \leq \varphi \leq +57^{\circ}$; $-12^{\circ} \leq \lambda \leq -4^{\circ}$	PV_7_PARAMETER $\Delta x = 482,53$: $\sigma x = 1$, $\Delta y = -130,596$: $\sigma y = 1$, $\Delta z = 564,557$: $\sigma z = 1$, $\omega_1 = -1,042''$, $\omega_2 = -0,214''$, $\omega_3 = -0,631''$, $\Delta s = 8,15 \times 10^{-6}$.	2001	[HELM , "IRL-7"], [GEOTRANS , "IRL"]
ISTS_061_1968	ISTS_061_1968_SOUTH-GEORGIA_ISLAND	142	South Georgia Island; $-56^{\circ} \leq \varphi \leq -52^{\circ}$; $-38^{\circ} \leq \lambda \leq -34^{\circ}$	TRANSLATE $\Delta x = -794$: $\sigma x = 25$, $\Delta y = 119$: $\sigma y = 25$, $\Delta z = -298$: $\sigma z = 25$.	1991	[83502T , App. B.8, "ISG"], [GEOTRANS , "ISG"]
ISTS_073_1969	ISTS_073_1969_DIEGO-GARCIA	143	Diego Garcia; $-10^{\circ} \leq \varphi \leq -4^{\circ}$; $+69^{\circ} \leq \lambda \leq +75^{\circ}$	TRANSLATE $\Delta x = 208$: $\sigma x = 25$, $\Delta y = -435$: $\sigma y = 25$, $\Delta z = -229$: $\sigma z = 25$.	1987	[83502T , App. B.9, "IST"], [GEOTRANS , "IST"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ITRF	ITRF_IDENTITY_BY- _MEASUREMENT	387	Earth, Global; $-90^{\circ} \leq \varphi \leq +90^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma_x = 0,02$, $\Delta y = 0$: $\sigma_y = 0,02$, $\Delta z = 0$: $\sigma_z = 0,02$.		[ITRF] , [83502T] , Section 2.2.1], [IERS36]
JGD_2000	JGD_2000_IDENTITY_BY- _MEASUREMENT	145	Japan; $+19^{\circ} \leq \varphi \leq +51^{\circ}$; $+119^{\circ} \leq \lambda \leq +156^{\circ}$	TRANSLATE $\Delta x = 0$, $\Delta y = 0$, $\Delta z = 0$.	2000	[GRFJ] , [GEOTRANS] , "TOY-A"]
JOHNSTON_1961	JOHNSTON_1961- _JOHNSTON_ISLAND	146	Johnston Island; $+15^{\circ} \leq \varphi \leq +19^{\circ}$; $-171^{\circ} \leq \lambda \leq -168^{\circ}$	TRANSLATE $\Delta x = 189$: $\sigma_x = 25$, $\Delta y = -79$: $\sigma_y = 25$, $\Delta z = -202$: $\sigma_z = 25$.	1991	[83502T] , App. B.10, "JOH"], [GEOTRANS] , "JOH"]
KANDAWALA_1987	KANDAWALA_1987_SRI- _LANKA_3	150	Sri Lanka; $+4^{\circ} \leq \varphi \leq +12^{\circ}$; $+77^{\circ} \leq \lambda \leq +85^{\circ}$	TRANSLATE $\Delta x = -97$: $\sigma_x = 20$, $\Delta y = 787$: $\sigma_y = 20$, $\Delta z = 86$: $\sigma_z = 20$.	1987	[83502T] , App. B.3, "KAN"], [GEOTRANS] , "KAN"]
	KANDAWALA_1987_SRI- _LANKA_7	388	Sri Lanka; $+4^{\circ} \leq \varphi \leq +12^{\circ}$; $+77^{\circ} \leq \lambda \leq +85^{\circ}$	PV_7_PARAMETER $\Delta x = 33,7$, $\Delta y = 886,1$, $\Delta z = 105,3$, $\omega_1 = -0,11''$, $\omega_2 = 0,369''$, $\omega_3 = 3,701''$, $\Delta s = -20,187 \times 10^{-6}$.		[HELM] , "KAN-7", "Sri Lanka"], [GEOTRANS] , "KAN"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
KERGUELEN_1949	KERGUELEN_1949- _KERGUELEN_ISLAND	151	Kerguelen Island; $-52^{\circ} \leq \varphi \leq -47^{\circ}$; $+65^{\circ} \leq \lambda \leq +74^{\circ}$	TRANSLATE $\Delta x = 145$: $\sigma x = 25$, $\Delta y = -187$: $\sigma y = 25$, $\Delta z = 103$: $\sigma z = 25$.	1987	[83502T , App. B.9, "KEG"], [GEOTRANS , "KEG"]
KERTAU 1948	KERTAU_1948- _W_MALAYSIA- _SINGAPORE_3	152	West Malaysia and Singapore; $-5^{\circ} \leq \varphi \leq +12^{\circ}$; $+94^{\circ} \leq \lambda \leq +112^{\circ}$	TRANSLATE $\Delta x = -11$: $\sigma x = 10$, $\Delta y = 851$: $\sigma y = 8$, $\Delta z = 5$: $\sigma z = 6$.	1987	[83502T , App. B.3, "KEA"], [GEOTRANS , "KEA"]
	KERTAU_1948- _W_MALAYSIA- _SINGAPORE_7	389	West Malaysia and Singapore; $-5^{\circ} \leq \varphi \leq +12^{\circ}$; $+94^{\circ} \leq \lambda \leq +112^{\circ}$	PV_7_PARAMETER $\Delta x = -366,94$, $\Delta y = 719,29$, $\Delta z = -88,93$, $\omega_1 = 2,498''$, $\omega_2 = 2,142''$, $\omega_3 = -12,057''$, $\Delta s = 9,093 \times 10^{-6}$.		[HELM , "KEA-7", "Malaysia W & Sing."], [GEOTRANS , "KEA"]
KKJ	KKJ_FINLAND_7	390	Finland; $+59,3^{\circ} \leq \varphi \leq +70,09^{\circ}$; $+19,09^{\circ} \leq \lambda \leq +31,59^{\circ}$	PV_7_PARAMETER $\Delta x = -90,7$: $\sigma x = 2$, $\Delta y = -106,1$: $\sigma y = 2$, $\Delta z = -119,2$: $\sigma z = 2$, $\omega_1 = 4,09''$, $\omega_2 = 0,218''$, $\omega_3 = -1,05''$, $\Delta s = 1,37 \times 10^{-6}$.		[HELM , "KKX-7"], [EPSG , Code 1095]
KOREAN- _GEODETIC 1995	KOREAN_GEODETIC- _1995_SOUTH_KOREA	153	South Korea; $+27^{\circ} \leq \varphi \leq +45^{\circ}$; $+120^{\circ} \leq \lambda \leq +139^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 1$, $\Delta y = 0$: $\sigma y = 1$, $\Delta z = 0$: $\sigma z = 1$.	2000	[83502T , App. B.3, "KGS"], [GEOTRANS , "KGS"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
KUSAIE_1951	KUSAIE_1951_CAROLINE-ISLANDS	154	Caroline Islands (Federated States of Micronesia); $-1^{\circ} \leq \varphi \leq +12^{\circ}$; $+134^{\circ} \leq \lambda \leq +167^{\circ}$	TRANSLATE $\Delta x = 647$: $\sigma x = 25$, $\Delta y = 1\,777$: $\sigma y = 25$, $\Delta z = -1\,124$: $\sigma z = 25$.	1991	[83502T, App. B.10, "KUS"], [GEOTRANS, "KUS"]
LC5_1961	LC5_1961_CAYMAN-BRAC_ISLAND	156	Cayman Brac Island; $+18^{\circ} \leq \varphi \leq +21^{\circ}$; $-83^{\circ} \leq \lambda \leq -78^{\circ}$	TRANSLATE $\Delta x = 42$: $\sigma x = 25$, $\Delta y = 124$: $\sigma y = 25$, $\Delta z = 147$: $\sigma z = 25$.	1987	[83502T, App. B.8, "LCF"], [GEOTRANS, "LCF"]
LEIGON_1991	LEIGON_1991_GHANA_3	157	Ghana; $-1^{\circ} \leq \varphi \leq +17^{\circ}$; $-9^{\circ} \leq \lambda \leq +7^{\circ}$	TRANSLATE $\Delta x = -130$: $\sigma x = 2$, $\Delta y = 29$: $\sigma y = 3$, $\Delta z = 364$: $\sigma z = 2$.	1991	[83502T, App. B.2, "LEH"], [GEOTRANS, "LEH"]
	LEIGON_1991_GHANA_7	158	Ghana; $-1^{\circ} \leq \varphi \leq +17^{\circ}$; $-9^{\circ} \leq \lambda \leq +7^{\circ}$	PV_7_PARAMETER $\Delta x = -135,58$, $\Delta y = 13,23$, $\Delta z = 364,13$, $\omega_1 = 2,016\,8''$, $\omega_2 = -0,025\,6''$, $\omega_3 = 0,809\,1''$, $\Delta s = 0,719 \times 10^{-6}$.	2001	[HELM, "LEH-7"], [GEOTRANS, "LEH"]
LIBERIA_1964	LIBERIA_1964_LIBERIA	159	Liberia; $-1^{\circ} \leq \varphi \leq +14^{\circ}$; $-17^{\circ} \leq \lambda \leq -1^{\circ}$	TRANSLATE $\Delta x = -90$: $\sigma x = 15$, $\Delta y = 40$: $\sigma y = 15$, $\Delta z = 88$: $\sigma z = 15$.	1987	[83502T, App. B.2, "LIB"], [GEOTRANS, "LIB"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
LISBON_D73	LISBON_D73_PORTUGAL- _7	391	Portugal; $+29,68^{\circ} \leq \varphi \leq +43,13^{\circ}$; $-34,63^{\circ} \leq \lambda \leq -6,18^{\circ}$	PV_7_PARAMETER $\Delta x = -238,2$: $\sigma x = 1$, $\Delta y = 85,2$: $\sigma y = 1$, $\Delta z = 29,9$: $\sigma z = 1$, $\omega_1 = 0,166''$, $\omega_2 = 0,046''$, $\omega_3 = 1,248''$, $\Delta s = 2,03 \times 10^{-6}$.		[HELM , "LIS-7"], [EPSG , Code 1193]
LKS94	LKS94_IDENTITY	392	Lithuania; $+53,92^{\circ} \leq \varphi \leq +56,48^{\circ}$; $+21,07^{\circ} \leq \lambda \leq +26,82^{\circ}$	IDENTITY		[HELM , "LTH"], [EPSG , Code 1145]
LUXEMBOURG_NT	LUXEMBOURG_NT- _LUXEMBOURG_7	393	Luxembourg; $+49,48^{\circ} \leq \varphi \leq +50,21^{\circ}$; $+5,73^{\circ} \leq \lambda \leq +6,53^{\circ}$	PV_7_PARAMETER $\Delta x = -193$: $\sigma x = 1$, $\Delta y = 13,7$: $\sigma y = 1$, $\Delta z = -39,3$: $\sigma z = 1$, $\omega_1 = -0,41''$, $\omega_2 = -2,933''$, $\omega_3 = 2,688''$, $\Delta s = 0,43 \times 10^{-6}$.		[HELM , "zzz01"], [EPSG , Code 1146]
LUZON_1987	LUZON_1987_MINDANAO- _ISLAND	160	Mindanao Island (Philippines); $+4^{\circ} \leq \varphi \leq +12^{\circ}$; $+120^{\circ} \leq \lambda \leq +128^{\circ}$	TRANSLATE $\Delta x = -133$: $\sigma x = 25$, $\Delta y = -79$: $\sigma y = 25$, $\Delta z = -72$: $\sigma z = 25$.	1987	[83502T , App. B.10, "LUZ-B"], [GEOTRANS , "LUZ-B"]
	LUZON_1987- _PHILIPPINES- _EXCLUDING_MINDANAO- _ISLAND	161	Philippines (excluding Mindanao Island); $+3^{\circ} \leq \varphi \leq +23^{\circ}$; $+115^{\circ} \leq \lambda \leq +128^{\circ}$	TRANSLATE $\Delta x = -133$: $\sigma x = 8$, $\Delta y = -77$: $\sigma y = 11$, $\Delta z = -51$: $\sigma z = 9$.	1987	[83502T , App. B.10, "LUZ-A"], [GEOTRANS , "LUZ-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
M_PORALOKO_1991	M_PORALOKO_1991- _GABON	162	Gabon; $-10^{\circ} \leq \varphi \leq +8^{\circ}$; $+3^{\circ} \leq \lambda \leq +20^{\circ}$	TRANSLATE $\Delta x = -74$: $\sigma x = 25$, $\Delta y = -130$: $\sigma y = 25$, $\Delta z = 42$: $\sigma z = 25$.	1991	[83502T , App. B.2, "MPO"], [GEOTRANS , "MPO"]
MAHE_1971	MAHE_1971_MAHE- _ISLAND	163	Mahe Island (Seychelles); $-6^{\circ} \leq \varphi \leq -3^{\circ}$; $+54^{\circ} \leq \lambda \leq +57^{\circ}$	TRANSLATE $\Delta x = 41$: $\sigma x = 25$, $\Delta y = -220$: $\sigma y = 25$, $\Delta z = -134$: $\sigma z = 25$.	1987	[83502T , App. B.9, "MIK"], [GEOTRANS , "MIK"]
MARCUS_STATION-1952	MARCUS_STATION_1952- _MARCUS_ISLANDS	164	Marcus Islands; $+22^{\circ} \leq \varphi \leq +26^{\circ}$; $+152^{\circ} \leq \lambda \leq +156^{\circ}$	TRANSLATE $\Delta x = 124$: $\sigma x = 25$, $\Delta y = -234$: $\sigma y = 25$, $\Delta z = -25$: $\sigma z = 25$.	1987	[83502T , App. B.10, "ASQ"], [GEOTRANS , "ASQ"]
MASS_1999	MASS_1999_IDENTITY_BY- _DEFAULT	167	Global (Earth)	IDENTITY	1999	[ERNWM , Table 1, "MASS"]
MASSAWA_1987	MASSAWA_1987- _ERITREA_ETHIOPIA	168	Eritrea and Ethiopia; $+7^{\circ} \leq \varphi \leq +25^{\circ}$; $+37^{\circ} \leq \lambda \leq +53^{\circ}$	TRANSLATE $\Delta x = 639$: $\sigma x = 25$, $\Delta y = 405$: $\sigma y = 25$, $\Delta z = 60$: $\sigma z = 25$.	1987	[83502T , App. B.2, "MAS"], [GEOTRANS , "MAS"]
MERCHICH_1987	MERCHICH_1987- _MOROCCO	169	Morocco; $+22^{\circ} \leq \varphi \leq +42^{\circ}$; $-19^{\circ} \leq \lambda \leq +5^{\circ}$	TRANSLATE $\Delta x = 31$: $\sigma x = 5$, $\Delta y = 146$: $\sigma y = 3$, $\Delta z = 47$: $\sigma z = 3$.	1987	[83502T , App. B.2, "MER"], [GEOTRANS , "MER"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
MGI DATUM-HERMANNSKOGEL	MGI_DATUM-HERMANNSKOGEL-AUSTRIA_7	394	Austria; $+46,41^{\circ} \leq \varphi \leq +49,02^{\circ}$; $+9,53^{\circ} \leq \lambda \leq +17,17^{\circ}$	PV_7_PARAMETER $\Delta x = 577,3$: $\sigma x = 2$, $\Delta y = 90,1$: $\sigma y = 2$, $\Delta z = 463,9$: $\sigma z = 2$, $\omega_1 = 5,137''$, $\omega_2 = 1,474''$, $\omega_3 = 5,297''$, $\Delta s = 2,42 \times 10^{-6}$.		[HELM] , "HER-7", "Austria", [EPSG] , Code 1037]
MIDWAY 1961	MIDWAY_1961_MIDWAY-ISLANDS	172	Midway Islands; $+25^{\circ} \leq \varphi \leq +30^{\circ}$; $-180^{\circ} \leq \lambda \leq -169^{\circ}$	TRANSLATE $\Delta x = 403$: $\sigma x = 25$, $\Delta y = -81$: $\sigma y = 25$, $\Delta z = 277$: $\sigma z = 25$.	2003	[83502T] , App. B.10, "MID", Cycle number 1], [GEOTRANS] , "MID"]
MINNA 1991	MINNA_1991_CAMEROON	174	Cameroon; $-4^{\circ} \leq \varphi \leq +19^{\circ}$; $+3^{\circ} \leq \lambda \leq +23^{\circ}$	TRANSLATE $\Delta x = -81$: $\sigma x = 25$, $\Delta y = -84$: $\sigma y = 25$, $\Delta z = 115$: $\sigma z = 25$.	1991	[83502T] , App. B.2, "MIN-A", [GEOTRANS] , "MIN-A"]
	MINNA_1991_NIGERIA	175	Nigeria; $-1^{\circ} \leq \varphi \leq +21^{\circ}$; $-4^{\circ} \leq \lambda \leq +20^{\circ}$	TRANSLATE $\Delta x = -92$: $\sigma x = 3$, $\Delta y = -93$: $\sigma y = 6$, $\Delta z = 122$: $\sigma z = 5$.	1987	[83502T] , App. B.2, "MIN-B", [GEOTRANS] , "MIN-B"]
MM5 1997	MM5_1997_IDENTITY_BY-DEFAULT	177	Global (Earth)	IDENTITY	1997	[ERNWM] , Table 1, "MM5 (AFWA)"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
MODTRAN-MIDLATITUDE_N-1989	MODTRAN_MIDLATITUDE-N_1989_IDENTITY_BY-DEFAULT	178	Northern midlatitude regions (Earth); $+30^{\circ} \leq \varphi \leq +60^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	IDENTITY	1989	[ERNWM , Table 1, "MODTRAN, Midlatitude"]
MODTRAN-MIDLATITUDE_S-1989	MODTRAN_MIDLATITUDE-S_1989_IDENTITY_BY-DEFAULT	179	Southern midlatitude regions (Earth); $-60^{\circ} \leq \varphi \leq -30^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	IDENTITY	1989	[ERNWM , Table 1, "MODTRAN, Midlatitude"]
MODTRAN-SUBARCTIC_N-1989	MODTRAN_SUBARCTIC-N_1989_IDENTITY_BY-DEFAULT	180	Northern subarctic regions (Earth); $+60^{\circ} \leq \varphi \leq +75^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	IDENTITY	1989	[ERNWM , Table 1, "MODTRAN, Subarctic"]
MODTRAN-SUBARCTIC_S-1989	MODTRAN_SUBARCTIC-S_1989_IDENTITY_BY-DEFAULT	181	Southern subarctic regions (Earth); $-75^{\circ} \leq \varphi \leq -60^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	IDENTITY	1989	[ERNWM , Table 1, "MODTRAN, Subarctic"]
MODTRAN-TROPICAL_1989	MODTRAN_TROPICAL-1989_IDENTITY_BY-DEFAULT	182	Tropical regions (Earth); $-30^{\circ} \leq \varphi \leq +30^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	IDENTITY	1989	[ERNWM , Table 1, "MODTRAN, Tropical"]
MONTSEERRAT_1958	MONTSEERRAT_1958-MONTSEERRAT-LEEWARD_ISLANDS	183	Montserrat and Leeward Islands; $+15^{\circ} \leq \varphi \leq +18^{\circ}$; $-64^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = 174$: $\sigma x = 25$, $\Delta y = 359$: $\sigma y = 25$, $\Delta z = 365$: $\sigma z = 25$.	1991	[83502T , App. B.8, "ASM"], [GEOTRANS , "ASM"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
MULTIGEN_FLAT-EARTH_1989	MULTIGEN_FLAT_EARTH-1989_IDENTITY_BY-DEFAULT	185	Global (Earth)	IDENTITY	1989	[MFCG]
N_AM_1927	N_AM_1927_ALASKA-EXCLUDING_ALEUTIAN-ISLANDS	186	Alaska (excluding Aleutian Islands); $+47^{\circ} \leq \varphi \leq +78^{\circ}$; $-175^{\circ} \leq \lambda \leq -130^{\circ}$	TRANSLATE $\Delta x = -5$: $\sigma x = 5$, $\Delta y = 135$: $\sigma y = 9$, $\Delta z = 172$: $\sigma z = 5$.	1987	[83502T] , App. B.6, "NAS-D", [GEOTRANS] , "NAS-D"]
	N_AM_1927_ALBERTA-BRITISH_COLUMBIA	187	Canada (Alberta and British Columbia); $+43^{\circ} \leq \varphi \leq +65^{\circ}$; $-145^{\circ} \leq \lambda \leq -105^{\circ}$	TRANSLATE $\Delta x = -7$: $\sigma x = 8$, $\Delta y = 162$: $\sigma y = 8$, $\Delta z = 188$: $\sigma z = 6$.	1991	[83502T] , App. B.6, "NAS-F", [GEOTRANS] , "NAS-F"]
	N_AM_1927_BAHAMAS-EXCLUDING_SAN-SALVADOR_ISLAND	188	Bahamas (excluding San Salvador Island); $+19^{\circ} \leq \varphi \leq +29^{\circ}$; $-83^{\circ} \leq \lambda \leq -71^{\circ}$	TRANSLATE $\Delta x = -4$: $\sigma x = 5$, $\Delta y = 154$: $\sigma y = 3$, $\Delta z = 178$: $\sigma z = 5$.	1987	[83502T] , App. B.6, "NAS-Q", [GEOTRANS] , "NAS-Q"]
	N_AM_1927_CANADA	189	Canada; $+36^{\circ} \leq \varphi \leq +90^{\circ}$; $-150^{\circ} \leq \lambda \leq -50^{\circ}$	TRANSLATE $\Delta x = -10$: $\sigma x = 15$, $\Delta y = 158$: $\sigma y = 11$, $\Delta z = 187$: $\sigma z = 6$.	1987	[83502T] , App. B.6, "NAS-E", [GEOTRANS] , "NAS-E"]
	N_AM_1927_CANAL_ZONE	190	Canal Zone; $+3^{\circ} \leq \varphi \leq +15^{\circ}$; $-86^{\circ} \leq \lambda \leq -74^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 20$, $\Delta y = 125$: $\sigma y = 20$, $\Delta z = 201$: $\sigma z = 20$.	1987	[83502T] , App. B.6, "NAS-O", [GEOTRANS] , "NAS-O"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1927_CARIBBEAN	191	Caribbean (Antigua Island, Barbados, Barbuda, Caicos Islands, Cuba, Dominican Republic, Grand Cayman, Jamaica and Turks Islands); $+8^{\circ} \leq \varphi \leq +29^{\circ}$; $-87^{\circ} \leq \lambda \leq -58^{\circ}$	TRANSLATE $\Delta x = -3$: $\sigma x = 3$, $\Delta y = 142$: $\sigma y = 9$, $\Delta z = 183$: $\sigma z = 12$.	1991	[83502T] , App. B.6, "NAS-P", [GEOTRANS] , "NAS-P"]
	N_AM_1927- _CENTRAL_AMERICA	192	Central America (Belize, Costa Rica, El Salvador, Guatemala, Honduras and Nicaragua); $+3^{\circ} \leq \varphi \leq +25^{\circ}$; $-98^{\circ} \leq \lambda \leq -77^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 8$, $\Delta y = 125$: $\sigma y = 3$, $\Delta z = 194$: $\sigma z = 5$.	1987	[83502T] , App. B.6, "NAS-N", [GEOTRANS] , "NAS-N"]
	N_AM_1927- _CONTINENTAL_US	193	Continental United States Mean Solution; $+15^{\circ} \leq \varphi \leq +60^{\circ}$; $-135^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = -8$: $\sigma x = 5$, $\Delta y = 160$: $\sigma y = 5$, $\Delta z = 176$: $\sigma z = 6$.	1987	[83502T] , App. B.6, "NAS-C", [GEOTRANS] , "NAS-C"]
	N_AM_1927_CUBA	194	Cuba; $+18^{\circ} \leq \varphi \leq +25^{\circ}$; $-87^{\circ} \leq \lambda \leq -72^{\circ}$	TRANSLATE $\Delta x = -9$: $\sigma x = 25$, $\Delta y = 152$: $\sigma y = 25$, $\Delta z = 178$: $\sigma z = 25$.	1987	[83502T] , App. B.6, "NAS-T", [GEOTRANS] , "NAS-T"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1927_EAST- _ALEUTIAN_ISLANDS	195	Aleutian Islands (east of 180°W); $+50^{\circ} \leq \varphi \leq +58^{\circ}$; $-180^{\circ} \leq \lambda \leq -161^{\circ}$	TRANSLATE $\Delta x = -2$: $\sigma x = 6$, $\Delta y = 152$: $\sigma y = 8$, $\Delta z = 149$: $\sigma z = 10$.	1993	[83502T] , App. B.6, "NAS-V", [GEOTRANS] , "NAS-V"]
	N_AM_1927_EASTERN- _CANADA	196	Eastern Canada (New Brunswick, Newfoundland, Nova Scotia and Quebec); $+38^{\circ} \leq \varphi \leq +68^{\circ}$; $-85^{\circ} \leq \lambda \leq -45^{\circ}$	TRANSLATE $\Delta x = -22$: $\sigma x = 6$, $\Delta y = 160$: $\sigma y = 6$, $\Delta z = 190$: $\sigma z = 3$.	1991	[83502T] , App. B.6, "NAS-G", [GEOTRANS] , "NAS-G"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1927_EASTERN_US	197	Eastern United States (Alabama, Connecticut, Delaware, District of Columbia, Florida, Georgia, Illinois, Indiana, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, Virginia, West Virginia and Wisconsin); $+18^{\circ} \leq \varphi \leq +55^{\circ}$; $-102^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = -9$: $\sigma x = 5$, $\Delta y = 161$: $\sigma y = 5$, $\Delta z = 179$: $\sigma z = 8$.	1991	[83502T, App. B.6, "NAS-A"], [GEOTRANS, "NAS-A"]
	N_AM_1927_HAYES- _PENINSULA	198	Hayes Peninsula (Greenland); $+74^{\circ} \leq \varphi \leq +81^{\circ}$; $-74^{\circ} \leq \lambda \leq -56^{\circ}$	TRANSLATE $\Delta x = 11$: $\sigma x = 25$, $\Delta y = 114$: $\sigma y = 25$, $\Delta z = 195$: $\sigma z = 25$.	1987	[83502T, App. B.6, "NAS-U"], [GEOTRANS, "NAS-U"]
	N_AM_1927_MANITOBA- _ONTARIO	199	Canada (Manitoba and Ontario); $+36^{\circ} \leq \varphi \leq +63^{\circ}$; $-108^{\circ} \leq \lambda \leq -69^{\circ}$	TRANSLATE $\Delta x = -9$: $\sigma x = 9$, $\Delta y = 157$: $\sigma y = 5$, $\Delta z = 184$: $\sigma z = 5$.	1991	[83502T, App. B.6, "NAS-H"], [GEOTRANS, "NAS-H"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1927_MEXICO	200	Mexico; $+10^{\circ} \leq \varphi \leq +38^{\circ}$; $-122^{\circ} \leq \lambda \leq -80^{\circ}$	TRANSLATE $\Delta x = -12$: $\sigma x = 8$, $\Delta y = 130$: $\sigma y = 6$, $\Delta z = 190$: $\sigma z = 6$.	1987	[83502T, App. B.6, "NAS-L"], [GEOTRANS, "NAS-L"]
	N_AM_1927_NORTHWEST-TERRITORIES-SASKATCHEWAN	201	Canada (Northwest Territories and Saskatchewan); $+43^{\circ} \leq \varphi \leq +90^{\circ}$; $-144^{\circ} \leq \lambda \leq -55^{\circ}$	TRANSLATE $\Delta x = 4$: $\sigma x = 5$, $\Delta y = 159$: $\sigma y = 5$, $\Delta z = 188$: $\sigma z = 3$.	1991	[83502T, App. B.6, "NAS-I"], [GEOTRANS, "NAS-I"]
	N_AM_1927_SAN-SALVADOR_ISLAND	202	San Salvador Island; $+23^{\circ} \leq \varphi \leq +26^{\circ}$; $-75^{\circ} \leq \lambda \leq -74^{\circ}$	TRANSLATE $\Delta x = 1$: $\sigma x = 25$, $\Delta y = 140$: $\sigma y = 25$, $\Delta z = 165$: $\sigma z = 25$.	1987	[83502T, App. B.6, "NAS-R"], [GEOTRANS, "NAS-R"]
	N_AM_1927_WEST-ALEUTIAN_ISLANDS	203	Aleutian Islands (west of 180°W); $+50^{\circ} \leq \varphi \leq +58^{\circ}$; $+169^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = 2$: $\sigma x = 10$, $\Delta y = 204$: $\sigma y = 10$, $\Delta z = 105$: $\sigma z = 10$.	1993	[83502T, App. B.6, "NAS-W"], [GEOTRANS, "NAS-W"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1927_WESTERN-US	204	Western United States (Arizona, Arkansas, California, Colorado, Idaho, Iowa, Kansas, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington and Wyoming); $+19^{\circ} \leq \varphi \leq +55^{\circ}$; $-132^{\circ} \leq \lambda \leq -87^{\circ}$	TRANSLATE $\Delta x = -8$: $\sigma x = 5$, $\Delta y = 159$: $\sigma y = 3$, $\Delta z = 175$: $\sigma z = 3$.	1991	[83502T, App. B.6, "NAS-B"], [GEOTRANS, "NAS-B"]
	N_AM_1927_YUKON	205	Canada (Yukon); $+53^{\circ} \leq \varphi \leq +75^{\circ}$; $-147^{\circ} \leq \lambda \leq -117^{\circ}$	TRANSLATE $\Delta x = -7$: $\sigma x = 5$, $\Delta y = 139$: $\sigma y = 8$, $\Delta z = 181$: $\sigma z = 3$.	1991	[83502T, App. B.6, "NAS-J"], [GEOTRANS, "NAS-J"]
N_AM_1983	N_AM_1983_ALASKA-EXCLUDING_ALEUTIAN-ISLANDS	206	Alaska (excluding Aleutian Islands); $+48^{\circ} \leq \varphi \leq +78^{\circ}$; $-175^{\circ} \leq \lambda \leq -135^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 2$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 0$: $\sigma z = 2$.	1987	[83502T, App. B.6, "NAR-A"], [GEOTRANS, "NAR-A"]
	N_AM_1983_ALEUTIAN-ISLANDS	207	Aleutian Islands; $+51^{\circ} \leq \varphi \leq +74^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = -2$: $\sigma x = 5$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 4$: $\sigma z = 5$.	1993	[83502T, App. B.6, "NAR-E"], [GEOTRANS, "NAR-E"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	N_AM_1983_CANADA	208	Canada; $+36^{\circ} \leq \varphi \leq +90^{\circ}$; $-150^{\circ} \leq \lambda \leq -50^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 2$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 0$: $\sigma z = 2$.	1987	[83502T, App. B.6, "NAR-B"], [GEOTRANS, "NAR-B"]
	N_AM_1983- _CONTINENTAL_US	209	Continental United States; $+15^{\circ} \leq \varphi \leq +60^{\circ}$; $-135^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 2$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 0$: $\sigma z = 2$.	1987	[83502T, App. B.6, "NAR-C"], [GEOTRANS, "NAR-C"]
	N_AM_1983_HAWAII	210	Hawaii; $+17^{\circ} \leq \varphi \leq +24^{\circ}$; $-164^{\circ} \leq \lambda \leq -153^{\circ}$	TRANSLATE $\Delta x = 1$: $\sigma x = 2$, $\Delta y = 1$: $\sigma y = 2$, $\Delta z = -1$: $\sigma z = 2$.	1993	[83502T, App. B.6, "NAR-H"], [GEOTRANS, "NAR-H"]
	N_AM_1983_MEXICO- _CENTRAL_AMERICA	211	Mexico and Central America; $+11^{\circ} \leq \varphi \leq +35^{\circ}$; $-122^{\circ} \leq \lambda \leq -72^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 2$, $\Delta y = 0$: $\sigma y = 2$, $\Delta z = 0$: $\sigma z = 2$.	1987	[83502T, App. B.6, "NAR-D"], [GEOTRANS, "NAR-D"]
N_SAHARA_1959	N_SAHARA_1959- _ALGERIA	212	Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-15^{\circ} \leq \lambda \leq +18^{\circ}$	TRANSLATE $\Delta x = -186$: $\sigma x = 25$, $\Delta y = -93$: $\sigma y = 25$, $\Delta z = 310$: $\sigma z = 25$.	1993	[83502T, App. B.2, "NSD"], [GEOTRANS, "NSD"]
NAHRWAN_1987	NAHRWAN_1987- _MASIRAH_ISLAND	213	Masirah Island (Oman); $+19^{\circ} \leq \varphi \leq +22^{\circ}$; $+57^{\circ} \leq \lambda \leq +60^{\circ}$	TRANSLATE $\Delta x = -247$: $\sigma x = 25$, $\Delta y = -148$: $\sigma y = 25$, $\Delta z = 369$: $\sigma z = 25$.	1987	[83502T, App. B.3, "NAH-A"], [GEOTRANS, "NAH-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	NAHRWAN_1987_SAUDI- _ARABIA	214	Saudi Arabia; $+8^{\circ} \leq \varphi \leq +38^{\circ}$; $+28^{\circ} \leq \lambda \leq +62^{\circ}$	TRANSLATE $\Delta x = -243$: $\sigma x = 20$, $\Delta y = -192$: $\sigma y = 20$, $\Delta z = 477$: $\sigma z = 20$.	1991	[83502T, App. B.3, "NAH-C"], [GEOTRANS, "NAH-C"]
	NAHRWAN_1987_UNITED- _ARAB_EMIRATES	215	United Arab Emirates; $+17^{\circ} \leq \varphi \leq +32^{\circ}$; $+45^{\circ} \leq \lambda \leq +62^{\circ}$	TRANSLATE $\Delta x = -249$: $\sigma x = 25$, $\Delta y = -156$: $\sigma y = 25$, $\Delta z = 381$: $\sigma z = 25$.	1987	[83502T, App. B.3, "NAH-B"], [GEOTRANS, "NAH-B"]
NAPARIMA 1991	NAPARIMA_1991- _TRINIDAD_TOBAGO	217	Trinidad and Tobago (British West Indies); $+8^{\circ} \leq \varphi \leq +13^{\circ}$; $-64^{\circ} \leq \lambda \leq -59^{\circ}$	TRANSLATE $\Delta x = -10$: $\sigma x = 15$, $\Delta y = 375$: $\sigma y = 15$, $\Delta z = 165$: $\sigma z = 15$.	1991	[83502T, App. B.8, "NAP"], [GEOTRANS, "NAP"]
NGO 1948	NGO_1948_NORWAY_7	395	Norway; $+56,12^{\circ} \leq \varphi \leq +74,04^{\circ}$; $-2,41^{\circ} \leq \lambda \leq +32,02^{\circ}$	PV_7_PARAMETER $\Delta x = 278,3$: $\sigma x = 3$, $\Delta y = 93$: $\sigma y = 3$, $\Delta z = 474,5$: $\sigma z = 3$, $\omega_1 = 7,889''$, $\omega_2 = 0,05''$, $\omega_3 = -6,61''$, $\Delta s = 6,21 \times 10^{-6}$.		[HELM, "NGO-7"], [EPSG, Code 1182]
NOGAPS 1988	NOGAPS_1988_IDENTITY- _BY_DEFAULT	220	Global (Earth)	IDENTITY	1988	[ERNWM, Table 1, "NOGAPS"]
NTF 1896	NTF_1896_FRANCE	221	France; $+41,18^{\circ} \leq \varphi \leq +51,54^{\circ}$; $-9,62^{\circ} \leq \lambda \leq +10,3^{\circ}$	TRANSLATE $\Delta x = -168$, $\Delta y = -60$, $\Delta z = 320$.	2001	[HELM, "NFR"], [EPSG, Code 1096]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
NTF_1896_PM-PARIS	NTF_1896_PM_PARIS-FRANCE	222	France; $+41,18^\circ \leq \varphi \leq +51,54^\circ$; $-11,62^\circ \leq \lambda \leq +8,3^\circ$	PV_Z_ROTATE_TRANSLATE $\Delta x = -168$, $\Delta y = -60$, $\Delta z = 320$, $\omega = 2^\circ 20' 14,025''$. Note: The referenced z-axis rotation has been offset so that Paris is contained in the x-positive xz-plane.	2001	[HELM , "NFR"], [EPSG , Code 1096]
OBSERV_METEORO-1939	OBSERV_METEORO-1939_CORVO_FLORES-ISLANDS	224	Corvo Flores Islands (Azores); $+38^\circ \leq \varphi \leq +41^\circ$; $-33^\circ \leq \lambda \leq -30^\circ$	TRANSLATE $\Delta x = -425$: $\sigma x = 20$, $\Delta y = -169$: $\sigma y = 20$, $\Delta z = 81$: $\sigma z = 20$.	1991	[83502T , App. B.8, "FLO"], [GEOTRANS , "FLO"]
OBSERVATORIO	OBSERVATORIO-MOZAMBIQUE_SOUTH_7	396	Mozambique South; $-26,88^\circ \leq \varphi \leq -19,75^\circ$; $+31,3^\circ \leq \lambda \leq +35,6^\circ$	PV_7_PARAMETER $\Delta x = -153$: $\sigma x = 8$, $\Delta y = -227$: $\sigma y = 8$, $\Delta z = -255$: $\sigma z = 8$, $\omega_1 = -1,986''$, $\omega_2 = -0,033''$, $\omega_3 = 3,866''$, $\Delta s = 16,99 \times 10^{-6}$.		[HELM , "CPR-7"], [EPSG , Code 1329]
OLD_EGYPTIAN-1907	OLD_EGYPTIAN_1907-EGYPT	225	Egypt; $+16^\circ \leq \varphi \leq +38^\circ$; $+19^\circ \leq \lambda \leq +42^\circ$	TRANSLATE $\Delta x = -130$: $\sigma x = 3$, $\Delta y = 110$: $\sigma y = 6$, $\Delta z = -13$: $\sigma z = 8$.	1987	[83502T , App. B.2, "OEG"], [GEOTRANS , "OEG"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
OLD_HAWAIIAN-CLARKE_1987	OLD_HAWAIIAN_CLARKE-1987_HAWAII	226	Hawaii (US); $+17^{\circ} \leq \varphi \leq +22^{\circ}$; $-158^{\circ} \leq \lambda \leq -153^{\circ}$	TRANSLATE $\Delta x = 89$: $\sigma x = 25$, $\Delta y = -279$: $\sigma y = 25$, $\Delta z = -183$: $\sigma z = 25$.	1991	[83502T , App. B.10, "OHA-A"], [GEOTRANS , "OHA-A"]
	OLD_HAWAIIAN_CLARKE-1987_KAUAI	227	Kauai (US); $+20^{\circ} \leq \varphi \leq +24^{\circ}$; $-161^{\circ} \leq \lambda \leq -158^{\circ}$	TRANSLATE $\Delta x = 45$: $\sigma x = 20$, $\Delta y = -290$: $\sigma y = 20$, $\Delta z = -172$: $\sigma z = 20$.	1991	[83502T , App. B.10, "OHA-B"], [GEOTRANS , "OHA-B"]
	OLD_HAWAIIAN_CLARKE-1987_MAUI	228	Maui (US); $+19^{\circ} \leq \varphi \leq +23^{\circ}$; $-158^{\circ} \leq \lambda \leq -154^{\circ}$	TRANSLATE $\Delta x = 65$: $\sigma x = 25$, $\Delta y = -290$: $\sigma y = 25$, $\Delta z = -190$: $\sigma z = 25$.	1991	[83502T , App. B.10, "OHA-C"], [GEOTRANS , "OHA-C"]
	OLD_HAWAIIAN_CLARKE-1987_MEAN_SOLUTION	229	Mean Solution (Hawaii (US)); $+17^{\circ} \leq \varphi \leq +24^{\circ}$; $-164^{\circ} \leq \lambda \leq -153^{\circ}$	TRANSLATE $\Delta x = 61$: $\sigma x = 25$, $\Delta y = -285$: $\sigma y = 20$, $\Delta z = -181$: $\sigma z = 20$.	1987	[83502T , App. B.10, "OHA-M"], [GEOTRANS , "OHA-M"]
	OLD_HAWAIIAN_CLARKE-1987_OAHU	230	Oahu (US); $+20^{\circ} \leq \varphi \leq +23^{\circ}$; $-160^{\circ} \leq \lambda \leq -156^{\circ}$	TRANSLATE $\Delta x = 58$: $\sigma x = 10$, $\Delta y = -283$: $\sigma y = 6$, $\Delta z = -182$: $\sigma z = 6$.	1991	[83502T , App. B.10, "OHA-D"], [GEOTRANS , "OHA-D"]
OLD_HAWAIIAN_INT-1987	OLD_HAWAIIAN_INT_1987-HAWAII	231	Hawaii (US); $+17^{\circ} \leq \varphi \leq +22^{\circ}$; $-158^{\circ} \leq \lambda \leq -153^{\circ}$	TRANSLATE $\Delta x = 229$: $\sigma x = 25$, $\Delta y = -222$: $\sigma y = 25$, $\Delta z = -348$: $\sigma z = 25$.	2000	[83502T , App. B.10, "OHI-A"], [GEOTRANS , "OHI-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	OLD_HAWAIIAN_INT_1987- _KAUAI	232	Kauai (US); $+20^{\circ} \leq \varphi \leq +24^{\circ}$; $-161^{\circ} \leq \lambda \leq -158^{\circ}$	TRANSLATE $\Delta x = 185$: $\sigma x = 20$, $\Delta y = -233$: $\sigma y = 20$, $\Delta z = -337$: $\sigma z = 20$.	2000	[83502T , App. B.10, "OHI-B"], [GEOTRANS , "OHI-B"]
	OLD_HAWAIIAN_INT_1987- _MAUI	233	Maui (US); $+19^{\circ} \leq \varphi \leq +23^{\circ}$; $-158^{\circ} \leq \lambda \leq -154^{\circ}$	TRANSLATE $\Delta x = 205$: $\sigma x = 25$, $\Delta y = -233$: $\sigma y = 25$, $\Delta z = -355$: $\sigma z = 25$.	2000	[83502T , App. B.10, "OHI-C"], [GEOTRANS , "OHI-C"]
	OLD_HAWAIIAN_INT_1987- _MEAN_SOLUTION	234	Mean Solution (Hawaii (US)); $+17^{\circ} \leq \varphi \leq +24^{\circ}$; $-164^{\circ} \leq \lambda \leq -153^{\circ}$	TRANSLATE $\Delta x = 201$: $\sigma x = 25$, $\Delta y = -228$: $\sigma y = 20$, $\Delta z = -346$: $\sigma z = 20$.	2000	[83502T , App. B.10, "OHI-M"], [GEOTRANS , "OHI-M"]
	OLD_HAWAIIAN_INT_1987- _OAHU	235	Oahu (US); $+20^{\circ} \leq \varphi \leq +23^{\circ}$; $-160^{\circ} \leq \lambda \leq -156^{\circ}$	TRANSLATE $\Delta x = 198$: $\sigma x = 10$, $\Delta y = -226$: $\sigma y = 6$, $\Delta z = -347$: $\sigma z = 6$.	2000	[83502T , App. B.10, "OHI-D"], [GEOTRANS , "OHI-D"]
OSGB 1936	OSGB_1936_MEAN- _SOLUTION_3	237	Mean Solution (England, Isle of Man, Scotland, Shetland Islands, and Wales); $+44^{\circ} \leq \varphi \leq +66^{\circ}$; $-14^{\circ} \leq \lambda \leq +7^{\circ}$	TRANSLATE $\Delta x = 375$: $\sigma x = 10$, $\Delta y = -111$: $\sigma y = 10$, $\Delta z = 431$: $\sigma z = 15$.	1936	[83502T , App. B.5, "OGB-M"], [GEOTRANS , "OGB-M"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	OSGB_1936_GREAT-BRITAIN_7	238	Great Britain; $+49,96^{\circ} \leq \varphi \leq +60,84^{\circ}$; $-7,56^{\circ} \leq \lambda \leq +1,78^{\circ}$	PV_7_PARAMETER $\Delta x = 446,448$: $\sigma x = 4$, $\Delta y = -125,157$: $\sigma y = 4$, $\Delta z = 542,06$: $\sigma z = 4$, $\omega_1 = 0,15''$, $\omega_2 = 0,247''$, $\omega_3 = 0,842 \text{ } 1''$, $\Delta s = -20,49 \times 10^{-6}$.	2001	[HELM , "OGB-7"], [EPSG , Code 1264]
	OSGB_1936_ENGLAND	239	England; $+44^{\circ} \leq \varphi \leq +61^{\circ}$; $-12^{\circ} \leq \lambda \leq +7^{\circ}$	TRANSLATE $\Delta x = 371$: $\sigma x = 5$, $\Delta y = -112$: $\sigma y = 5$, $\Delta z = 434$: $\sigma z = 6$.	1991	[83502T , App. B.5, "OGB-A"], [GEOTRANS , "OGB-A"]
	OSGB_1936_ENGLAND-ISLE_OF_MAN_WALES	240	England, Isle of Man, and Wales; $+44^{\circ} \leq \varphi \leq +61^{\circ}$; $-12^{\circ} \leq \lambda \leq +7^{\circ}$	TRANSLATE $\Delta x = 371$: $\sigma x = 10$, $\Delta y = -111$: $\sigma y = 10$, $\Delta z = 434$: $\sigma z = 15$.	1991	[83502T , App. B.5, "OGB-B"], [GEOTRANS , "OGB-B"]
	OSGB_1936_SCOTLAND-SHETLAND_ISLANDS	241	Scotland and Shetland Islands; $+49^{\circ} \leq \varphi \leq +66^{\circ}$; $-14^{\circ} \leq \lambda \leq +4^{\circ}$	TRANSLATE $\Delta x = 384$: $\sigma x = 10$, $\Delta y = -111$: $\sigma y = 10$, $\Delta z = 425$: $\sigma z = 10$.	1991	[83502T , App. B.5, "OGB-C"], [GEOTRANS , "OGB-C"]
	OSGB_1936_WALES	242	Wales; $+46^{\circ} \leq \varphi \leq +59^{\circ}$; $-11^{\circ} \leq \lambda \leq +3^{\circ}$	TRANSLATE $\Delta x = 370$: $\sigma x = 20$, $\Delta y = -108$: $\sigma y = 20$, $\Delta z = 434$: $\sigma z = 20$.	1991	[83502T , App. B.5, "OGB-D"], [GEOTRANS , "OGB-D"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
PALESTINE_1928	PALESTINE_1928- _PALESTINE_3	397	Israel; $+29,51^{\circ} \leq \varphi \leq +33,98^{\circ}$; $+33,47^{\circ} \leq \lambda \leq +35,69^{\circ}$	TRANSLATE $\Delta x = -223$, $\Delta y = -70$, $\Delta z = 271$.		[HELM , "PAL"], [EPSG , Code 1126]
PICO DE LAS- NIEVES 1987	PICO_DE_LAS_NIEVES- _1987_CANARY_ISLANDS	247	Canary Islands (Spain); $+26^{\circ} \leq \varphi \leq +31^{\circ}$; $-20^{\circ} \leq \lambda \leq -12^{\circ}$	TRANSLATE $\Delta x = -307$: $\sigma x = 25$, $\Delta y = -92$: $\sigma y = 25$, $\Delta z = 127$: $\sigma z = 25$.	1987	[83502T , App. B.8, "PLN"], [GEOTRANS , "PLN"]
PITCAIRN 1967	PITCAIRN_1967- _PITCAIRN_ISLAND	248	Pitcairn Island; $-27^{\circ} \leq \varphi \leq -21^{\circ}$; $-134^{\circ} \leq \lambda \leq -119^{\circ}$	TRANSLATE $\Delta x = 185$: $\sigma x = 25$, $\Delta y = 165$: $\sigma y = 25$, $\Delta z = 42$: $\sigma z = 25$.	1987	[83502T , App. B.10, "PIT"], [GEOTRANS , "PIT"]
POINT 58 1991	POINT_58_1991_MEAN- _SOLUTION	250	Mean Solution (Burkina Faso and Niger); $+0^{\circ} \leq \varphi \leq +10^{\circ}$; $-15^{\circ} \leq \lambda \leq +25^{\circ}$	TRANSLATE $\Delta x = -106$: $\sigma x = 25$, $\Delta y = -129$: $\sigma y = 25$, $\Delta z = 165$: $\sigma z = 25$.	1991	[83502T , App. B.2, "PTB"], [GEOTRANS , "PTB"]
POINTE NOIRE 1948	POINTE_NOIRE_1948- _CONGO	251	Congo; $-11^{\circ} \leq \varphi \leq +10^{\circ}$; $+5^{\circ} \leq \lambda \leq +25^{\circ}$	TRANSLATE $\Delta x = -148$: $\sigma x = 25$, $\Delta y = 51$: $\sigma y = 25$, $\Delta z = -291$: $\sigma z = 25$.	1991	[83502T , App. B.2, "PTN"], [GEOTRANS , "PTN"]
PORTO SANTO- 1936	PORTO_SANTO_1936- _PORTO_SANTO- _MADEIRA_ISLANDS	253	Porto Santo and Madeira Islands; $+31^{\circ} \leq \varphi \leq +35^{\circ}$; $-18^{\circ} \leq \lambda \leq -15^{\circ}$	TRANSLATE $\Delta x = -499$: $\sigma x = 25$, $\Delta y = -249$: $\sigma y = 25$, $\Delta z = 314$: $\sigma z = 25$.	1991	[83502T , App. B.8, "POS"], [GEOTRANS , "POS"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
PROV S AM 1956	PROV_S_AM_1956- _VENÉZUELA_3	256	Venezuela; $-5^{\circ} \leq \varphi \leq +18^{\circ}$; $-79^{\circ} \leq \lambda \leq -54^{\circ}$	TRANSLATE $\Delta x = -295$: $\sigma x = 9$, $\Delta y = 173$: $\sigma y = 14$, $\Delta z = -371$: $\sigma z = 15$.	1991	[83502T] , App. B.7, "PRP-H", [GEOTRANS] , "PRP-H"]
	PROV_S_AM_1956- _VENÉZUELA_7	257	Venezuela; $-5^{\circ} \leq \varphi \leq +18^{\circ}$; $-79^{\circ} \leq \lambda \leq -54^{\circ}$	PV_7_PARAMETER $\Delta x = -197,43$, $\Delta y = 139,39$, $\Delta z = -192,8$, $\omega_1 = 5,266''$, $\omega_2 = 1,238''$, $\omega_3 = -2,381''$, $\Delta s = -5,109 \times 10^{-6}$.	2001	[HELM] , "PRP-7", [GEOTRANS] , "PRP-H"]
	PROV_S_AM_1956- _BOLIVIA	258	Bolivia; $-28^{\circ} \leq \varphi \leq -4^{\circ}$; $-75^{\circ} \leq \lambda \leq -51^{\circ}$	TRANSLATE $\Delta x = -270$: $\sigma x = 5$, $\Delta y = 188$: $\sigma y = 11$, $\Delta z = -388$: $\sigma z = 14$.	1991	[83502T] , App. B.7, "PRP-A", [GEOTRANS] , "PRP-A"]
	PROV_S_AM_1956- _COLOMBIA	259	Colombia; $-10^{\circ} \leq \varphi \leq +16^{\circ}$; $-85^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = -282$: $\sigma x = 15$, $\Delta y = 169$: $\sigma y = 15$, $\Delta z = -371$: $\sigma z = 15$.	1991	[83502T] , App. B.7, "PRP-D", [GEOTRANS] , "PRP-D"]
	PROV_S_AM_1956- _ECUADOR	260	Ecuador; $-11^{\circ} \leq \varphi \leq +7^{\circ}$; $-85^{\circ} \leq \lambda \leq -70^{\circ}$	TRANSLATE $\Delta x = -278$: $\sigma x = 3$, $\Delta y = 171$: $\sigma y = 5$, $\Delta z = -367$: $\sigma z = 3$.	1991	[83502T] , App. B.7, "PRP-E", [GEOTRANS] , "PRP-E"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	PROV_S_AM_1956- _GUYANA	261	Guyana; $-4^{\circ} \leq \varphi \leq +14^{\circ}$; $-67^{\circ} \leq \lambda \leq -51^{\circ}$	TRANSLATE $\Delta x = -298$: $\sigma_x = 6$, $\Delta y = 159$: $\sigma_y = 14$, $\Delta z = -369$: $\sigma_z = 5$.	1991	[83502T, App. B.7, "PRP-F"], [GEOTRANS, "PRP-F"]
	PROV_S_AM_1956- _MEAN_SOLUTION	262	Mean Solution (Bolivia, Chile, Colombia, Ecuador, Guyana, Peru and Venezuela); $-64^{\circ} \leq \varphi \leq +18^{\circ}$; $-87^{\circ} \leq \lambda \leq -51^{\circ}$	TRANSLATE $\Delta x = -288$: $\sigma_x = 17$, $\Delta y = 175$: $\sigma_y = 27$, $\Delta z = -376$: $\sigma_z = 27$.	1987	[83502T, App. B.7, "PRP-M"], [GEOTRANS, "PRP-M"]
	PROV_S_AM_1956- _N_CHILE_19_S	263	Northern Chile (near 19°S); $-45^{\circ} \leq \varphi \leq -12^{\circ}$; $-83^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = -270$: $\sigma_x = 25$, $\Delta y = 183$: $\sigma_y = 25$, $\Delta z = -390$: $\sigma_z = 25$.	1991	[83502T, App. B.7, "PRP-B"], [GEOTRANS, "PRP-B"]
	PROV_S_AM_1956- _PERU	264	Peru; $-24^{\circ} \leq \varphi \leq +5^{\circ}$; $-87^{\circ} \leq \lambda \leq -63^{\circ}$	TRANSLATE $\Delta x = -279$: $\sigma_x = 6$, $\Delta y = 175$: $\sigma_y = 8$, $\Delta z = -379$: $\sigma_z = 12$.	1991	[83502T, App. B.7, "PRP-G"], [GEOTRANS, "PRP-G"]
	PROV_S_AM_1956- _S_CHILE_43_S	265	Southern Chile (near 43°S); $-64^{\circ} \leq \varphi \leq -20^{\circ}$; $-83^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = -305$: $\sigma_x = 20$, $\Delta y = 243$: $\sigma_y = 20$, $\Delta z = -442$: $\sigma_z = 20$.	1991	[83502T, App. B.7, "PRP-C"], [GEOTRANS, "PRP-C"]
PROV S CHILEAN-1963	PROV_S_CHILEAN_1963- _SOUTH_CHILE	266	South Chile (near 53°S); $-64^{\circ} \leq \varphi \leq -25^{\circ}$; $-83^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = 16$: $\sigma_x = 25$, $\Delta y = 196$: $\sigma_y = 25$, $\Delta z = 93$: $\sigma_z = 25$.	1987	[83502T, App. B.7, "HIT"], [GEOTRANS, "HIT"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
PUERTO_RICO_1987	PUERTO_RICO_1987- _PUERTO_RICO_VIRGIN- _ISLANDS	268	Puerto Rico and Virgin Islands; $+16^{\circ} \leq \varphi \leq +20^{\circ}$; $-69^{\circ} \leq \lambda \leq -63^{\circ}$	TRANSLATE $\Delta x = 11$: $\sigma x = 3$, $\Delta y = 72$: $\sigma y = 3$, $\Delta z = -101$: $\sigma z = 3$.	1987	[83502T, App. B.8, "PUR"], [GEOTRANS, "PUR"]
PULKOVO_1942	PULKOVO_1942_RUSSIA	269	Russia; $+36^{\circ} \leq \varphi \leq +89^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = 28$, $\Delta y = -130$, $\Delta z = -95$.	1993	[83502T, App. C.2, "PUK"], [GEOTRANS, "PUK"]
PZ90_GLONASS	PZ90_GLONASS_RUSSIA- _7	398	Russia; $+36^{\circ} \leq \varphi \leq +89^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -1,1$, $\Delta y = -0,3$, $\Delta z = -0,9$, $\omega = 0^{\circ} 0' 0,169''$.		[HELM, "SGB-7"], [GEOTRANS, "PUK"]
QATAR_NATIONAL-1974	QATAR_NATIONAL_1974- _QATAR_3	270	Qatar; $+19^{\circ} \leq \varphi \leq +32^{\circ}$; $+45^{\circ} \leq \lambda \leq +57^{\circ}$	TRANSLATE $\Delta x = -128$: $\sigma x = 20$, $\Delta y = -283$: $\sigma y = 20$, $\Delta z = 22$: $\sigma z = 20$.	1987	[83502T, App. B.3, "QAT"], [GEOTRANS, "QAT"]
	QATAR_NATIONAL_1974- _QATAR_7	399	Qatar; $+19^{\circ} \leq \varphi \leq +32^{\circ}$; $+45^{\circ} \leq \lambda \leq +57^{\circ}$	PV_7_PARAMETER $\Delta x = -126,44$, $\Delta y = -298,86$, $\Delta z = -10,92$, $\omega_1 = 1,23''$, $\omega_2 = 0,27''$, $\omega_3 = 0,85''$, $\Delta s = 3,73 \times 10^{-6}$.		[HELM, "QAT-7", "Qatar"], [GEOTRANS, "QAT"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
QATAR NATIONAL-1995	QATAR_NATIONAL_1995-QATAR_7	400	Qatar; $+19^{\circ} \leq \varphi \leq +32^{\circ}$; $+45^{\circ} \leq \lambda \leq +57^{\circ}$	PV_7_PARAMETER $\Delta x = -119,425$, $\Delta y = -303,6587$, $\Delta z = -11,00061$, $\omega_1 = 1,164\ 3''$, $\omega_2 = 0,174\ 46''$, $\omega_3 = 1,096\ 259''$, $\Delta s = 3,657\ 07 \times 10^{-6}$.		[HELM , "QAR-7", "Qatar"], [GEOTRANS , "QAT"]
QORNOQ 1987	QORNOQ_1987_SOUTH-GREENLAND	271	South Greenland; $+57^{\circ} \leq \varphi \leq +85^{\circ}$; $-77^{\circ} \leq \lambda \leq -7^{\circ}$	TRANSLATE $\Delta x = 164$: $\sigma x = 25$, $\Delta y = 138$: $\sigma y = 25$, $\Delta z = -189$: $\sigma z = 32$.	1987	[83502T , App. B.8, "QUO"], [GEOTRANS , "QUO"]
REUNION 1947	REUNION_1947-MASCARENE_ISLANDS	272	Mascarene Islands; $-27^{\circ} \leq \varphi \leq -12^{\circ}$; $+47^{\circ} \leq \lambda \leq +65^{\circ}$	TRANSLATE $\Delta x = 94$: $\sigma x = 25$, $\Delta y = -948$: $\sigma y = 25$, $\Delta z = -1\ 262$: $\sigma z = 25$.	1987	[83502T , App. B.9, "REU"], [GEOTRANS , "REU"]
RGF 1993	RGF_1993_IDENTITY_BY-MEASUREMENT	273	France; $+42^{\circ} \leq \varphi \leq +52^{\circ}$; $-6^{\circ} \leq \lambda \leq +10^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 0$, $\Delta y = 0$: $\sigma y = 0$, $\Delta z = 0$: $\sigma z = 0$.	1993	[RGF]
ROME 1940	ROME_1940_SARDINIA	276	Sardinia (Italy); $+37^{\circ} \leq \varphi \leq +43^{\circ}$; $+6^{\circ} \leq \lambda \leq +12^{\circ}$	TRANSLATE $\Delta x = -225$: $\sigma x = 25$, $\Delta y = -65$: $\sigma y = 25$, $\Delta z = 9$: $\sigma z = 25$.	1987	[83502T , App. B.5, "MOD"], [GEOTRANS , "MOD"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	ROME_1940_ITALY_7	401	Italy mainland; $+37,75^{\circ} \leq \varphi \leq +47,09^{\circ}$; $+6,65^{\circ} \leq \lambda \leq +18,53^{\circ}$	PV_7_PARAMETER $\Delta x = -104,1$: $\sigma x = 4$, $\Delta y = -49,1$: $\sigma y = 4$, $\Delta z = -9,9$: $\sigma z = 4$, $\omega_1 = 0,971''$, $\omega_2 = -2,917''$, $\omega_3 = 0,714''$, $\Delta s = -11,68 \times 10^{-6}$.		[HELM , "MOD-7", "Italy"], [EPSG , Code 2372]
	ROME_1940_SARDINIA_7	402	Italy - Sardinia; $+37^{\circ} \leq \varphi \leq +43^{\circ}$; $+6^{\circ} \leq \lambda \leq +12^{\circ}$	PV_7_PARAMETER $\Delta x = -168,6$: $\sigma x = 4$, $\Delta y = -34$: $\sigma y = 4$, $\Delta z = 38,6$: $\sigma z = 4$, $\omega_1 = -0,374''$, $\omega_2 = -0,679''$, $\omega_3 = -1,379''$, $\Delta s = -9,48 \times 10^{-6}$.		[HELM , "MOD-7", "Sardinia"], [GEOTRANS , "EUR-I"]
	ROME_1940_SICILY_7	403	Italy - Sicily; $+35^{\circ} \leq \varphi \leq +40^{\circ}$; $+10^{\circ} \leq \lambda \leq +17^{\circ}$	PV_7_PARAMETER $\Delta x = -50,2$: $\sigma x = 4$, $\Delta y = -50,4$: $\sigma y = 4$, $\Delta z = 84,8$: $\sigma z = 4$, $\omega_1 = -0,69''$, $\omega_2 = -2,012''$, $\omega_3 = 0,459''$, $\Delta s = -28,08 \times 10^{-6}$.		[HELM , "MOD-7", "Sicily"], [GEOTRANS , "EUR-J"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ROME_1940_PM-ROME	ROME_1940_PM_ROME-SARDINIA	275	Sardinia (Italy); $+37^{\circ} \leq \varphi \leq +43^{\circ}$; $-6,5^{\circ} \leq \lambda \leq -0,5^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -225$: $\sigma x = 25$, $\Delta y = -65$: $\sigma y = 25$, $\Delta z = 9$: $\sigma z = 25$, $\omega = 12^{\circ} 27' 8,4''$. Note: The referenced z-axis rotation has been offset so that Rome is contained in the x-positive xz-plane.	1987	[83502T , App. B.5, "MOD"], [GEOTRANS , "MOD"]
RT90	RT90_SWEDEN_7	404	Sweden; $+55,2^{\circ} \leq \varphi \leq +69,1^{\circ}$; $+10,57^{\circ} \leq \lambda \leq +24,18^{\circ}$	PV_7_PARAMETER $\Delta x = 414,1$: $\sigma x = 0$, $\Delta y = 41,3$: $\sigma y = 0$, $\Delta z = 603,1$: $\sigma z = 0$, $\omega_1 = -0,855''$, $\omega_2 = 2,141''$, $\omega_3 = -7,023''$, $\Delta s = 0 \times 10^{-6}$.		[HELM , "RTS-7"], [EPSG , Code 1225]
S_AM_1969	S_AM_1969_ARGENTINA	278	Argentina; $-62^{\circ} \leq \varphi \leq -20^{\circ}$; $-76^{\circ} \leq \lambda \leq -47^{\circ}$	TRANSLATE $\Delta x = -62$: $\sigma x = 5$, $\Delta y = -1$: $\sigma y = 5$, $\Delta z = -37$: $\sigma z = 5$.	1991	[83502T , App. B.7, "SAN-A"], [GEOTRANS , "SAN-A"]
	S_AM_1969_BALTRA-GALAPAGOS_ISLANDS	279	Baltra and Galapagos Islands (Ecuador); $-2^{\circ} \leq \varphi \leq +1^{\circ}$; $-92^{\circ} \leq \lambda \leq -89^{\circ}$	TRANSLATE $\Delta x = -47$: $\sigma x = 25$, $\Delta y = 26$: $\sigma y = 25$, $\Delta z = -42$: $\sigma z = 25$.	1991	[83502T , App. B.7, "SAN-J"], [GEOTRANS , "SAN-J"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	S_AM_1969_BOLIVIA	280	Bolivia; $-28^{\circ} \leq \varphi \leq -4^{\circ}$; $-75^{\circ} \leq \lambda \leq -51^{\circ}$	TRANSLATE $\Delta x = -61$: $\sigma x = 15$, $\Delta y = 2$: $\sigma y = 15$, $\Delta z = -48$: $\sigma z = 15$.	1991	[83502T, App. B.7, "SAN-B"], [GEOTRANS, "SAN-B"]
	S_AM_1969_BRAZIL	281	Brazil; $-39^{\circ} \leq \varphi \leq +9^{\circ}$; $-80^{\circ} \leq \lambda \leq -29^{\circ}$	TRANSLATE $\Delta x = -60$: $\sigma x = 3$, $\Delta y = -2$: $\sigma y = 5$, $\Delta z = -41$: $\sigma z = 5$.	1991	[83502T, App. B.7, "SAN-C"], [GEOTRANS, "SAN-C"]
	S_AM_1969_CHILE	282	Chile; $-64^{\circ} \leq \varphi \leq -12^{\circ}$; $-83^{\circ} \leq \lambda \leq -60^{\circ}$	TRANSLATE $\Delta x = -75$: $\sigma x = 15$, $\Delta y = -1$: $\sigma y = 8$, $\Delta z = -44$: $\sigma z = 11$.	1991	[83502T, App. B.7, "SAN-D"], [GEOTRANS, "SAN-D"]
	S_AM_1969_COLOMBIA	283	Colombia; $-10^{\circ} \leq \varphi \leq +16^{\circ}$; $-85^{\circ} \leq \lambda \leq -61^{\circ}$	TRANSLATE $\Delta x = -44$: $\sigma x = 6$, $\Delta y = 6$: $\sigma y = 6$, $\Delta z = -36$: $\sigma z = 5$.	1991	[83502T, App. B.7, "SAN-E"], [GEOTRANS, "SAN-E"]
	S_AM_1969_ECUADOR- _EXCLUDING- _GALAPAGOS_ISLANDS	284	Ecuador (excluding Galapagos Islands); $-11^{\circ} \leq \varphi \leq +7^{\circ}$; $-85^{\circ} \leq \lambda \leq -70^{\circ}$	TRANSLATE $\Delta x = -48$: $\sigma x = 3$, $\Delta y = 3$: $\sigma y = 3$, $\Delta z = -44$: $\sigma z = 3$.	1991	[83502T, App. B.7, "SAN-F"], [GEOTRANS, "SAN-F"]
	S_AM_1969_GUYANA	285	Guyana; $-4^{\circ} \leq \varphi \leq +14^{\circ}$; $-67^{\circ} \leq \lambda \leq -51^{\circ}$	TRANSLATE $\Delta x = -53$: $\sigma x = 9$, $\Delta y = 3$: $\sigma y = 5$, $\Delta z = -47$: $\sigma z = 5$.	1991	[83502T, App. B.7, "SAN-G"], [GEOTRANS, "SAN-G"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	S_AM_1969_MEAN-SOLUTION	286	Mean Solution (Argentina, Bolivia, Brazil, Chile, Colombia, Ecuador, Guyana, Paraguay, Peru, Trinidad and Tobago, and Venezuela); $-65^{\circ} \leq \varphi \leq +20^{\circ}$; $-90^{\circ} \leq \lambda \leq -25^{\circ}$	TRANSLATE $\Delta x = -57$: $\sigma x = 15$, $\Delta y = 1$: $\sigma y = 6$, $\Delta z = -41$: $\sigma z = 9$.	1987	[83502T] , App. B.7, "SAN-M", [GEOTRANS] , "SAN-M"]
	S_AM_1969_PARAGUAY	287	Paraguay; $-33^{\circ} \leq \varphi \leq -14^{\circ}$; $-69^{\circ} \leq \lambda \leq -49^{\circ}$	TRANSLATE $\Delta x = -61$: $\sigma x = 15$, $\Delta y = 2$: $\sigma y = 15$, $\Delta z = -33$: $\sigma z = 15$.	1991	[83502T] , App. B.7, "SAN-H", [GEOTRANS] , "SAN-H"]
	S_AM_1969_PERU	288	Peru; $-24^{\circ} \leq \varphi \leq +5^{\circ}$; $-87^{\circ} \leq \lambda \leq -63^{\circ}$	TRANSLATE $\Delta x = -58$: $\sigma x = 5$, $\Delta y = 0$: $\sigma y = 5$, $\Delta z = -44$: $\sigma z = 5$.	1991	[83502T] , App. B.7, "SAN-I", [GEOTRANS] , "SAN-I"]
	S_AM_1969_TRINIDAD-TOBAGO	289	Trinidad and Tobago (British West Indies); $+4^{\circ} \leq \varphi \leq +17^{\circ}$; $-68^{\circ} \leq \lambda \leq -55^{\circ}$	TRANSLATE $\Delta x = -45$: $\sigma x = 25$, $\Delta y = 12$: $\sigma y = 25$, $\Delta z = -33$: $\sigma z = 25$.	1991	[83502T] , App. B.7, "SAN-K", [GEOTRANS] , "SAN-K"]
	S_AM_1969_VENEZUELA	290	Venezuela; $-5^{\circ} \leq \varphi \leq +18^{\circ}$; $-79^{\circ} \leq \lambda \leq -54^{\circ}$	TRANSLATE $\Delta x = -45$: $\sigma x = 3$, $\Delta y = 8$: $\sigma y = 6$, $\Delta z = -33$: $\sigma z = 3$.	1991	[83502T] , App. B.7, "SAN-L", [GEOTRANS] , "SAN-L"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
S_ASIA_1987	S_ASIA_1987_SINGAPORE	291	Singapore; $+0^{\circ} \leq \varphi \leq +3^{\circ}$; $+102^{\circ} \leq \lambda \leq +106^{\circ}$	TRANSLATE $\Delta x = 7$: $\sigma x = 25$, $\Delta y = -10$: $\sigma y = 25$, $\Delta z = -26$: $\sigma z = 25$.	1987	[83502T , App. B.3, "SOA"], [GEOTRANS , "SOA"]
S_JTSK_1993	S_JTSK_1993_CZECH- _REPUBLIC	292	Czech Republic; $+48,56^{\circ} \leq \varphi \leq +51,09^{\circ}$; $+12,11^{\circ} \leq \lambda \leq +18,98^{\circ}$	PV_7_PARAMETER $\Delta x = 570,8$: $\sigma x = 2$, $\Delta y = 85,7$: $\sigma y = 2$, $\Delta z = 462,8$: $\sigma z = 2$, $\omega_1 = 4,998''$, $\omega_2 = 1,587''$, $\omega_3 = 5,261''$, $\Delta s = 3,56 \times 10^{-6}$.	2001	[HELM , "CCD-7", "Czech Republic"], [EPSG , Code 1079]
	S_JTSK_1993_CZECH- _REPUBLIC_SLOVAKIA	293	Czech Republic and Slovakia; $+43^{\circ} \leq \varphi \leq +56^{\circ}$; $+6^{\circ} \leq \lambda \leq +28^{\circ}$	TRANSLATE $\Delta x = 589$: $\sigma x = 4$, $\Delta y = 76$: $\sigma y = 2$, $\Delta z = 480$: $\sigma z = 3$.	1993	[83502T , App. B.5, "CCD"], [GEOTRANS , "CCD"]
	S_JTSK_1993_SLOVAKIA	405	Slovakia; $+47,74^{\circ} \leq \varphi \leq +49,65^{\circ}$; $+16,84^{\circ} \leq \lambda \leq +22,58^{\circ}$	PV_7_PARAMETER $\Delta x = 559$: $\sigma x = 2$, $\Delta y = 68,7$: $\sigma y = 2$, $\Delta z = 451,5$: $\sigma z = 2$, $\omega_1 = 7,92''$, $\omega_2 = 4,073''$, $\omega_3 = 4,251''$, $\Delta s = 5,71 \times 10^{-6}$.		[HELM , "CCD-7", "Slovakia"], [EPSG , Code 1211]
S42_PULKOVO	S42_PULKOVO_POLAND_3	294	Poland; $+43^{\circ} \leq \varphi \leq +60^{\circ}$; $+8^{\circ} \leq \lambda \leq +30^{\circ}$	TRANSLATE $\Delta x = 23$: $\sigma x = 4$, $\Delta y = -124$: $\sigma y = 2$, $\Delta z = -82$: $\sigma z = 4$.	1997	[83502T , App. B.5, "SPK-B"], [GEOTRANS , "SPK-B"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	S42_PULKOVO_ALBANIA	295	Albania; $+34^{\circ} \leq \varphi \leq +48^{\circ}$; $+14^{\circ} \leq \lambda \leq +26^{\circ}$	TRANSLATE $\Delta x = 24$: $\sigma x = 3$, $\Delta y = -130$: $\sigma y = 3$, $\Delta z = -92$: $\sigma z = 3$.	1997	[83502T, App. B.5, "SPK-F"], [GEOTRANS, "SPK-F"]
	S42_PULKOVO_CZECH- _REPUBLIC_SLOVAKIA	296	Czech Republic and Slovakia; $+42^{\circ} \leq \varphi \leq +57^{\circ}$; $+6^{\circ} \leq \lambda \leq +28^{\circ}$	TRANSLATE $\Delta x = 26$: $\sigma x = 3$, $\Delta y = -121$: $\sigma y = 3$, $\Delta z = -78$: $\sigma z = 2$.	1997	[83502T, App. B.5, "SPK-C"], [GEOTRANS, "SPK-C"]
	S42_PULKOVO_ROMANIA- _G	297	Romania; $+38^{\circ} \leq \varphi \leq +54^{\circ}$; $+15^{\circ} \leq \lambda \leq +35^{\circ}$	TRANSLATE $\Delta x = 28$: $\sigma x = 3$, $\Delta y = -121$: $\sigma y = 5$, $\Delta z = -77$: $\sigma z = 3$.	1997	[83502T, App. B.5, "SPK-G"], [GEOTRANS, "SPK-G"]
	S42_PULKOVO_HUNGARY	298	Hungary; $+40^{\circ} \leq \varphi \leq +54^{\circ}$; $+11^{\circ} \leq \lambda \leq +29^{\circ}$	TRANSLATE $\Delta x = 28$: $\sigma x = 2$, $\Delta y = -121$: $\sigma y = 2$, $\Delta z = -77$: $\sigma z = 2$.	1993	[83502T, App. B.5, "SPK-A"], [GEOTRANS, "SPK-A"]
	S42_PULKOVO- _KAZAKHSTAN	299	Kazakhstan; $+35^{\circ} \leq \varphi \leq +62^{\circ}$; $+41^{\circ} \leq \lambda \leq +93^{\circ}$	TRANSLATE $\Delta x = 15$: $\sigma x = 25$, $\Delta y = -130$: $\sigma y = 25$, $\Delta z = -84$: $\sigma z = 25$.	1997	[83502T, App. B.5, "SPK-E"], [GEOTRANS, "SPK-E"]
	S42_PULKOVO_LATVIA	300	Latvia; $+50^{\circ} \leq \varphi \leq +64^{\circ}$; $+15^{\circ} \leq \lambda \leq +34^{\circ}$	TRANSLATE $\Delta x = 24$: $\sigma x = 2$, $\Delta y = -124$: $\sigma y = 2$, $\Delta z = -82$: $\sigma z = 2$.	1997	[83502T, App. B.5, "SPK-D"], [GEOTRANS, "SPK-D"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	S42_PULKOVO- _AFGHANISTAN_3	406	Afghanistan; $+23^{\circ} \leq \varphi \leq +44^{\circ}$; $+55^{\circ} \leq \lambda \leq +81^{\circ}$	TRANSLATE $\Delta x = 15$: $\sigma x = 25$, $\Delta y = -130$: $\sigma y = 25$, $\Delta z = -84$: $\sigma z = 25$.		[HELM , "SPK", "Afghanistan"], [GEOTRANS , "HEN"]
	S42_PULKOVO- _ESTONIA_7	407	Estonia; $+52^{\circ} \leq \varphi \leq +65^{\circ}$; $+16^{\circ} \leq \lambda \leq +34^{\circ}$	PV_7_PARAMETER $\Delta x = 21,58719$, $\Delta y = -97,541$, $\Delta z = -60,925$, $\omega_1 = 1,013\ 78''$, $\omega_2 = 0,581\ 17''$, $\omega_3 = 0,234\ 8''$, $\Delta s = -4,612\ 1 \times 10^{-6}$.		[HELM , "PUK-7", "Estonia"], [GEOTRANS , "EST"]
	S42_PULKOVO- _GERMANY_7	408	Germany; $+47,27^{\circ} \leq \varphi \leq +55,9^{\circ}$; $+3,3^{\circ} \leq \lambda \leq +15,03^{\circ}$	PV_7_PARAMETER $\Delta x = 24$, $\Delta y = -123$, $\Delta z = -94$, $\omega_1 = -0,02''$, $\omega_2 = 0,25''$, $\omega_3 = 0,13''$, $\Delta s = 1,1 \times 10^{-6}$.		[HELM , "PUK-7", "Germany"], [EPSG , Code 1103]
	S42_PULKOVO_POLAND_7	409	Poland; $+43^{\circ} \leq \varphi \leq +60^{\circ}$; $+8^{\circ} \leq \lambda \leq +30^{\circ}$	PV_7_PARAMETER $\Delta x = 33,4$: $\sigma x = 1$, $\Delta y = -146,6$: $\sigma y = 1$, $\Delta z = -76,3$: $\sigma z = 1$, $\omega_1 = -0,359''$, $\omega_2 = -0,053''$, $\omega_3 = 0,844''$, $\Delta s = -0,84 \times 10^{-6}$.		[HELM , "SPK-7", "Poland"], [GEOTRANS , "SPK-B"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	S42_PULKOVO_ROMANIA- _3	410	Romania; $+38^{\circ} \leq \varphi \leq +54^{\circ}$; $+15^{\circ} \leq \lambda \leq +35^{\circ}$	TRANSLATE $\Delta x = 27,8$: $\sigma x = 1$, $\Delta y = -125,9$: $\sigma y = 3$, $\Delta z = -77,5$: $\sigma z = 2$.		[HELM , "SPK", "Romania"], [GEOTRANS , "SPK-G"]
SANTO DOS 1965	SANTO_DOS_1965- ESPIRITO_SANTO- _ISLAND	301	Espirito Santo Island (Vanuatu); $-20^{\circ} \leq \varphi \leq -11^{\circ}$; $+163^{\circ} \leq \lambda \leq +172^{\circ}$	TRANSLATE $\Delta x = 170$: $\sigma x = 25$, $\Delta y = 42$: $\sigma y = 25$, $\Delta z = 84$: $\sigma z = 25$.	1987	[83502T , App. B.10, "SAE"], [GEOTRANS , "SAE"]
SAO BRAZ 1987	SAO_BRAZ_1987_SAO- MIGUEL_SANTA_MARIA- _ISLANDS	302	Sao Miguel and Santa Maria Islands (Azores); $+35^{\circ} \leq \varphi \leq +39^{\circ}$; $-27^{\circ} \leq \lambda \leq -23^{\circ}$	TRANSLATE $\Delta x = -203$: $\sigma x = 25$, $\Delta y = 141$: $\sigma y = 25$, $\Delta z = 53$: $\sigma z = 25$.	1987	[83502T , App. B.8, "SAO"], [GEOTRANS , "SAO"]
SAPPER HILL 1943	SAPPER_HILL_1943_E- _FALKLAND_ISLANDS_3	303	East Falkland Islands; $-54^{\circ} \leq \varphi \leq -50^{\circ}$; $-61^{\circ} \leq \lambda \leq -56^{\circ}$	TRANSLATE $\Delta x = -355$: $\sigma x = 1$, $\Delta y = 21$: $\sigma y = 1$, $\Delta z = 72$: $\sigma z = 1$.	1991	[83502T , App. B.8, "SAP"], [GEOTRANS , "SAP"]
SAPPER HILL 1943- _ADJ 2000	SAPPER_HILL_1943_ADJ- _2000_FALKLAND- _ISLANDS_7	411	Falkland Islands; $-56,25^{\circ} \leq \varphi \leq -47,68^{\circ}$; $-65^{\circ} \leq \lambda \leq -52,31^{\circ}$	PV_7_PARAMETER $\Delta x = -120,379$, $\Delta y = 126,358$, $\Delta z = 95,91$, $\omega_1 = -0,092\ 47''$, $\omega_2 = 2,499\ 33''$, $\omega_3 = -10,542\ 06''$, $\Delta s = -0,349 \times 10^{-6}$.		[HELM , "SAP-7"], [EPSG , Code 1092]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
SCHWARZECK_1991	SCHWARZECK_1991- _NAMIBIA	306	Namibia; $-35^{\circ} \leq \varphi \leq -11^{\circ}$; $+5^{\circ} \leq \lambda \leq +31^{\circ}$	TRANSLATE $\Delta x = 616$: $\sigma x = 20$, $\Delta y = 97$: $\sigma y = 20$, $\Delta z = -251$: $\sigma z = 20$.	1991	[83502T , App. B.2, "SCK"], [GEOTRANS , "SCK"]
SELVAGEM-GRANDE_1938	SELVAGEM_GRANDE- _1938_SALVAGE_ISLANDS	307	Salvage Islands (Ilhas Selvagens; Savage Islands); $+28^{\circ} \leq \varphi \leq +32^{\circ}$; $-18^{\circ} \leq \lambda \leq -14^{\circ}$	TRANSLATE $\Delta x = -289$: $\sigma x = 25$, $\Delta y = -124$: $\sigma y = 25$, $\Delta z = 60$: $\sigma z = 25$.	1991	[83502T , App. B.8, "SGM"], [GEOTRANS , "SGM"]
SIERRA LEONE-1960	SIERRA_LEONE_1960- _SIERRA_LEONE	308	Sierra Leone; $+1^{\circ} \leq \varphi \leq +16^{\circ}$; $-19^{\circ} \leq \lambda \leq -4^{\circ}$	TRANSLATE $\Delta x = -88$: $\sigma x = 15$, $\Delta y = 4$: $\sigma y = 15$, $\Delta z = 101$: $\sigma z = 15$.	1997	[83502T , App. B.2, "SRL"], [GEOTRANS , "SRL"]
SIRGAS_2000	SIRGAS_2000_IDENTITY- _BY_MEASUREMENT	309	South America; $-65^{\circ} \leq \varphi \leq -50^{\circ}$; $-90^{\circ} \leq \lambda \leq -25^{\circ}$	TRANSLATE $\Delta x = 0$: $\sigma x = 1$, $\Delta y = 0$: $\sigma y = 1$, $\Delta z = 0$: $\sigma z = 1$.	2000	[83502T , App. B.7, "SIR"], [GEOTRANS , "SIR"]
SOUTH EAST-ISLAND	SOUTH_EAST_ISLAND- _SEYCHELLES_7	412	Seychelles; $-10,61^{\circ} \leq \varphi \leq -3,01^{\circ}$; $+45,77^{\circ} \leq \lambda \leq +56,98^{\circ}$	PV_7_PARAMETER $\Delta x = 30,768$, $\Delta y = -129,01$, $\Delta z = -91,673$, $\omega_1 = -1,984\ 7''$, $\omega_2 = 7,513\ 28''$, $\omega_3 = 0,645\ 32''$, $\Delta s = -10,901 \times 10^{-6}$.		[HELM , "SEI-7", "Seychelles"], [EPSG , Code 1208]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
SOVIET GEODETIC-SYSTEM 1985	SOVIET_GEODETIC-SYSTEM_1985_RUSSIA_7	413	Russia; $+36^{\circ} \leq \varphi \leq +89^{\circ}$; $-180^{\circ} \leq \lambda \leq +180^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = 0$, $\Delta y = 0$, $\Delta z = 4$, $\omega = 0^{\circ} 0' 0,6''$.		[HELM , "SGA-7"], [GEOTRANS , "PUK"]
TANANARIVE OBS-1925	TANANARIVE_OBS_1925-MADAGASCAR_3	311	Madagascar; $-34^{\circ} \leq \varphi \leq -8^{\circ}$; $+40^{\circ} \leq \lambda \leq +53^{\circ}$	TRANSLATE $\Delta x = -189$, $\Delta y = -242$, $\Delta z = -91$.	1987	[83502T , App. C.2, "TAN"], [GEOTRANS , "TAN"]
	TANANARIVE_OBS_1925-MADAGASCAR_7	414	Madagascar; $-28,89^{\circ} \leq \varphi \leq -10,6^{\circ}$; $+41,14^{\circ} \leq \lambda \leq +55,34^{\circ}$	PV_7_PARAMETER $\Delta x = -242,75 : \sigma x = 5$, $\Delta y = -191,8 : \sigma y = 3$, $\Delta z = -105,56 : \sigma z = 2$, $\omega_1 = 0,913''$, $\omega_2 = 1,137''$, $\omega_3 = -2,698''$, $\Delta s = 1,149 \times 10^{-6}$.		[HELM , "TAN-7", "Madagascar"], [EPSG , Code 1149]
TANANARIVE OBS-1925 PM PARIS	TANANARIVE_OBS_1925-PM_PARIS-MADAGASCAR_3	312	Madagascar; $-34^{\circ} \leq \varphi \leq -8^{\circ}$; $+38^{\circ} \leq \lambda \leq +51^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -189$, $\Delta y = -242$, $\Delta z = -91$, $\omega = 2^{\circ} 20' 14,025''$. Note: The referenced z-axis rotation has been offset so that Paris is contained in the x-positive xz-plane.	1987	[83502T , App. C.2, "TAN"], [GEOTRANS , "TAN"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
TERN_1961	TERN_1961_TERN_ISLAND	314	Tern Island (French Frigate Shoals, Hawaiian Islands); $+22^{\circ} \leq \varphi \leq +26^{\circ}$; $-168^{\circ} \leq \lambda \leq -164^{\circ}$	TRANSLATE $\Delta x = 114$: $\sigma x = 25$, $\Delta y = -116$: $\sigma y = 25$, $\Delta z = -333$: $\sigma z = 25$.	1991	[83502T , App. B.10, "TRN"], [GEOTRANS , "TRN"]
TETE	TETE_MOZAMBIQUE_7	415	Mozambique; $-26,88^{\circ} \leq \varphi \leq -9,56^{\circ}$; $+30,23^{\circ} \leq \lambda \leq +43^{\circ}$	PV_7_PARAMETER $\Delta x = -107$: $\sigma x = 9$, $\Delta y = -167$: $\sigma y = 9$, $\Delta z = -211$: $\sigma z = 9$, $\omega_1 = 0,871''$, $\omega_2 = 0,207''$, $\omega_3 = 0,992''$, $\Delta s = 9,28 \times 10^{-6}$.		[HELM , "TEC-7"], [EPSG , Code 1167]
TIMBALAI_1948_ADJ-1968_BESSEL	TIMBALAI_1948_ADJ_1968- _BESSEL_MALAYSIA_E- _BRUNEI_7	416	East Malaysia and Brunei; $-5^{\circ} \leq \varphi \leq +15^{\circ}$; $+101^{\circ} \leq \lambda \leq +125^{\circ}$	PV_7_PARAMETER $\Delta x = -528$: $\sigma x = 1$, $\Delta y = 566,18$: $\sigma y = 2$, $\Delta z = -75,24$: $\sigma z = 1$, $\omega_1 = 1,137''$, $\omega_2 = 0,194''$, $\omega_3 = 3,034''$, $\Delta s = 9,216 \times 10^{-6}$.		[HELM , "TIM-7", "Malaysia E & Brunei"], [GEOTRANS , "TIL"]
TIMBALAI_1948_ADJ-1968_EVEREST	TIMBALAI_1948_ADJ_1968- _EVEREST_MALAYSIA_E- _BRUNEI_7	417	East Malaysia and Brunei; $-5^{\circ} \leq \varphi \leq +15^{\circ}$; $+101^{\circ} \leq \lambda \leq +125^{\circ}$	PV_7_PARAMETER $\Delta x = -541,8$: $\sigma x = 1$, $\Delta y = 667,65$: $\sigma y = 2$, $\Delta z = -63,42$: $\sigma z = 1$, $\omega_1 = 0,478''$, $\omega_2 = -0,24''$, $\omega_3 = 4,019''$, $\Delta s = 9,139 \times 10^{-6}$.		[HELM , "TIN-7", "Malaysia E & Brunei"], [GEOTRANS , "TIL"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
TIMBALAI BESSEL-1948	TIMBALAI_BESSEL_1948-BRUNEI_E_MALAYSIA_7	418	Brunei and East Malaysia; $-5^{\circ} \leq \varphi \leq +15^{\circ}$; $+101^{\circ} \leq \lambda \leq +125^{\circ}$	PV_7_PARAMETER $\Delta x = -496,34 : \sigma x = 1$, $\Delta y = 580,76 : \sigma y = 2$, $\Delta z = -44,31 : \sigma z = 2$, $\omega_1 = 0,098''$, $\omega_2 = 0,018''$, $\omega_3 = 4,146''$, $\Delta s = 8,82 \times 10^{-6}$.		[HELM , "TIV-7", "Malaysia E & Brunei"], [GEOTRANS , "TIL"]
TIMBALAI EVEREST-1948	TIMBALAI_EVEREST_1948-BRUNEI_E_MALAYSIA_3	318	Brunei and East Malaysia (Sarawak and Sabah); $-5^{\circ} \leq \varphi \leq +15^{\circ}$; $+101^{\circ} \leq \lambda \leq +125^{\circ}$	TRANSLATE $\Delta x = -679 : \sigma x = 10$, $\Delta y = 669 : \sigma y = 10$, $\Delta z = -48 : \sigma z = 12$.	1987	[83502T , App. B.3, "TIL"], [GEOTRANS , "TIL"]
	TIMBALAI_EVEREST_1948-BRUNEI_E_MALAYSIA_7	319	Brunei and East Malaysia (Sabah and Sarawak); $-5^{\circ} \leq \varphi \leq +15^{\circ}$; $+101^{\circ} \leq \lambda \leq +125^{\circ}$	PV_7_PARAMETER $\Delta x = -582,33 : \sigma x = 1$, $\Delta y = 671,57 : \sigma y = 2$, $\Delta z = -108,15 : \sigma z = 2$, $\omega_1 = 1,744''$, $\omega_2 = 0,56''$, $\omega_3 = 2,876''$, $\Delta s = 6,495 \times 10^{-6}$.	2001	[HELM , "TIL-7"], [GEOTRANS , "TIL"]
TOKYO 1991	TOKYO_1991_JAPAN	322	Japan; $+19^{\circ} \leq \varphi \leq +51^{\circ}$; $+119^{\circ} \leq \lambda \leq +156^{\circ}$	TRANSLATE $\Delta x = -148 : \sigma x = 8$, $\Delta y = 507 : \sigma y = 5$, $\Delta z = 685 : \sigma z = 8$.	1991	[83502T , App. B.3, "TOY-A"], [GEOTRANS , "TOY-A"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
	TOKYO_1991_MEAN-SOLUTION	323	Mean Solution (Japan, Okinawa and South Korea); $+23^{\circ} \leq \varphi \leq +53^{\circ}$; $+120^{\circ} \leq \lambda \leq +155^{\circ}$	TRANSLATE $\Delta x = -148$: $\sigma x = 20$, $\Delta y = 507$: $\sigma y = 5$, $\Delta z = 685$: $\sigma z = 20$.	1991	[83502T, App. B.3, "TOY-M"], [GEOTRANS, "TOY-M"]
	TOKYO_1991_OKINAWA	324	Okinawa (Japan); $+19^{\circ} \leq \varphi \leq +31^{\circ}$; $+119^{\circ} \leq \lambda \leq +134^{\circ}$	TRANSLATE $\Delta x = -158$: $\sigma x = 20$, $\Delta y = 507$: $\sigma y = 5$, $\Delta z = 676$: $\sigma z = 20$.	1991	[83502T, App. B.3, "TOY-C"], [GEOTRANS, "TOY-C"]
	TOKYO_1991_SOUTH-KOREA_1991	325	South Korea; $+27^{\circ} \leq \varphi \leq +45^{\circ}$; $+120^{\circ} \leq \lambda \leq +139^{\circ}$	TRANSLATE $\Delta x = -146$: $\sigma x = 8$, $\Delta y = 507$: $\sigma y = 5$, $\Delta z = 687$: $\sigma z = 8$.	1991	[83502T, App. B.3, "TOY-B"], [GEOTRANS, "TOY-B"]
	TOKYO_1991_SOUTH-KOREA_1997	326	South Korea; $+27^{\circ} \leq \varphi \leq +45^{\circ}$; $+120^{\circ} \leq \lambda \leq +139^{\circ}$	TRANSLATE $\Delta x = -147$: $\sigma x = 2$, $\Delta y = 506$: $\sigma y = 2$, $\Delta z = 687$: $\sigma z = 2$.	1997	[83502T, App. B.3, "TOY-B1", Cycle number 1], [GEOTRANS, "TOY-B1"]
TRISTAN_1968	TRISTAN_1968_TRISTAN-DA_CUNHA	327	Tristan da Cunha; $-39^{\circ} \leq \varphi \leq -36^{\circ}$; $-14^{\circ} \leq \lambda \leq -11^{\circ}$	TRANSLATE $\Delta x = -632$: $\sigma x = 25$, $\Delta y = 438$: $\sigma y = 25$, $\Delta z = -609$: $\sigma z = 25$.	1987	[83502T, App. B.8, "TDC"], [GEOTRANS, "TDC"]
VITI_LEVU_1916	VITI_LEVU_1916_VITI-LEVU_ISLANDS	333	Viti Levu Island (Fiji Islands); $-20^{\circ} \leq \varphi \leq -16^{\circ}$; $+176^{\circ} \leq \lambda \leq +180^{\circ}$	TRANSLATE $\Delta x = 51$: $\sigma x = 25$, $\Delta y = 391$: $\sigma y = 25$, $\Delta z = -36$: $\sigma z = 25$.	1987	[83502T, App. B.10, "MVS"], [GEOTRANS, "MVS"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
VOIROL_1874	VOIROL_1874_ALGERIA	334	Tunisia and Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-15^{\circ} \leq \lambda \leq +18^{\circ}$	TRANSLATE $\Delta x = -73$, $\Delta y = -247$, $\Delta z = 227$.	1997	[83502T, App. C.2, "VOI"], [GEOTRANS, "VOI"]
VOIROL_1874_PM-PARIS	VOIROL_1874_PM-PARIS-ALGERIA	335	Tunisia and Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-17^{\circ} \leq \lambda \leq +16^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -73$, $\Delta y = -247$, $\Delta z = 227$, $\omega = 2^{\circ} 20' 14,025''$. Note: The referenced z-axis rotation has been offset so that Paris is contained in the x-positive xz-plane.	1997	[83502T, App. C.2, "VOI"], [GEOTRANS, "VOI"]
VOIROL_1960	VOIROL_1960_ALGERIA	336	Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-15^{\circ} \leq \lambda \leq +18^{\circ}$	TRANSLATE $\Delta x = -123$: $\sigma x = 25$, $\Delta y = -206$: $\sigma y = 25$, $\Delta z = 219$: $\sigma z = 25$.	1993	[83502T, App. B.2, "VOR"], [GEOTRANS, "VOR"]
VOIROL_1960_PM-PARIS	VOIROL_1960_PM-PARIS-ALGERIA	337	Algeria; $+13^{\circ} \leq \varphi \leq +43^{\circ}$; $-17^{\circ} \leq \lambda \leq +16^{\circ}$	PV_Z_ROTATE_TRANSLATE $\Delta x = -123$: $\sigma x = 25$, $\Delta y = -206$: $\sigma y = 25$, $\Delta z = 219$: $\sigma z = 25$, $\omega = 2^{\circ} 20' 14,025''$. Note: The referenced z-axis rotation has been offset so that Paris is contained in the x-positive xz-plane.	1993	[83502T, App. B.2, "VOR"], [GEOTRANS, "VOR"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
WAKE_1952	WAKE_1952_WAKE_ATOLL	338	Wake Atoll; $+17^{\circ} \leq \varphi \leq +21^{\circ}$; $+164^{\circ} \leq \lambda \leq +168^{\circ}$	TRANSLATE $\Delta x = 276$: $\sigma x = 25$, $\Delta y = -57$: $\sigma y = 25$, $\Delta z = 149$: $\sigma z = 25$.	1991	[83502T , App. B.10, "WAK"], [GEOTRANS , "WAK"]
WAKE_ENIWETOK-1960	WAKE_ENIWETOK_1960- _MARSHALL_ISLANDS	339	Marshall Islands; $+1^{\circ} \leq \varphi \leq +16^{\circ}$; $+159^{\circ} \leq \lambda \leq +175^{\circ}$	TRANSLATE $\Delta x = 102$: $\sigma x = 3$, $\Delta y = 52$: $\sigma y = 3$, $\Delta z = -38$: $\sigma z = 3$.	1991	[83502T , App. B.10, "ENW"], [GEOTRANS , "ENW"]
WGS_1972	WGS_1972_GLOBAL	340	Global (Earth)	PV_7_PARAMETER $\Delta x = 0$: $\sigma x = 0$, $\Delta y = 0$: $\sigma y = 0$, $\Delta z = 4,5$: $\sigma z = 0$, $\omega_1 = 0''$, $\omega_2 = 0''$, $\omega_3 = 0,554''$, $\Delta s = 0,219 \times 10^{-6}$.	2001	[HELM , "WGC-7"], [83502T , Table E.1]
WGS_1984	WGS_1984_IDENTITY	341	Global (Earth)	IDENTITY The reference ORM for object Earth.	1984	[83502T , Section 3]
YACARE_1987	YACARE_1987_URUGUAY	342	Uruguay; $-40^{\circ} \leq \varphi \leq -25^{\circ}$; $-65^{\circ} \leq \lambda \leq -47^{\circ}$	TRANSLATE $\Delta x = -155$, $\Delta y = 171$, $\Delta z = 37$.	1987	[83502T , App. C.2, "YAC"], [GEOTRANS , "YAC"]
ZANDERIJ_1987	ZANDERIJ_1987- _SURINAME	343	Suriname; $-10^{\circ} \leq \varphi \leq +20^{\circ}$; $-76^{\circ} \leq \lambda \leq -47^{\circ}$	TRANSLATE $\Delta x = -265$: $\sigma x = 5$, $\Delta y = 120$: $\sigma y = 5$, $\Delta z = -358$: $\sigma z = 8$.	1987	[83502T , App. B.7, "ZAN"], [GEOTRANS , "ZAN"]

Table E.7 — Dynamic ERM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
EARTH_INERTIAL- _ARIES_1950	53	Earth equatorial inertial, Aries mean of 1950	WGS_1984	OBRS EQUATORIAL INERTIAL Note: First point of Aries, mean of 1950.	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	Clause 7.5.2
EARTH_INERTIAL- _ARIES_TRUE_OF- _DATE	54	Earth equatorial inertial, Aries true of date	WGS_1984	OBRS EQUATORIAL INERTIAL Note: First point of Aries, true of date.	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	Clause 7.5.2
EARTH_INERTIAL- _J2000r0	55	Earth equatorial inertial, J2000.0	WGS_1984	OBRS EQUATORIAL INERTIAL Note: First point of Aries as of 2000 Jan 1 11:58:55.816 UTC.	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	Clause 7.5.2
EARTH_SOLAR- _ECLIPTIC	56	Solar ecliptic	WGS_1984	OBRS SOLAR ECLIPTIC	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	[HAPG]
EARTH_SOLAR- _EQUATORIAL	57	Solar equatorial	WGS_1984	OBRS SOLAR EQUATORIAL	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	[CRUS]
EARTH_SOLAR- _MAG_DIPOLE	58	Solar magnetic dipole	WGS_1984	OBRS SOLAR MAGNETIC DIPOLE	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	[CRUS], [BHAV]
EARTH_SOLAR- _MAGNETO- _SPHERIC	59	Solar magnetospheric	WGS_1984	OBRS SOLAR MAGNETIC ECLIPTIC	Vicinity of Earth	BI_AXIS-ORIGIN-3D	n/a	[CRUS]

Table E.8 — Time-fixed instances of dynamic ERM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GEOMAGNETIC_1945	77	DGRF 1945	WGS_1984	1945 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1945 to 1950.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1945"]
GEOMAGNETIC_1945-IGRF11	253	IGRF-11 1945	WGS_1984	1945 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1945 to 1950.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1945"]
GEOMAGNETIC_1950	78	DGRF 1950	WGS_1984	1950 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1950 to 1955.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1950"]
GEOMAGNETIC_1950-IGRF11	254	IGRF-11 1950	WGS_1984	1950 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1950 to 1955.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1950"]
GEOMAGNETIC_1955	79	DGRF 1955	WGS_1984	1955 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1955 to 1960.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1955"]
GEOMAGNETIC_1955-IGRF11	255	IGRF-11 1955	WGS_1984	1955 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1955 to 1960.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1955"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GEOMAGNETIC_1960	80	DGRF 1960	WGS 1984	1960 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1960 to 1965.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1960"]
GEOMAGNETIC_1960-IGRF11	256	IGRF-11 1960	WGS 1984	1960 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1960 to 1965.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1960"]
GEOMAGNETIC_1965	81	DGRF 1965	WGS 1984	1965 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1965 to 1970.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1965"]
GEOMAGNETIC_1965-IGRF11	257	IGRF-11 1965	WGS 1984	1965 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1965 to 1970.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1965"]
GEOMAGNETIC_1970	82	DGRF 1970	WGS 1984	1970 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1970 to 1975.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1970"]
GEOMAGNETIC_1970-IGRF11	258	IGRF-11 1970	WGS 1984	1970 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1970 to 1975.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1970"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GEOMAGNETIC_1975	83	DGRF 1975	WGS_1984	1975 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1975 to 1980.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1975"]
GEOMAGNETIC_1975-IGRF11	259	IGRF-11 1975	WGS_1984	1975 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1975 to 1980.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1975"]
GEOMAGNETIC_1980	84	DGRF 1980	WGS_1984	1980 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1980 to 1985.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1980"]
GEOMAGNETIC_1980-IGRF11	260	IGRF-11 1980	WGS_1984	1980 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1980 to 1985.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1980"]
GEOMAGNETIC_1985	85	DGRF 1985	WGS_1984	1985 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1985 to 1990.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1985"]
GEOMAGNETIC_1985-IGRF11	261	IGRF-11 1985	WGS_1984	1985 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1985 to 1990.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1985"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GEOMAGNETIC_1990	86	DGRF 1990	WGS 1984	1990 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1990 to 1995.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "DGRF 1990"]
GEOMAGNETIC_1990-IGRF11	262	IGRF-11 1990	WGS 1984	1990 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1990 to 1995.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1990"]
GEOMAGNETIC_1995	87	IGRF 1995	WGS 1984	1995 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1995 to 2000.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "IGRF 1995"]
GEOMAGNETIC_1995-IGRF11	263	IGRF-11 1995	WGS 1984	1995 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 1995 to 2000.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "1995"]
GEOMAGNETIC_2000	88	IGRF 2000	WGS 1984	2000 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 2000 to 2005.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[DAGF , Table I, "IGRF 2000"]
GEOMAGNETIC_2000-IGRF11	264	IGRF-11 2000	WGS 1984	2000 OBRs CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 2000 to 2005.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "2000"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
GEOMAGNETIC_2005-IGRF11	265	IGRF-11 2005	WGS_1984	2005 OBRS CELESTIOMAGNETIC Note: Object-fixed base epoch for the 5 year period 2005 to 2010.	Vicinity of Earth	BI_AXIS-ORIGIN_3D	n/a	[KUGI , Table 1, "2005"]

Table E.9 — Time-fixed instances of dynamic ERM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GEOMAGNETIC_1945	GEOMAGNETIC_1945-DGRF	105	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,53^\circ$, $\omega_2 = -68,53^\circ$. Note: Centred dipole model northern pole.	1945	[DAGE , Table I, "DGRF 1945"]
GEOMAGNETIC_1945-IGRF11	GEOMAGNETIC_1945-IGRF11-DGRF	344	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,5^\circ$, $\omega_2 = -68,5^\circ$. Note: Centred dipole model northern pole.	1945	[KUGI , Table 1, "1945"]
GEOMAGNETIC_1950	GEOMAGNETIC_1950-DGRF	106	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,53^\circ$, $\omega_2 = -68,85^\circ$. Note: Centred dipole model northern pole.	1950	[DAGE , Table I, "DGRF 1950"]
GEOMAGNETIC_1950-IGRF11	GEOMAGNETIC_1950-IGRF11-DGRF	345	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,5^\circ$, $\omega_2 = -68,8^\circ$. Note: Centred dipole model northern pole.	1950	[KUGI , Table 1, "1950"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GEOMAGNETIC 1955	GEOMAGNETIC_1955- _DGRF	107	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,54^\circ$, $\omega_2 = -69,16^\circ$. Note: Centred dipole model northern pole.	1955	[DAGF , Table I, "DGRF 1955"]
GEOMAGNETIC 1955- _IGRF11	GEOMAGNETIC_1955- _IGRF11_DGRF	346	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,5^\circ$, $\omega_2 = -69,2^\circ$. Note: Centred dipole model northern pole.	1955	[KUGI , Table 1, "1955"]
GEOMAGNETIC 1960	GEOMAGNETIC_1960- _DGRF	108	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,49^\circ$, $\omega_2 = -69,47^\circ$. Note: Centred dipole model northern pole.	1960	[DAGF , Table I, "DGRF 1960"]
GEOMAGNETIC 1960- _IGRF11	GEOMAGNETIC_1960- _IGRF11_DGRF	347	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,5^\circ$, $\omega_2 = -69,5^\circ$. Note: Centred dipole model northern pole.	1960	[KUGI , Table 1, "1960"]
GEOMAGNETIC 1965	GEOMAGNETIC_1965- _DGRF	109	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,47^\circ$, $\omega_2 = -69,85^\circ$. Note: Centred dipole model northern pole.	1965	[DAGF , Table I, "DGRF 1965"]
GEOMAGNETIC 1965- _IGRF11	GEOMAGNETIC_1965- _IGRF11_DGRF	348	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,5^\circ$, $\omega_2 = -69,9^\circ$. Note: Centred dipole model northern pole.	1965	[KUGI , Table 1, "1965"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GEOMAGNETIC_1970	GEOMAGNETIC_1970- _DGRF	110	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,41^\circ$, $\omega_2 = -70,18^\circ$. Note: Centred dipole model northern pole.	1970	[DAGF , Table I, "DGRF 1970"]
GEOMAGNETIC_1970- _IGRF11	GEOMAGNETIC_1970- _IGRF11_DGRF	349	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,4^\circ$, $\omega_2 = -70,2^\circ$. Note: Centred dipole model northern pole.	1970	[KUGI , Table 1, "1970"]
GEOMAGNETIC_1975	GEOMAGNETIC_1975- _DGRF	111	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,31^\circ$, $\omega_2 = -70,47^\circ$. Note: Centred dipole model northern pole.	1975	[DAGF , Table I, "DGRF 1975"]
GEOMAGNETIC_1975- _IGRF11	GEOMAGNETIC_1975- _IGRF11_DGRF	350	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,3^\circ$, $\omega_2 = -70,5^\circ$. Note: Centred dipole model northern pole.	1975	[KUGI , Table 1, "1975"]
GEOMAGNETIC_1980	GEOMAGNETIC_1980- _DGRF	112	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,19^\circ$, $\omega_2 = -70,76^\circ$. Note: Centred dipole model northern pole.	1980	[DAGF , Table I, "DGRF 1980"]
GEOMAGNETIC_1980- _IGRF11	GEOMAGNETIC_1980- _IGRF11_DGRF	351	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,2^\circ$, $\omega_2 = -70,8^\circ$. Note: Centred dipole model northern pole.	1980	[KUGI , Table 1, "1980"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GEOMAGNETIC 1985	GEOMAGNETIC_1985-DGRF	113	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11,03^\circ$, $\omega_2 = -70,9^\circ$. Note: Centred dipole model northern pole.	1985	[DAGF , Table I, "DGRF 1985"]
GEOMAGNETIC 1985-IGRF11	GEOMAGNETIC_1985-IGRF11-DGRF	352	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 11^\circ$, $\omega_2 = -70,9^\circ$. Note: Centred dipole model northern pole.	1985	[KUGI , Table 1, "1985"]
GEOMAGNETIC 1990	GEOMAGNETIC_1990-DGRF	114	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,87^\circ$, $\omega_2 = -71,11^\circ$. Note: Centred dipole model northern pole.	1990	[DAGF , Table I, "DGRF 1990"]
GEOMAGNETIC 1990-IGRF11	GEOMAGNETIC_1990-IGRF11-DGRF	353	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,9^\circ$, $\omega_2 = -71,1^\circ$. Note: Centred dipole model northern pole.	1990	[KUGI , Table 1, "1990"]
GEOMAGNETIC 1995	GEOMAGNETIC_1995-IGRF	115	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,7^\circ$, $\omega_2 = -71,41^\circ$. Note: Centred dipole model northern pole.	1995	[DAGF , Table I, "IGRF 1995"]
GEOMAGNETIC 1995-IGRF11	GEOMAGNETIC_1995-IGRF11-DGRF	354	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,7^\circ$, $\omega_2 = -71,4^\circ$. Note: Centred dipole model northern pole.	1995	[KUGI , Table 1, "1995"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
GEOMAGNETIC_2000	GEOMAGNETIC_2000-IGRF	116	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,46^\circ$, $\omega_2 = -71,57^\circ$. Note: Centred dipole model northern pole.	2000	[DAGF , Table I, "IGRF 2000"]
GEOMAGNETIC_2000-IGRF11	GEOMAGNETIC_2000-IGRF11_DGRF	355	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,5^\circ$, $\omega_2 = -71,6^\circ$. Note: Centred dipole model northern pole.	2000	[KUGI , Table 1, "2000"]
GEOMAGNETIC_2005-IGRF11	GEOMAGNETIC_2005-IGRF11_DGRF	356	Global (Earth)	PV_YZ_ROTATE $\omega_1 = 10,3^\circ$, $\omega_2 = -71,8^\circ$. Note: Centred dipole model northern pole.	2009	[KUGI , Table 1, "2005"]

Table E.10 — Object-fixed planet (non-Earth) ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
EROS_2000	63	Eros (asteroid 433)	This is the reference ORM for Eros (asteroid 433, a minor planet).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 3, "Eros"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Eros, Global	TRI_AXIAL-ELLIPSOID	EROS_2006	[RIIC06 , Table 3, "Eros"]
GASPRA_1991	74	Gaspra (asteroid 951)	This is the reference ORM for Gaspra (asteroid 951, a minor planet).	1991 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 3, "Gaspra"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Gaspra, Global	TRI_AXIAL-ELLIPSOID	GASPRA_1991	[RIIC06 , Table 3, "Gaspra"]
IDA_1991	104	Ida (asteroid 243)	This is the reference ORM for Ida (asteroid 243, a minor planet).	1991 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 3, "Ida"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Ida, Global	TRI_AXIAL-ELLIPSOID	IDA_1991	[RIIC06 , Table 3, "Ida"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
JUPITER_2006	120	Jupiter	This is the reference ORM for Jupiter (a planet).	2006 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 1, "Jupiter"}, with its associated accuracy as specified in {Section 2, paragraph 5}. Bound to the magnetic field (System III).	Jupiter, Global	OBLATE-ELLIPSOID	JUPITER_1988	[RIIC06, Table 1, "Jupiter"]
MARS_2000	140	Mars	This is the reference ORM for Mars (a planet).	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 1, "Mars"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Mars, Global	OBLATE-ELLIPSOID	MARS_2000	[RIIC06, Table 1, "Mars"]
MARS_SPHERE-2000	142	Mars (spherical)	MARS_2000	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 1, "Mars"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Mars, Global	SPHERE	MARS_SPHERE-2000	[RIIC06, Table 1, "Mars"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
MERCURY_2000	146	Mercury	This is the reference ORM for Mercury (a planet).	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 1, "Mercury"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Mercury, Global	SPHERE	MERCURY_2000	[RIIC06 , Table 1, "Mercury"]
NEPTUNE_1991	168	Neptune	This is the reference ORM for Neptune (a planet).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 1, "Neptune"}, with its associated accuracy as specified in {Section 2, paragraph 5}. Bound to the magnetic field (System III).	Neptune, Global	OBLATE-ELLIPSOID	NEPTUNE_1991	[RIIC06 , Table 1, "Neptune"]
PLUTO_2006	187	Pluto	This is the reference ORM for Pluto (a planet).	2006 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 1, "Pluto"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Pluto, Global	SPHERE	PLUTO_1994	[RIIC06 , Table 1, "Pluto"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
SATURN_1988	215	Saturn	This is the reference ORM for Saturn (a planet).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 1, "Saturn"}, with its associated accuracy as specified in {Section 2, paragraph 5}. Bound to the magnetic field (System III)	Saturn, Global	OBLATE-ELLIPSOID	SATURN_1988	[RIIC06, Table 1, "Saturn"]
URANUS_1988	237	Uranus	This is the reference ORM for Uranus (a planet).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 1, "Uranus"}, with its associated accuracy as specified in {Section 2, paragraph 5}. Bound to the magnetic field (System III).	Uranus, Global	OBLATE-ELLIPSOID	URANUS_1988	[RIIC06, Table 1, "Uranus"]
VENUS_1991	240	Venus	This is the reference ORM for Venus (a planet).	1991 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 1, "Venus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Venus, Global	SPHERE	VENUS_1991	[RIIC06, Table 1, "Venus"]

Table E.11 — Object-fixed planet (non-Earth) ORM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
EROS_2000	EROS_2000_IDENTITY	74	Global (Eros)	IDENTITY The reference ORM for object Eros.	2000	[RIIC06, Table 3, "Eros"]
GASPRA_1991	GASPRA_1991_IDENTITY	101	Global (Gaspra)	IDENTITY The reference ORM for object Gaspra.	1991	[RIIC06, Table 3, "Gaspra"]
IDA_1991	IDA_1991_IDENTITY	128	Global (Ida)	IDENTITY The reference ORM for object Ida.	1991	[RIIC06, Table 3, "Ida"]
JUPITER_2006	JUPITER_2006_IDENTITY	148	Global (Jupiter)	IDENTITY The reference ORM for object Jupiter.	2006	[RIIC06, Table 1, "Jupiter"]
MARS_2000	MARS_2000_IDENTITY	165	Global (Mars)	IDENTITY The reference ORM for object Mars.	2000	[RIIC06, Table 1, "Mars"]
MARS_SPHERE_2000	MARS_SPHERE_2000- _IDENTITY	166	Global (Mars)	IDENTITY	2000	[RIIC06, Table 1, "Mars"]
MERCURY_2000	MERCURY_2000- _IDENTITY	170	Global (Mercury)	IDENTITY The reference ORM for object Mercury.	2000	[RIIC06, Table 1, "Mercury"]
NEPTUNE_1991	NEPTUNE_1991- _IDENTITY	218	Global (Neptune)	IDENTITY The reference ORM for object Neptune.	1991	[RIIC06, Table 1, "Neptune"]
PLUTO_2006	PLUTO_2006_IDENTITY	249	Global (Pluto)	IDENTITY The reference ORM for object Pluto.	2006	[RIIC06, Table 1, "Pluto"]
SATURN_1988	SATURN_1988_IDENTITY	304	Global (Saturn)	IDENTITY The reference ORM for object Saturn.	1991	[RIIC06, Table 1, "Saturn"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
URANUS_1988	URANUS_1988_IDENTITY	330	Global (Uranus)	IDENTITY The reference ORM for object Uranus.	1988	[RIIC06, Table 1, "Uranus"]
VENUS_1991	VENUS_1991_IDENTITY	332	Global (Venus)	IDENTITY The reference ORM for object Venus.	1991	[RIIC06, Table 1, "Venus"]

Table E.12 — Dynamic planet (non-Earth) ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
JUPITER_INERTIAL	121	Jupiter equatorial inertial	JUPITER 2006	OBRS EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Jupiter	BI AXIS-ORIGIN 3D	n/a	Clause 7.5.2
JUPITER_SOLAR-ECLIPTIC	123	Jupiter solar ecliptic	JUPITER 2006	OBRS SOLAR ECLIPTIC	Vicinity of Jupiter	BI AXIS-ORIGIN 3D	n/a	[HAPG]
JUPITER_SOLAR-EQUATORIAL	124	Jupiter solar equatorial	JUPITER 2006	OBRS SOLAR EQUATORIAL	Vicinity of Jupiter	BI AXIS-ORIGIN 3D	n/a	[CRUS]
JUPITER_SOLAR-MAG_DIPOLE	125	Jupiter solar magnetic dipole	JUPITER 2006	OBRS SOLAR MAGNETIC-DIPOLE	Vicinity of Jupiter	BI AXIS-ORIGIN 3D	n/a	[CRUS], [BHAV]
JUPITER_SOLAR-MAG_ECLIPTIC	126	Jupiter solar magnetic ecliptic	JUPITER 2006	OBRS SOLAR MAGNETIC-ECLIPTIC	Vicinity of Jupiter	BI AXIS-ORIGIN 3D	n/a	[CRUS]
MARS_INERTIAL	141	Mars equatorial inertial	MARS 2000	OBRS EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Mars	BI AXIS-ORIGIN 3D	n/a	Clause 7.5.2
MERCURY_INERTIAL	147	Mercury equatorial inertial	MERCURY-2000	OBRS EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Mercury	BI AXIS-ORIGIN 3D	n/a	Clause 7.5.2

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
NEPTUNE_INERTIAL	169	Neptune equatorial inertial	NEPTUNE-1991	OBRs EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Neptune	BI_AXIS-ORIGIN_3D	n/a	Clause 7.5.2
PLUTO_INERTIAL	188	Pluto equatorial inertial	PLUTO 2006	OBRs EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Pluto	BI_AXIS-ORIGIN_3D	n/a	Clause 7.5.2
SATURN_INERTIAL	216	Saturn equatorial inertial	SATURN 1988	OBRs EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Saturn	BI_AXIS-ORIGIN_3D	n/a	Clause 7.5.2
URANUS_INERTIAL	238	Uranus equatorial inertial	URANUS 1988	OBRs EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Uranus	BI_AXIS-ORIGIN_3D	n/a	Clause 7.5.2
VENUS_INERTIAL	241	Venus equatorial inertial	VENUS 1991	OBRs EQUATORIAL INERTIAL Note: Vernal equinox, true of date.	Vicinity of Venus	BI_AXIS-ORIGIN_3D	n/a	Clause 7.5.2

Table E.13 — Time-fixed instances of dynamic planet (non-Earth) ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
JUPITER-MAGNETIC 1993	122	Jupiter magnetic	JUPITER-2006	1992 OBRS CELESTIOMAGNETIC Note: Object-fixed based on the "eccentric dipoles" of an octopole representation of a sixth degree and order field (O_6) model that was derived from empirical measurements made by the Pioneer 10/11 and Voyager 1/2 spacecraft.	Vicinity of Jupiter	BI_AXIS-ORIGIN 3D	n/a	[MFOP , Table 5, "Jupiter"]
NEPTUNE-MAGNETIC 1993	170	Neptune magnetic	NEPTUNE-1991	1993 OBRS CELESTIOMAGNETIC Note: Object-fixed based on the "eccentric dipoles" of an octopole representation of an eighth degree field (O_8) model that was derived from empirical measurements made by the Voyager 2 spacecraft.	Vicinity of Neptune	BI_AXIS-ORIGIN 3D	n/a	[MFOP , Table 5, "Neptune"]
SATURN-MAGNETIC 1993	217	Saturn magnetic	SATURN-1988	1993 OBRS CELESTIOMAGNETIC Note: Object-fixed based on the "eccentric dipoles" of a Z_3 zonal harmonic model that was derived from empirical measurements made by the Pioneer 11 and Voyager 1/2 spacecraft.	Vicinity of Saturn	BI_AXIS-ORIGIN 3D	n/a	[MFOP , Table 5, "Saturn"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
URANUS-MAGNETIC_1993	239	Uranus magnetic	URANUS-1988	1993 OBRS CELESTIOMAGNETIC Note: Object-fixed based on the "eccentric dipoles" of an Q_3 model that was derived from empirical measurements made by the Voyager 2 spacecraft.	Vicinity of Uranus	BI_AXIS-ORIGIN_3D	n/a	[MFOP , Table 5, "Uranus"]

Table E.14 — Time-fixed instances of dynamic planet (non-Earth) ORM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
JUPITER_MAGNETIC_1993	JUPITER_MAGNETIC-1993_VOYAGER	149	Global (Jupiter)	PV_YZ_ROTATE $\omega_1 = 9,4^\circ$, $\omega_2 = -200,1^\circ$.	1993	[MFOP , Table 5, "Jupiter"]
NEPTUNE_MAGNETIC_1993	NEPTUNE_MAGNETIC-1993_VOYAGER	219	Global (Neptune)	PV_YZ_ROTATE $\omega_1 = 46,9^\circ$, $\omega_2 = -72^\circ$.	1993	[MFOP , Table 5, "Neptune"]
SATURN_MAGNETIC_1993	SATURN_MAGNETIC-1993_VOYAGER-IDENTITY_BY-MEASUREMENT	305	Global (Saturn)	PV_YZ_ROTATE $\omega_1 = 0^\circ$, $\omega_2 = 0^\circ$.	1993	[MFOP , Table 5, "Saturn"]
URANUS_MAGNETIC_1993	URANUS_MAGNETIC-1993_VOYAGER	331	Global (Uranus)	PV_YZ_ROTATE $\omega_1 = 58,6^\circ$, $\omega_2 = -53,6^\circ$.	1993	[MFOP , Table 5, "Uranus"]

Table E.15 — Object-fixed satellite ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
ADRASTEIA_2000	4	Adrasteia	This is the reference ORM for Adrasteia (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Adrasteia"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Adrasteia, Global	TRI_AXIAL-ELLIPSOID	ADRASTEIA_2000	[RIIC06 , Table 2, "Adrasteia"]
AMALTHEA_2000	7	Amalthea	This is the reference ORM for Amalthea (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Amalthea"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Amalthea, Global	TRI_AXIAL-ELLIPSOID	AMALTHEA_2000	[RIIC06 , Table 2, "Amalthea"]
ARIEL_1988	13	Ariel	This is the reference ORM for Ariel (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Ariel"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Ariel, Global	SPHERE	ARIEL_1988	[RIIC06 , Table 2, "Ariel"]
ATLAS_1988	15	Atlas	This is the reference ORM for Atlas (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Atlas"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Atlas, Global	OBLATE-ELLIPSOID	ATLAS_1988	[RIIC06 , Table 2, "Atlas"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
BELINDA_1988	20	Belinda	This is the reference ORM for Belinda (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Belinda"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Belinda, Global	SPHERE	BELINDA_1988	[RIIC06 , Table 2, "Belinda"]
BIANCA_1988	23	Bianca	This is the reference ORM for Bianca (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Bianca"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Bianca, Global	SPHERE	BIANCA_1988	[RIIC06 , Table 2, "Bianca"]
CALLISTO_2000	28	Callisto	This is the reference ORM for Callisto (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Callisto"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Callisto, Global	SPHERE	CALLISTO_2000	[RIIC06 , Table 2, "Callisto"]
CALYPSO_1988	29	Calypso	This is the reference ORM for Calypso (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Calypso"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Calypso, Global	TRI AXIAL-ELLIPSOID	CALYPSO_1988	[RIIC06 , Table 2, "Calypso"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
CHARON_2006	36	Charon	This is the reference ORM for Charon (a satellite of Pluto).	2006 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Charon"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Charon, Global	SPHERE	CHARON_2006	[RIIC06, Table 2, "Charon"]
CORDELIA_1988	40	Cordelia	This is the reference ORM for Cordelia (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Cordelia"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Cordelia, Global	SPHERE	CORDELIA_1988	[RIIC06, Table 2, "Cordelia"]
CRESSIDA_1988	42	Cressida	This is the reference ORM for Cressida (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Cressida"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Cressida, Global	SPHERE	CRESSIDA_1988	[RIIC06, Table 2, "Cressida"]
DEIMOS_1988	45	Deimos	This is the reference ORM for Deimos (a satellite of Mars).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Deimos"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Deimos, Global	TRI_AXIAL-ELLIPSOID	DEIMOS_1988	[RIIC06, Table 2, "Deimos"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
DESDEMONA-1988	46	Desdemona	This is the reference ORM for Desdemona (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Desdemona"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Desdemona, Global	SPHERE	DESDEMONA-1988	[RIIC06 , Table 2, "Desdemona"]
DESPINA_1991	47	Despina	This is the reference ORM for Despina (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Despina"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Despina, Global	SPHERE	DESPINA_1991	[RIIC06 , Table 2, "Despina"]
DIONE_1982	48	Dione	This is the reference ORM for Dione (a satellite of Saturn).	1982 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Dione"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Dione, Global	TRI_AXIAL-ELLIPSOID	DIONE_2006	[RIIC06 , Table 2, "Dione"]
ENCELADUS-1994	61	Enceladus	This is the reference ORM for Enceladus (a satellite of Saturn).	1994 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Enceladus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Enceladus, Global	SPHERE	ENCELADUS-2006	[RIIC06 , Table 2, "Enceladus"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
EPIMETHEUS-1988	62	Epimetheus	This is the reference ORM for Epimetheus (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Epimetheus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Epimetheus, Global	TRI_AXIAL-ELLIPSOID	EPIMETHEUS-1988	[RIIC06 , Table 2, "Epimetheus"]
EUROPA_2000	66	Europa	This is the reference ORM for Europa (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Europa"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Europa, Global	SPHERE	EUROPA_2000	[RIIC06 , Table 2, "Europa"]
GALATEA_1991	71	Galatea	This is the reference ORM for Galatea (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Galatea"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Galatea, Global	SPHERE	GALATEA_1991	[RIIC06 , Table 2, "Galatea"]
GANYMEDE-2000	73	Ganymede	This is the reference ORM for Ganymede (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Ganymede"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Ganymede, Global	SPHERE	GANYMEDE-2000	[RIIC06 , Table 2, "Ganymede"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
HELENE 1992	93	Helene	This is the reference ORM for Helene (a satellite of Saturn).	1992 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Helene"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Helene, Global	SPHERE	HELENE 1992	[RIIC06 , Table 2, "Helene"]
IAPETUS 1988	103	Iapetus	This is the reference ORM for Iapetus (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Iapetus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Iapetus, Global	TRI AXIAL-ELLIPSOID	IAPETUS 2006	[RIIC06 , Table 2, "Iapetus"]
IO 2000	112	Io	This is the reference ORM for Io (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Io"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Io, Global	SPHERE	IO 2000	[RIIC06 , Table 2, "Io"]
JANUS 1988	116	Janus	This is the reference ORM for Janus (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Janus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Janus, Global	TRI AXIAL-ELLIPSOID	JANUS 1988	[RIIC06 , Table 2, "Janus"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
JULIET_1988	119	Juliet	This is the reference ORM for Juliet (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Juliet"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Juliet, Global	SPHERE	JULIET_1988	[RIIC06 , Table 2, "Juliet"]
LARISSA_1991	132	Larissa	This is the reference ORM for Larissa (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Larissa"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Larissa, Global	OBLATE-ELLIPSOID	LARISSA_1991	[RIIC06 , Table 2, "Larissa"]
METIS_2000	148	Metis	This is the reference ORM for Metis (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Metis"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Metis, Global	SPHERE	METIS_2000	[RIIC06 , Table 2, "Metis"]
MIMAS_1994	150	Mimas	This is the reference ORM for Mimas (a satellite of Saturn).	1994 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Mimas"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Mimas, Global	SPHERE	MIMAS_2006	[RIIC06 , Table 2, "Mimas"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
MIRANDA_1988	152	Miranda	This is the reference ORM for Miranda (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Miranda"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Miranda, Global	SPHERE	MIRANDA_1988	[RIIC06 , Table 2, "Miranda"]
MOON_1991	160	Moon	This is the reference ORM for Moon (a satellite of Earth).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Moon"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Moon, Global	SPHERE	MOON_1991	[RIIC06 , Table 2, "Moon"]
NAIAD_1991	166	Naiad	This is the reference ORM for Naiad (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Naiad"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Naiad, Global	SPHERE	NAIAD_1991	[RIIC06 , Table 2, "Naiad"]
OBERON_1988	174	Oberon	This is the reference ORM for Oberon (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Oberon"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Oberon, Global	SPHERE	OBERON_1988	[RIIC06 , Table 2, "Oberon"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
OPHELIA_1988	179	Ophelia	This is the reference ORM for Ophelia (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Ophelia"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Ophelia, Global	SPHERE	OPHELIA_1988	[RIIC06 , Table 2, "Ophelia"]
PAN_1991	181	Pan	This is the reference ORM for Pan (a satellite of Saturn).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Pan"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Pan, Global	SPHERE	PAN_1991	[RIIC06 , Table 2, "Pan"]
PANDORA_1988	182	Pandora	This is the reference ORM for Pandora (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Pandora"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Pandora, Global	TRI_AXIAL-ELLIPSOID	PANDORA_1988	[RIIC06 , Table 2, "Pandora"]
PHOBOS_1988	183	Phobos	This is the reference ORM for Phobos (a satellite of Mars).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Phobos"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Phobos, Global	TRI_AXIAL-ELLIPSOID	PHOBOS_1988	[RIIC06 , Table 2, "Phobos"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
PHOEBE_2006	184	Phoebe	This is the reference ORM for Phoebe (a satellite of Saturn).	2006 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Phoebe"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Phoebe, Global	SPHERE	PHOEBE_2006	[RIIC06 , Table 2, "Phoebe"]
PORTIA_1988	191	Portia	This is the reference ORM for Portia (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Portia"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Portia, Global	SPHERE	PORTIA_1988	[RIIC06 , Table 2, "Portia"]
PROMETHEUS-1988	193	Prometheus	This is the reference ORM for Prometheus (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Prometheus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Prometheus, Global	TRI_AXIAL-ELLIPSOID	PROMETHEUS-1988	[RIIC06 , Table 2, "Prometheus"]
PROTEUS_1991	194	Proteus	This is the reference ORM for Proteus (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Proteus"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Proteus, Global	TRI_AXIAL-ELLIPSOID	PROTEUS_1991	[RIIC06 , Table 2, "Proteus"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
PUCK_1988	197	Puck	This is the reference ORM for Puck (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Puck"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Puck, Global	SPHERE	PUCK_1988	[RIIC06 , Table 2, "Puck"]
RHEA_1988	204	Rhea	This is the reference ORM for Rhea (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Rhea"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Rhea, Global	TRI_AXIAL-ELLIPSOID	RHEA_2006	[RIIC06 , Table 2, "Rhea"]
ROSALIND_1988	207	Rosalind	This is the reference ORM for Rosalind (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Rosalind"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Rosalind, Global	SPHERE	ROSALIND_1988	[RIIC06 , Table 2, "Rosalind"]
TELESTO_1988	225	Telesto	This is the reference ORM for Telesto (a satellite of Saturn).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Telesto"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Telesto, Global	TRI_AXIAL-ELLIPSOID	TELESTO_1988	[RIIC06 , Table 2, "Telesto"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
TETHYS_1991	227	Tethys	This is the reference ORM for Tethys (a satellite of Saturn).	1991 The x-positive xz-half-plane as determined by an observable fixed surface feature and approximated by an ephemeris as specified in {Table 2, "Tethys"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Tethys, Global	SPHERE	TETHYS_2006	[RIIC06 , Table 2, "Tethys"]
THALASSA_1991	228	Thalassa	This is the reference ORM for Thalassa (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Thalassa"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Thalassa, Global	SPHERE	THALASSA_1991	[RIIC06 , Table 2, "Thalassa"]
THEBE_2000	229	Thebe	This is the reference ORM for Thebe (a satellite of Jupiter).	2000 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Thebe"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Thebe, Global	OBLATE-ELLIPSOID	THEBE_2000	[RIIC06 , Table 2, "Thebe"]
TITAN_1982	231	Titan	This is the reference ORM for Titan (a satellite of Saturn).	1982 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Titan"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Titan, Global	SPHERE	TITAN_1982	[RIIC06 , Table 2, "Titan"]

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
TITANIA_1988	232	Titania	This is the reference ORM for Titania (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Titania"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Titania, Global	SPHERE	TITANIA_1988	[RIIC06 , Table 2, "Titania"]
TRITON_1991	235	Triton	This is the reference ORM for Triton (a satellite of Neptune).	1991 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Triton"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Triton, Global	SPHERE	TRITON_1991	[RIIC06 , Table 2, "Triton"]
UMBRIEL_1988	236	Umbriel	This is the reference ORM for Umbriel (a satellite of Uranus).	1988 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 2, "Umbriel"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Umbriel, Global	SPHERE	UMBRIEL_1988	[RIIC06 , Table 2, "Umbriel"]

Table E.16 — Object-fixed satellite ORM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
ADRASTEA_2000	ADRASTEA_2000_IDENTITY	10	Global (Adrastea)	IDENTITY The reference ORM for object Adrastea.	2000	[RIIC06, Table 2, "Adrastea"]
AMALTHEA_2000	AMALTHEA_2000_IDENTITY	14	Global (Amalthea)	IDENTITY The reference ORM for object Amalthea.	2000	[RIIC06, Table 2, "Amalthea"]
ARIEL_1988	ARIEL_1988_IDENTITY	30	Global (Ariel)	IDENTITY The reference ORM for object Ariel.	1988	[RIIC06, Table 2, "Ariel"]
ATLAS_1988	ATLAS_1988_IDENTITY	32	Global (Atlas)	IDENTITY The reference ORM for object Atlas.	1988	[RIIC06, Table 2, "Atlas"]
BELINDA_1988	BELINDA_1988_IDENTITY	38	Global (Belinda)	IDENTITY The reference ORM for object Belinda.	1988	[RIIC06, Table 2, "Belinda"]
BIANCA_1988	BIANCA_1988_IDENTITY	41	Global (Bianca)	IDENTITY The reference ORM for object Bianca.	1988	[RIIC06, Table 2, "Bianca"]
CALLISTO_2000	CALLISTO_2000_IDENTITY	46	Global (Callisto)	IDENTITY The reference ORM for object Callisto.	2000	[RIIC06, Table 2, "Callisto"]
CALYPSO_1988	CALYPSO_1988_IDENTITY	47	Global (Calypso)	IDENTITY The reference ORM for object Calypso.	2000	[RIIC06, Table 2, "Calypso"]
CHARON_2006	CHARON_2006_IDENTITY	54	Global (Charon)	IDENTITY The reference ORM for object Charon.	2006	[RIIC06, Table 2, "Charon"]
CORDELIA_1988	CORDELIA_1988_IDENTITY	58	Global (Cordelia)	IDENTITY The reference ORM for object Cordelia.	1988	[RIIC06, Table 2, "Cordelia"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
CRESSIDA_1988	CRESSIDA_1988_IDENTITY	60	Global (Cressida)	IDENTITY The reference ORM for object Cressida.	1988	[RIIC06, Table 2, "Cressida"]
DEIMOS_1988	DEIMOS_1988_IDENTITY	63	Global (Deimos)	IDENTITY The reference ORM for object Deimos.	1988	[RIIC06, Table 2, "Deimos"]
DESDEMONA_1988	DESDEMONA_1988- _IDENTITY	64	Global (Desdemona)	IDENTITY The reference ORM for object Desdemona.	2000	[RIIC06, Table 2, "Desdemona"]
DESPINA_1991	DESPINA_1991_IDENTITY	65	Global (Despina)	IDENTITY The reference ORM for object Despina.	1991	[RIIC06, Table 2, "Despina"]
DIONE_1982	DIONE_1982_IDENTITY	66	Global (Dione)	IDENTITY The reference ORM for object Dione.	2000	[RIIC06, Table 2, "Dione"]
ENCELADUS_1994	ENCELADUS_1994- _IDENTITY	72	Global (Enceladus)	IDENTITY The reference ORM for object Enceladus.	1994	[RIIC06, Table 2, "Enceladus"]
EPIMETHEUS_1988	EPIMETHEUS_1988- _IDENTITY	73	Global (Epimetheus)	IDENTITY The reference ORM for object Epimetheus.	2000	[RIIC06, Table 2, "Epimetheus"]
EUROPA_2000	EUROPA_2000_IDENTITY	77	Global (Europa)	IDENTITY The reference ORM for object Europa.	2000	[RIIC06, Table 2, "Europa"]
GALATEA_1991	GALATEA_1991_IDENTITY	98	Global (Galatea)	IDENTITY The reference ORM for object Galatea.	1991	[RIIC06, Table 2, "Galatea"]
GANYMEDE_2000	GANYMEDE_2000_IDENTITY	100	Global (Ganymede)	IDENTITY The reference ORM for object Ganymede.	2000	[RIIC06, Table 2, "Ganymede"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
HELENE_1992	HELENE_1992_IDENTITY	121	Global (Helene)	IDENTITY The reference ORM for object Helene.	1992	[RIIC06, Table 2, "Helene"]
IAPETUS_1988	IAPETUS_1988_IDENTITY	127	Global (Iapetus)	IDENTITY The reference ORM for object Iapetus.	2000	[RIIC06, Table 2, "Iapetus"]
IO_2000	IO_2000_IDENTITY	139	Global (Io)	IDENTITY The reference ORM for object Io.	2000	[RIIC06, Table 2, "Io"]
JANUS_1988	JANUS_1988_IDENTITY	144	Global (Janus)	IDENTITY The reference ORM for object Janus.	2000	[RIIC06, Table 2, "Janus"]
JULIET_1988	JULIET_1988_IDENTITY	147	Global (Juliet)	IDENTITY The reference ORM for object Juliet.	2000	[RIIC06, Table 2, "Juliet"]
LARISSA_1991	LARISSA_1991_IDENTITY	155	Global (Larissa)	IDENTITY The reference ORM for object Larissa.	1991	[RIIC06, Table 2, "Larissa"]
METIS_2000	METIS_2000_IDENTITY	171	Global (Metis)	IDENTITY The reference ORM for object Metis.	2000	[RIIC06, Table 2, "Metis"]
MIMAS_1994	MIMAS_1994_IDENTITY	173	Global (Mimas)	IDENTITY The reference ORM for object Mimas.	1994	[RIIC06, Table 2, "Mimas"]
MIRANDA_1988	MIRANDA_1988_IDENTITY	176	Global (Miranda)	IDENTITY The reference ORM for object Miranda.	1988	[RIIC06, Table 2, "Miranda"]
MOON_1991	MOON_1991_IDENTITY	184	Global (Moon)	IDENTITY The reference ORM for object Moon.	1991	[RIIC06, Table 2, "Moon"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
NAIAD_1991	NAIAD_1991_IDENTITY	216	Global (Naiad)	IDENTITY The reference ORM for object Naiad.	1991	[RIIC06, Table 2, "Naiad"]
OBERON_1988	OBERON_1988_IDENTITY	223	Global (Oberon)	IDENTITY The reference ORM for object Oberon.	1988	[RIIC06, Table 2, "Oberon"]
OPHELIA_1988	OPHELIA_1988_IDENTITY	236	Global (Ophelia)	IDENTITY The reference ORM for object Ophelia.	1988	[RIIC06, Table 2, "Ophelia"]
PAN_1991	PAN_1991_IDENTITY	243	Global (Pan)	IDENTITY The reference ORM for object Pan.	1991	[RIIC06, Table 2, "Pan"]
PANDORA_1988	PANDORA_1988_IDENTITY	244	Global (Pandora)	IDENTITY The reference ORM for object Pandora.	1988	[RIIC06, Table 2, "Pandora"]
PHOBOS_1988	PHOBOS_1988_IDENTITY	245	Global (Phobos)	IDENTITY The reference ORM for object Phobos.	1988	[RIIC06, Table 2, "Phobos"]
PHOEBE_2006	PHOEBE_2006_IDENTITY	246	Global (Phoebe)	IDENTITY The reference ORM for object Phoebe.	2006	[RIIC06, Table 2, "Phoebe"]
PORTIA_1988	PORTIA_1988_IDENTITY	252	Global (Portia)	IDENTITY The reference ORM for object Portia.	1988	[RIIC06, Table 2, "Portia"]
PROMETHEUS_1988	PROMETHEUS_1988- _IDENTITY	254	Global (Prometheus)	IDENTITY The reference ORM for object Prometheus.	1988	[RIIC06, Table 2, "Prometheus"]
PROTEUS_1991	PROTEUS_1991_IDENTITY	255	Global (Proteus)	IDENTITY The reference ORM for object Proteus.	1991	[RIIC06, Table 2, "Proteus"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
PUCK_1988	PUCK_1988_IDENTITY	267	Global (Puck)	IDENTITY The reference ORM for object Puck.	1988	[RIIC06, Table 2, "Puck"]
RHEA_1988	RHEA_1988_IDENTITY	274	Global (Rhea)	IDENTITY The reference ORM for object Rhea.	1988	[RIIC06, Table 2, "Rhea"]
ROSALIND_1988	ROSALIND_1988_IDENTITY	277	Global (Rosalind)	IDENTITY The reference ORM for object Rosalind.	1988	[RIIC06, Table 2, "Rosalind"]
TELESTO_1988	TELESTO_1988_IDENTITY	313	Global (Telesto)	IDENTITY The reference ORM for object Telesto.	1988	[RIIC06, Table 2, "Telesto"]
TETHYS_1991	TETHYS_1991_IDENTITY	315	Global (Tethys)	IDENTITY The reference ORM for object Tethys.	1991	[RIIC06, Table 2, "Tethys"]
THALASSA_1991	THALASSA_1991_IDENTITY	316	Global (Thalassa)	IDENTITY The reference ORM for object Thalassa.	1991	[RIIC06, Table 2, "Thalassa"]
THEBE_2000	THEBE_2000_IDENTITY	317	Global (Thebe)	IDENTITY The reference ORM for object Thebe.	2000	[RIIC06, Table 2, "Thebe"]
TITAN_1982	TITAN_1982_IDENTITY	320	Global (Titan)	IDENTITY The reference ORM for object Titan.	1988	[RIIC06, Table 2, "Titan"]
TITANIA_1988	TITANIA_1988_IDENTITY	321	Global (Titania)	IDENTITY The reference ORM for object Titania.	1988	[RIIC06, Table 2, "Titania"]
TRITON_1991	TRITON_1991_IDENTITY	328	Global (Triton)	IDENTITY The reference ORM for object Triton.	1991	[RIIC06, Table 2, "Triton"]

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
UMBRIEL_1988	UMBRIEL_1988_IDENTITY	329	Global (Umbriel)	IDENTITY The reference ORM for object Umbriel.	1988	[RIIC06 , Table 2, "Umbriel"]

Table E.17 — Time-fixed instances of dynamic satellite ORM specifications

In this International Standard there are no time-fixed instances of dynamic satellite ORM specifications, therefore this table is empty.

Table E.18 — Time-fixed instances of dynamic satellite ORM reference transformation specifications

In this International Standard there are no time-fixed instances of dynamic satellite ORM reference transformation specifications, therefore this table is empty.

Table E.19 — Stellar ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
SUN_2006	222	Sun	This is the reference ORM for the Sun (a star).	2006 The x-positive xz-half-plane as determined by an ephemeris as specified in {Table 1, "Sun"}, with its associated accuracy as specified in {Section 2, paragraph 5}.	Sun, Global	SPHERE	SUN_1992	[RIIC06 , Table 1, "Sun"]

Table E.20 — Stellar ORM reference transformation specifications

ORM label	RT label	RT code	RT region	STT label and parameter values	Date published	References
SUN_2006	SUN_2006_IDENTITY	310	Global (Sun)	IDENTITY The reference ORM for object Sun.	2006	[RIIC06 , Table 1, "Sun"]

Table E.21 — Dynamic stellar ORM specifications

ORM label	ORM code	Published name	Reference ORM	Binding information	Region	ORMT label	RD parameterization	References
HELIO_ARIES- _ECLIPTIC_J2000r0	94	Heliocentric Aries ecliptic, J2000.0	SUN_2006	OBRS HELIOCENTRIC_ARIES_ECLIPTIC Note: First point of Aries as of 2000 Jan 1 11:58:55.816 UTC.	Solar system	BI_AXIS- _ORIGIN_3D	n/a	[HAPG]
HELIO_ARIES- _ECLIPTIC_TRUE- _OF_DATE	95	Heliocentric Aries ecliptic, true of date	SUN_2006	OBRS HELIOCENTRIC_ARIES_ECLIPTIC Note: First point of Aries, true of date.	Solar system	BI_AXIS- _ORIGIN_3D	n/a	[HAPG]
HELIO_EARTH- _ECLIPTIC	96	Heliocentric Earth ecliptic	SUN_2006	OBRS HELIOCENTRIC_PLANET- _ECLIPTIC	Solar system	BI_AXIS- _ORIGIN_3D	n/a	[HAPG]
HELIO_EARTH- _EQUATORIAL	97	Heliocentric Earth equatorial	SUN_2006	OBRS HELIOCENTRIC_PLANET- _EQUATORIAL	Solar system	BI_AXIS- _ORIGIN_3D	n/a	[HAPG]

Table E.22 — Time-fixed instances of dynamic stellar ORM specifications

In this International Standard there are no time-fixed instances of dynamic stellar ORM specifications, therefore this table is empty.
--

Table E.23 — Time-fixed instances of dynamic stellar ORM reference transformation specifications

In this International Standard there are no time-fixed instances of dynamic stellar ORM reference transformation specifications, therefore this table is empty.

<http://standards.iso.org/ittf/PubliclyAvailableStandards/>

